

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

☒ **Annual** ☐ **Update** ☐ **Revised** ☒ **Facility Information has changed from the last submission**

Facility Identification				Owner/Operator Details	
Facility ID:	2716	Lat/Long:	41.93/-71.28	Name:	Owner/Operator
Facility Name:	Rust-Oleum			Address:	113 Olive Street
Maximum Occupants:	58				Attleboro, MA 02703, United States
Physical Location:	113 Olive Street, Attleboro, MA 02703	Nature of Business:		Phone:	508-431-3079 Email: andrew.morabito@rustoleum.com
County:	Bristol County	NAICS Code:	325510	Parent Company Details	
Fire Department:		SIC Code:	2851	Name:	RUST-OLEUM
Phone:	508-222-3710	Dun and Brad No:	005094420	Dun and Brad No:	
☒ Manned ☐ Unmanned		EIN ID(Tax Number):		Address:	113 OLIVE ST
Email:	andrew.morabito@rustoleum.com	FTE:	58		North Providence, MA 02911, United States
				Phone:	800-323-3584 Email:
Subject to EPCRA Section 312 (Annual Inventory)?				☒ Yes ☐ No	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				☒ Yes ☐ No	
Subject to Section 112r of Clean Air Act (CAA)?				☒ Yes ☐ No	
RMP Facility ID:	004155651				
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				☒ Yes ☐ No	
TRI Facility ID:	02703mntsrober				
Mailing Address				Facility Emergency Planning Coordinator	
Company Name:	Rust-Oleum			Name:	andrew morabito
Attention:	Andrew Morabito			Title:	EHS Manager
Street Address 1:	113 Olive Street			Phone:	150-853-8864 x 1 24 Hr.Phone: 508-538-8641
Street Address 2:				Email:	andrew.morabito@rustoleum.com
City:	Attleboro	State:	MA		
Zip:	02703	Phone:	508-222-3710		
Country:	United States				
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
andrew morabito	EHS Manager	150-853-8864 x 1	508-538-8641	andrew.morabito@rustoleum.com	
Rick Logee	Maintenace Manager	508-222-3710	508-222-3710	richard.logee@rustoleum.com	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 18, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.					Optional Attachments
andrew morabito, EHS		1/15/2026 12:09:19 PM	508-222-3710	andrew morabito	☒ Site Plan
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	☒ Site Coordinate Abbreviations
					☐ Other Safeguard measures
					☒ Facility Emergency Response Plan

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 275612 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: Alfa Kimya DP1151 EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS /SDS Chemical Added On: 04/08/2025 Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☒ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 63849 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 35984 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 42000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[2]Greater than ambient pressure</td> <td>[5]Greater than ambient temperature</td> <td>Robert St UST</td> <td>UST Bunker</td> <td>53270</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Robert St UST	UST Bunker	53270					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[B]Below ground tank	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Robert St UST	UST Bunker	53270													
SHIPMENT DETAILS																		
Mode of Shipment: Trucks Shipment Frequency Count: 4 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 42000 Maximum Shipment Quantity at One Time: 42000 Average Annual Shipment Quantity: 168000 Routes of Travel: I 95 N/ S RT123 Attleboro Olive St	Carrier: Kenan Advantage Group Carrier Address: 4366 Mount Plensent , North Canton , OH Carrier Phone: 800-424-9300 Carrier 24 Hr Phone:																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards																						
Chemical ID: 275556 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: ATTAGL 40 EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐		☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive		☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																						
Inventory		Storage Codes & Location																								
Max Daily Amt (lbs): 30775 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 16348 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 50 No of days onsite: 365		<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[J]Bag</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Building #9, Second Floor</td><td></td><td>45750</td></tr></tbody></table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #9, Second Floor		45750									
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																					
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #9, Second Floor		45750																					
SHIPMENT DETAILS																										
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Solid		Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 5000 Average Annual Shipment Quantity: 50000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street		Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone: 800-262-8200																						
MIXTURE COMPONENTS																										
<table><thead><tr><th>Chemical Name</th><th>%</th><th>CAS #</th><th>EHS</th><th>EHS Name</th><th>Max Daily Amount (lbs)</th><th>Max Daily Amount Code</th></tr></thead><tbody><tr><td>Attapulgate</td><td>99</td><td>12174-11-7</td><td>☐</td><td></td><td>30467.25</td><td>07</td></tr><tr><td>Silica, crystalline</td><td>1</td><td>14808-60-7</td><td>☐</td><td></td><td>307.75</td><td>02</td></tr></tbody></table>						Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Attapulgate	99	12174-11-7	☐		30467.25	07	Silica, crystalline	1	14808-60-7	☐		307.75	02
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																				
Attapulgate	99	12174-11-7	☐		30467.25	07																				
Silica, crystalline	1	14808-60-7	☐		307.75	02																				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID: 275557 Check if Chemical Information is changed from the last submission: ☒ CAS #: 9000-71-9 Trade Secret: ☐ Chemical Name: Casein EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☒ Solid ☐ Liquid ☐ Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐		☒ Combustible dust ☐ Corrosive to metal ☐ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive		☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)													
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 16324 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 12055 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 80 No of days onsite: 365		<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[J]Bag</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Building #2,7, Second Floor</td><td></td><td>29575</td></tr></tbody></table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		29575
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		29575												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Solid		Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 5000 Average Annual Shipment Quantity: 30000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street		Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone: 800-262-8200													

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 275553 Check if Chemical Information is changed from the last submission: ☒ CAS #: 1310-73-2 Trade Secret: ☐ Chemical Name: Caustic Soda 50% EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☒ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☒ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 12662 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 11303 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 3000 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2	Building #2	8823

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS						
Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	250	Carrier:	Univar	
Shipment Frequency Count:	4	Maximum Shipment Quantity at	2000	Carrier Address:	175 Terminal Road	
Shipment Frequency Period:	Year	One Time:			Providence, RI 02905,	
Physical State In Transit:	Liquid	Average Annual Shipment	3000		Providence, RI 02905	
		Quantity:		Carrier Phone:	401-781-5600	
		Routes of Travel:	I-95 North and South tot Exit	Carrier 24 Hr	401-781-5600	
			#3A Attleboro - Rte123 E -	Phone:		
			Olive Street			
MIXTURE COMPONENTS						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sodium Hydroxide	50	1310-73-2	☐		6331	05
Water	50	7732-18-5	☐		6331	05

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description Chemical ID: 275558 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: Dicalite (diatomaceous earth) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☐ Liquid ☐ Gas MSDS SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	Physical Hazards ☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	Health Hazards ☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																									
Inventory Max Daily Amt (lbs): 100020 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 57972 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 80 No of days onsite: 365	Storage Codes & Location <table><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr><tr><td>[J]Bag</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Building #2,7, Second Floor</td><td></td><td>79610</td></tr></table>						Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		79610									
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		79610																						
SHIPMENT DETAILS Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Week Physical State In Transit: Solid Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 8000 Average Annual Shipment Quantity: 4000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone:																											
MIXTURE COMPONENTS <table><tr><th>Chemical Name</th><th>%</th><th>CAS #</th><th>EHS</th><th>EHS Name</th><th>Max Daily Amount (lbs)</th><th>Max Daily Amount Code</th></tr><tr><td>Calcined diatomaceous earth</td><td>98</td><td>61790-53-2</td><td>☐</td><td></td><td>98019.6</td><td>09</td></tr><tr><td>Respiriable quartz</td><td>2</td><td>14808-60-7</td><td>☐</td><td></td><td>2000.4</td><td>04</td></tr></table>							Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Calcined diatomaceous earth	98	61790-53-2	☐		98019.6	09	Respiriable quartz	2	14808-60-7	☐		2000.4	04
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Calcined diatomaceous earth	98	61790-53-2	☐		98019.6	09																					
Respiriable quartz	2	14808-60-7	☐		2000.4	04																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 275550 Check if Chemical Information is changed from the last submission: ☒ CAS #: 64-17-5 Trade Secret: ☐ Chemical Name: Ethanol SDA 300C 200 proof EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☒ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☒ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☒ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 220059 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 131833 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 81792 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	Robert St Bunker	129500

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Sasol Chemicals North
Shipment Frequency Count:	4	Maximum Shipment Quantity at	45000		America
Shipment Frequency Period:	Week	One Time:		Carrier Address:	PO Box 201344, Dallas, TX
Physical State In Transit:	Liquid	Average Annual Shipment	45000		77079
		Quantity:		Carrier Phone:	281-588-3000
		Routes of Travel:	195 N to Exit 3 (RT 123) - Left on County St - Right on Olive St	Carrier 24 Hr Phone:	800-424-9300

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Ethanol	95	64-17-5	☐		209056.05	10
2-propanol	5	67-63-0	☐		11002.95	06

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards														
Chemical ID:	275564	☐ Combustible dust	☒ Acute toxicity (any route of exposure)															
Check if Chemical Information is changed from the last submission:	☒	☒ Corrosive to metal	☐ Aspiration hazard															
CAS #:	N/A	☐ Explosive	☐ Carcinogenicity															
Trade Secret:	☐	☐ Flammable (gases, aerosols, liquids, or solids)	☐ Germ cell mutagenicity															
Chemical Name:	Lead-Acid Battery	☐ Gas under pressure	☐ Hazard Not Otherwise Classified (HNOC)															
EHS: ☐	Contains EHS: ☒	☐ Hazard Not Otherwise Classified (HNOC)	☐ Reproductive toxicity															
EHS Name:		☐ In contact with water emits flammable gas	☒ Respiratory or skin sensitization															
☐ Pure ☒ Mix ☒ Solid ☒ Liquid ☐ Gas		☐ Organic peroxide	☒ Serious eye damage or eye irritation															
Chemical Added On:		☒ Oxidizer (liquid, solid or gas)	☒ Simple asphyxiant															
Check if the chemical is below reporting threshold:	☐	☐ Pyrophoric (liquid or solid)	☒ Skin corrosion or irritation															
		☐ Pyrophoric gas	☐ Specific target organ toxicity (single or repeated exposure)															
		☐ Self-heating																
		☐ Self-reactive																
Inventory		Storage Codes & Location																
Max Daily Amt (lbs): 16872																		
Max Daily Amt Code: 06																		
Avg Daily Amt (lbs): 16872																		
Avg Daily Amt Code: 06																		
Max Amt in Largest Container (lbs): 2710																		
No of days onsite: 365																		
		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Battery</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Multiple mobile locations in the facility</td> <td>Powered Industrial Trucks (PIT)</td> <td>16872</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Multiple mobile locations in the facility	Powered Industrial Trucks (PIT)	16872				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Multiple mobile locations in the facility	Powered Industrial Trucks (PIT)	16872													
SHIPMENT DETAILS																		
Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Common Carriers													
Shipment Frequency Count:	.5	Maximum Shipment Quantity at	2710	Carrier Address:	Various, Various, MA 02703													
Shipment Frequency Period:	Year	One Time:		Carrier Phone:	800-262-8200													
Physical State In Transit:	Solid	Average Annual Shipment	1000	Carrier 24 Hr	800-262-8200													
		Quantity:		Phone:														
		Routes of Travel:	I-95 North/South - Rte 123 towards Attleboro - Olive Street															
MIXTURE COMPONENTS																		
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code												
Sulfuric Acid	8	7664-93-9	☒	Sulfuric acid	1349.76	04												
Lead	73	7439-92-1	☐		12316.56	06												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID:	275561	☐ Combustible dust		☐ Acute toxicity (any route of exposure)													
Check if Chemical Information is changed from the last submission:	☒	☐ Corrosive to metal		☐ Aspiration hazard													
CAS #:	8052-41-3	☐ Explosive		☐ Carcinogenicity													
Trade Secret:	☐	☒ Flammable (gases, aerosols, liquids, or solids)		☐ Germ cell mutagenicity													
Chemical Name:	Mineral Spirits	☐ Gas under pressure		☐ Hazard Not Otherwise Classified (HNOC)													
EHS: ☐	Contains EHS: ☐ Exceeds TPQ: ☐	☐ Hazard Not Otherwise Classified (HNOC)		☐ Reproductive toxicity													
EHS Name:		☐ In contact with water emits flammable gas		☒ Respiratory or skin sensitization													
☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas	MSDS SDS	☐ Organic peroxide		☒ Serious eye damage or eye irritation													
Chemical Added On:		☐ Oxidizer (liquid, solid or gas)		☐ Simple asphyxiant													
Check if the chemical is below reporting threshold:	☐	☐ Pyrophoric (liquid or solid)		☒ Skin corrosion or irritation													
		☐ Pyrophoric gas		☐ Specific target organ toxicity (single or repeated exposure)													
		☐ Self-heating															
		☐ Self-reactive															
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 56252																	
Max Daily Amt Code: 08																	
Avg Daily Amt (lbs): 36759																	
Avg Daily Amt Code: 07																	
Max Amt in Largest Container (lbs): 47052																	
No of days onsite: 365																	
		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Robert St UST Bunker</td> <td>2 USTs, each 7000 gallons</td> <td>65824</td> </tr> </tbody> </table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	2 USTs, each 7000 gallons	65824
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	2 USTs, each 7000 gallons	65824												
SHIPMENT DETAILS																	
Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	35000	Carrier:	Transport Services LLC												
Shipment Frequency Count:	6	Maximum Shipment Quantity at One Time:	45000	Carrier Address:	8544 West National Ave, West Allis, WI 53227-												
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	260000	Carrier Phone:	414-321-9500												
Physical State In Transit:	Liquid	Routes of Travel:	I-95 North/South - Exit 3A - Rte 123E - Attleboro - Olive Street	Carrier 24 Hr Phone:	800-424-9300												
MIXTURE COMPONENTS																	
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code											
Solvent Naphtha	95	64742-88-7	☐		53439.4	08											
Trimethylbenzene	5	95-63-6	☐		2812.6	04											

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards																			
Chemical ID:	275552	☒ Combustible dust		☐ Acute toxicity (any route of exposure)																			
Check if Chemical Information is changed from the last submission:	☒	☐ Corrosive to metal		☐ Aspiration hazard																			
CAS #:	9000-59-3	☐ Explosive		☐ Carcinogenicity																			
Trade Secret:	☐	☐ Flammable (gases, aerosols, liquids, or solids)		☐ Germ cell mutagenicity																			
Chemical Name:	Seedlac	☐ Gas under pressure		☐ Hazard Not Otherwise Classified (HNOC)																			
EHS: ☐	Contains EHS: ☐ Exceeds TPQ: ☐	☐ Hazard Not Otherwise Classified (HNOC)		☐ Reproductive toxicity																			
EHS Name:		☐ In contact with water emits flammable gas		☐ Respiratory or skin sensitization																			
☒ Pure ☐ Mix ☒ Solid ☐ Liquid ☐ Gas	MSDS SDS	☐ Organic peroxide		☐ Serious eye damage or eye irritation																			
Chemical Added On:		☐ Oxidizer (liquid, solid or gas)		☐ Simple asphyxiant																			
Check if the chemical is below reporting threshold:	☐	☐ Pyrophoric (liquid or solid)		☐ Skin corrosion or irritation																			
		☐ Pyrophoric gas		☐ Specific target organ toxicity (single or repeated exposure)																			
		☐ Self-heating																					
		☐ Self-reactive																					
Inventory		Storage Codes & Location																					
Max Daily Amt (lbs): 1005976																							
Max Daily Amt Code: 12																							
Avg Daily Amt (lbs): 574915																							
Avg Daily Amt Code: 11																							
Max Amt in Largest Container (lbs): 164																							
No of days onsite: 365																							
		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Bldg #18</td> <td></td> <td>2514776</td> </tr> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>5000</td> </tr> </tbody> </table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Bldg #18		2514776	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		5000
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Bldg #18		2514776																		
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		5000																		
SHIPMENT DETAILS																							
Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	41000	Carrier:	Logistics coordinator "Rhime"																		
Shipment Frequency Count:	48	Maximum Shipment Quantity at One Time:	41000	Carrier Address:	Chicago, IL																		
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	41000	Carrier Phone:																			
Physical State In Transit:	Solid	Routes of Travel:	I-95 South to Exit # Attleboro	Carrier 24 Hr Phone:																			

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards																			
Chemical ID:	275549	☐ Combustible dust		☐ Acute toxicity (any route of exposure)																			
Check if Chemical Information is changed from the last submission:	☒	☒ Corrosive to metal		☐ Aspiration hazard																			
CAS #:	497-19-8	☐ Explosive		☐ Carcinogenicity																			
Trade Secret:	☐	☐ Flammable (gases, aerosols, liquids, or solids)		☐ Germ cell mutagenicity																			
Chemical Name:	Soda Ash	☐ Gas under pressure		☐ Hazard Not Otherwise Classified (HNOC)																			
EHS: ☐	Contains EHS: ☐	☐ Hazard Not Otherwise Classified (HNOC)		☐ Reproductive toxicity																			
EHS Name:		☐ In contact with water emits flammable gas		☒ Respiratory or skin sensitization																			
☒ Pure ☐ Mix ☒ Solid ☐ Liquid ☐ Gas	MSDS SDS	☐ Organic peroxide		☒ Serious eye damage or eye irritation																			
Chemical Added On:		☒ Oxidizer (liquid, solid or gas)		☒ Simple asphyxiant																			
Check if the chemical is below reporting threshold:	☐	☐ Pyrophoric (liquid or solid)		☒ Skin corrosion or irritation																			
		☐ Pyrophoric gas		☐ Specific target organ toxicity (single or repeated exposure)																			
		☐ Self-heating																					
		☐ Self-reactive																					
Inventory		Storage Codes & Location																					
Max Daily Amt (lbs): 66153																							
Max Daily Amt Code: 08																							
Avg Daily Amt (lbs): 29798																							
Avg Daily Amt Code: 07																							
Max Amt in Largest Container (lbs): 50																							
No of days onsite: 365																							
		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[I]Fiber drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>36100</td> </tr> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>36100</td> </tr> </tbody> </table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100																		
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100																		
SHIPMENT DETAILS																							
Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Roberts Chemical																		
Shipment Frequency Count:	6	Maximum Shipment Quantity at One Time:	45000	Carrier Address:	330-B Victor Road, Attleboro, MA 02703																		
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	256307	Carrier Phone:	508-409-0220																		
Physical State In Transit:	Solid	Routes of Travel:	Clyde St-Oakhill Ave-Locust St-S Main St -Olive St (4 miles)	Carrier 24 Hr Phone:	508-409-0220 x110																		

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards											
Chemical ID: 275563 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7681-52-9 Trade Secret: ☐ Chemical Name: Sodium Hypochlorite (15% in water solution) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☒ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☒ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☒ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)											
Inventory	Storage Codes & Location												
Max Daily Amt (lbs): 218450 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 113123 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 160000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #6</td> <td>2 ASTs in dedicated room with safety features</td> <td>237460</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #6	2 ASTs in dedicated room with safety features	237460
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)								
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #6	2 ASTs in dedicated room with safety features	237460								

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS						
Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Borden & Remington Corp	
Shipment Frequency Count:	70	Maximum Shipment Quantity at	45000	Carrier Address:	63 Water Street, Fall River, MA	
Shipment Frequency Period:	Year	One Time:			02721-	
Physical State In Transit:	Liquid	Average Annual Shipment	45000	Carrier Phone:	800-543-5393	
		Quantity:		Carrier 24 Hr	800-424-9300	
		Routes of Travel:	I - 95 NORTH/SOUTH - EXIT		Phone:	
			3A (MA123 EAST) TOWARDS			
			ATTLEBORO - OLIVE			
			STREET			
MIXTURE COMPONENTS						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sodium Hypochlorite	16	7681-52-9	☐		34952	07
Sodium Hydroxide	2	1310-73-2	☐		4369	04
Water	82	7732-18-5	☐		179129	10

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID:	275548	☐ Combustible dust		☒ Acute toxicity (any route of exposure)													
Check if Chemical Information is changed from the last submission:	☒	☒ Corrosive to metal		☐ Aspiration hazard													
CAS #:	7664-93-9	☐ Explosive		☐ Carcinogenicity													
Trade Secret:	☐	☐ Flammable (gases, aerosols, liquids, or solids)		☐ Germ cell mutagenicity													
Chemical Name:	Sulfuric Acid	☐ Gas under pressure		☐ Hazard Not Otherwise Classified (HNOC)													
EHS: ☒	Contains EHS: ☐	☐ Hazard Not Otherwise Classified (HNOC)		☐ Reproductive toxicity													
EHS Name:	Sulfuric acid	☐ In contact with water emits flammable gas		☒ Respiratory or skin sensitization													
☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas	MSDS SDS	☐ Organic peroxide		☒ Serious eye damage or eye irritation													
Chemical Added On:		☒ Oxidizer (liquid, solid or gas)		☒ Simple asphyxiant													
Check if the chemical is below reporting threshold:	☐	☐ Pyrophoric (liquid or solid)		☒ Skin corrosion or irritation													
		☐ Pyrophoric gas		☐ Specific target organ toxicity (single or repeated exposure)													
		☐ Self-heating															
		☐ Self-reactive															
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 78391		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Buiding #9 Annex</td> <td>Building #9 Annex</td> <td>73256</td> </tr> </tbody> </table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Buiding #9 Annex	Building #9 Annex	73256
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Buiding #9 Annex	Building #9 Annex	73256												
Max Daily Amt Code: 09																	
Avg Daily Amt (lbs): 42639																	
Avg Daily Amt Code: 07																	
Max Amt in Largest Container (lbs): 70000																	
No of days onsite: 366																	
SHIPMENT DETAILS																	
Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	5000	Carrier:	Univar												
Shipment Frequency Count:	5	Maximum Shipment Quantity at One Time:	50000	Carrier Address:	175 Terminal Road, Providence, RI 02905-												
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	310000	Carrier Phone:	800-556-2426												
Physical State In Transit:	Liquid	Routes of Travel:	I-95 North/South - Exit 3AE towards Attleboro Rte 123E - Rte 123E - to Olive Street	Carrier 24 Hr Phone:	800-556-2426												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 275555 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: Tamol 681 EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☒ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 13611 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 11014 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 4000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[O]Tote bin</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>20110</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		20110				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		20110												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Common Carriers
Shipment Frequency Count:	1	Maximum Shipment Quantity at	4000	Carrier Address:	Various, Various, MA
Shipment Frequency Period:	Month	One Time:		Carrier Phone:	
Physical State In Transit:	Liquid	Average Annual Shipment	2000	Carrier 24 Hr	800-262-8200
		Quantity:		Phone:	
		Routes of Travel:	I-95 North/South - Rte 123 towards Attleboro - Olive Street		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Propanediol	28	57-55-6	☐		3811.08	04
Acrylic polymer(s)	38	N/A	☐		5172.18	05
Water	34	7732-18-5	☐		4627.74	04

Chemical Amount Range Code & Description

#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million