

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details	
Facility ID:	9472	Lat/Long:	41.928099/-71.314564	Name:	Ennovi Etch Logic
Facility Name:	Ennovi Etch Logic			Address:	54 Venus Way
Maximum Occupants:	102				Attleboro, MA 02703, United States
Physical Location:	54 Venus Way, Attleboro, MA 02703	Nature of Business:	Chemical Etching	Phone:	617-678-0700 Email: brian.courtney@us.ennovi.com
County:	Bristol County	NAICS Code:	332812	Parent Company Details	
Fire Department:		SIC Code:	3479, 3999	Name:	ENNOVI HOLDINGS PTE. LTD.
Phone:	617-678-0700	Dun and Brad No:	840597475	Dun and Brad No:	
☒ Manned ☐ Unmanned		EIN ID(Tax Number):	04-3462503	Address:	298 Tiong Bahru Road, #17-01 Central Plaza
Email:	brian.courtney@us.ennovi.com	FTE:	97		Singapore, Singapore 16873-0, Singapore
				Phone:	Email:
Subject to EPCRA Section 312 (Annual Inventory)? ☒ Yes ☐ No				Tier II Information Contact	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☒ Yes ☐ No				Name: Brian Courtney	
Subject to Section 112r of Clean Air Act (CAA)? ☒ Yes ☐ No				Title: EHS Manager/Chief Wastewater Operator	
RMP Facility ID: 100000171486				Phone: 617-678-0700 24 Hr.Phone: 617-678-0700	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? ☒ Yes ☐ No				Email: Brian.Courtney@us.ennovi.com	
TRI Facility ID: 02703TCHLG1840C					
Mailing Address				Facility Emergency Planning Coordinator	
Company Name: Ennovi Etch Logic				Name: Noah Martin	
Attention:				Title: SENIOR OPERATIONS MANAGER	
Street Address 1: 54 Venus Way				Phone: 774-282-3439 24 Hr.Phone: 508-962-8052	
Street Address 2:				Email: Noah.Martin@us.ennovi.com	
City: Attleboro		State: MA			
Zip: 02703		Phone: 774-282-3449			
Country: United States					
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
MARK BOWDEN	GENERAL MANAGER	774-282-3467	401-374-4752	Mark.Bowden@us.ennovi.com	
Brian Courtney	EHS Manager/Chief Wastewater Operator	617-678-0700	617-678-0700	Brian.Courtney@us.ennovi.com	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 10, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments ☒ Site Plan ☐ Site Coordinate Abbreviations ☒ Other Safeguard measures ☒ Facility Emergency Response Plan	
Jun Li, Senior Process Engineer		2/6/2026 1:41:14 PM	774-282-3449	Jun Li	
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 275403 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7782-50-5 Trade Secret: ☐ Chemical Name: Chlorine EHS: ☒ Contains EHS: ☐ Exceeds TPQ: ☒ EHS Name: Chlorine ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☒ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☒ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☒ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☒ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 16000 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 8000 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[L]Cylinder</td><td>[2]Greater than ambient pressure</td><td>[4]Ambient temperature</td><td>CHLORINE BUILDING</td><td>NEXT TO ETCH LOGIC PLANT BUILDING 2</td><td>8000</td></tr> <tr> <td>[L]Cylinder</td><td>[2]Greater than ambient pressure</td><td>[4]Ambient temperature</td><td>BUIDLING 1</td><td>NEXT TO NEW ETCH LINE IN BUILDING 1</td><td>8000</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[L]Cylinder	[2]Greater than ambient pressure	[4]Ambient temperature	CHLORINE BUILDING	NEXT TO ETCH LOGIC PLANT BUILDING 2	8000	[L]Cylinder	[2]Greater than ambient pressure	[4]Ambient temperature	BUIDLING 1	NEXT TO NEW ETCH LINE IN BUILDING 1	8000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[L]Cylinder	[2]Greater than ambient pressure	[4]Ambient temperature	CHLORINE BUILDING	NEXT TO ETCH LOGIC PLANT BUILDING 2	8000																		
[L]Cylinder	[2]Greater than ambient pressure	[4]Ambient temperature	BUIDLING 1	NEXT TO NEW ETCH LINE IN BUILDING 1	8000																		
SHIPMENT DETAILS																							
Mode of Shipment: Trucks Shipment Frequency Count: 25 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 2000 Maximum Shipment Quantity at One Time: 12000 Average Annual Shipment Quantity: 196000 Routes of Travel: I 95 SOUTH TO US1A, LEFT ON COTTAGE ST, RIGHT ONTO VENUS WAY	Carrier: JONES CHEMICAL Carrier Address: 40 RAILROAD AVE, MERRIMACK, NH 03054-603-424-7217 Carrier Phone: 603-424-7217 Carrier 24 Hr Phone: 603-424-7217																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 275408 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7447-39-4 Trade Secret: ☐ Chemical Name: CUPRIC CHLORIDE EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☒ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 12717 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 12717 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 12717 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 2	BULK CHEMICAL STORAGE AREA IN BUILDING 2	12717
SHIPMENT DETAILS						
Mode of Shipment: Tank Trucks Shipment Frequency Count: 0 Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:			Carrier: ENVIRTE OF PENNSYLVANIA Carrier Address: 730 VOLGLESONG RD, YORK, PA 17404- Carrier Phone: 717-846-1900 Carrier 24 Hr Phone: 717-846-1900		
I95 TO US1A, LEFT ON COTTAGE ST, BECOMES COUNTY ST, RIGHT ONTO VENUS WAY.						
MIXTURE COMPONENTS						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
CUPRIC CHLORIDE	30	7447-39-4	☐		3815.1	04

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 275404 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7705-08-0 Trade Secret: ☐ Chemical Name: Ferric chloride EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☒ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 267378 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 144804 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 74100 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[C]Tank inside building	[1]Ambient pressure	[5]Greater than ambient temperature	Etch line process Tanks in Building 1	Schmid Etch tanks in Building 1	7410
	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 2	BULK CHEMICAL STORAGE AREA IN BUILDING 2	133998
	[C]Tank inside building	[1]Ambient pressure	[5]Greater than ambient temperature	ETCH ROOM in Buidling 2	ETCH LINE PROCESSING TANKS IN BUILDING 2	14820
	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 1	BULK CHEMICAL STORAGE AREA IN BUILDING 1	111150

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Trucks, Tank Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	GULBRANDSEN
Shipment Frequency Count:	17	Maximum Shipment Quantity at	26420	Carrier Address:	1 RIVERSIDE WAY,
Shipment Frequency Period:	Year	One Time:			PHILLIPSBURG, NJ 08865-
Physical State In Transit:	Liquid	Average Annual Shipment	76615	Carrier Phone:	908-735-5458
		Quantity:		Carrier 24 Hr	908-735-5458
		Routes of Travel:	I 95 NORTH TO US1A, LEFT ON COTTAGE ST, RIGHT ON TO VENUS WAY	Phone:	

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Ferric chloride	47	7705-08-0	☐		125667.66	10

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 275406 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7647-01-0 Trade Secret: ☐ Chemical Name: Hydrochloric acid EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 28000 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 14000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 14000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[C]Tank inside building</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>TANK FARM IN BUILDING 2</td><td>Tank Farm in Building 2</td><td>14000</td></tr> <tr> <td>[C]Tank inside building</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>TANK FARM IN BUILDING 1</td><td>New Tank Farm in Budilidng 1</td><td>14000</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 2	Tank Farm in Building 2	14000	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 1	New Tank Farm in Budilidng 1	14000					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 2	Tank Farm in Building 2	14000																			
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 1	New Tank Farm in Budilidng 1	14000																			

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	20400	Carrier:	PVS MINI BULK
Shipment Frequency Count:	15	Maximum Shipment Quantity at One Time:	11659	Carrier Address:	10900 HARPER AVE, DETROIT, MI 48213-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	93983	Carrier Phone:	888-711-3445
Physical State In Transit:	Liquid	Routes of Travel:	I 95 SOUTH TO US1A, LEFT ON COTTAGE ST, RIGHT ON TO VENUS WAY	Carrier 24 Hr Phone:	888-711-3445

Chemical Description	Physical Hazards	Health Hazards																							
Chemical ID: 275409 Check if Chemical Information is changed from the last submission: ☒ CAS #: 584-08-7 Trade Secret: ☐ Chemical Name: Potassium Carbonate EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS SDS Chemical Added On: Check if the chemical is below reporting threshold: ☒	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																							
Inventory	Storage Codes & Location																								
Max Daily Amt (lbs): 4550 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 3900 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 650 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[I]Fiber drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>ETCH ROOM IN BUILDING 2</td> <td></td> <td>650</td> </tr> <tr> <td>[I]Fiber drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Waste treatment area in building 2</td> <td></td> <td>2600</td> </tr> <tr> <td>[I]Fiber drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Etch Room in Building 1</td> <td></td> <td>1300</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	ETCH ROOM IN BUILDING 2		650	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Waste treatment area in building 2		2600	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Etch Room in Building 1		1300
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																				
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	ETCH ROOM IN BUILDING 2		650																				
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Waste treatment area in building 2		2600																				
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Etch Room in Building 1		1300																				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	650	Carrier:	Astro Chemicals, Inc.
Shipment Frequency Count:	46	Maximum Shipment Quantity at	3900	Carrier Address:	126 Memorial Drive, Springfield, MA 01104
Shipment Frequency Period:	Year	One Time:		Carrier Phone:	413-781-7240
Physical State In Transit:	Liquid	Average Annual Shipment	57200	Carrier 24 Hr	413-781-7240
		Quantity:		Phone:	
		Routes of Travel:	Via I90E and I495S and I95 south		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Potassium Carbonate	42.5	584-08-7	☐		1933.75	04

Chemical Description	Physical Hazards	Health Hazards																											
Chemical ID: 275405 Check if Chemical Information is changed from the last submission: ☒ CAS #: 1310-73-2 Trade Secret: ☐ Chemical Name: Sodium hydroxide EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																											
Inventory	Storage Codes & Location																												
Max Daily Amt (lbs): 33273 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 16636 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[I]Fiber drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>next to Scrubber in building 1</td><td>out side etch room in building 1</td><td>680</td></tr> <tr> <td>[I]Fiber drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Etch line in building 1</td><td>behind of strip tanks</td><td>680</td></tr> <tr> <td>[I]Fiber drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Boiler Room</td><td>Etch Room Scrubber in building 2</td><td>680</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	next to Scrubber in building 1	out side etch room in building 1	680	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Etch line in building 1	behind of strip tanks	680	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Boiler Room	Etch Room Scrubber in building 2	680				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																								
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	next to Scrubber in building 1	out side etch room in building 1	680																								
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Etch line in building 1	behind of strip tanks	680																								
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Boiler Room	Etch Room Scrubber in building 2	680																								

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472
Reporting Period From January 1, 2025 to December 31, 2025

[R]Other Desc: chlorine room scrubber	[1]Ambient pressure	[4]Ambient temperature	CHLORINE BUILDING	next to building 2	680
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Wastewater Treatment in building 2		7400
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	ETCH ROOM IN BUIDLING 2	Tank behind Etch Line	4000
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 1		19153

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	25000	Carrier:	PVS MINI BULK
Shipment Frequency Count:	18	Maximum Shipment Quantity at	14709	Carrier Address:	10900 HARPER AVE,
Shipment Frequency Period:	Year	One Time:			DETROIT, MI 48213-
Physical State In Transit:	Liquid	Average Annual Shipment	131023	Carrier Phone:	888-711-3445
		Quantity:		Carrier 24 Hr	888-711-3445
		Routes of Travel:	I 95 SOUTH TI US1A, LEFT ON COTTAGE ST, RIGHT ON TO VENUS WAY	Phone:	

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sodium hydroxide	50	1310-73-2	☐		16636.5	06

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 275407 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7664-93-9 Trade Secret: ☐ Chemical Name: Sulfuric acid EHS: ☒ Contains EHS: ☐ Exceeds TPQ: ☒ EHS Name: Sulfuric acid ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☒ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 15471 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 7736 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): No of days onsite: 356	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[C]Tank inside building</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Wastewater Treatment in building 2</td><td></td><td>6500</td></tr> <tr> <td>[C]Tank inside building</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>TANK FARM IN BUILDING 1</td><td></td><td>8971</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Wastewater Treatment in building 2		6500	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 1		8971					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Wastewater Treatment in building 2		6500																			
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TANK FARM IN BUILDING 1		8971																			
SHIPMENT DETAILS																								
Mode of Shipment: Tank Trucks Shipment Frequency Count: 15 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 23000 Maximum Shipment Quantity at One Time: 6104 Average Annual Shipment Quantity: 44917 Routes of Travel: I 95 SOUTH TO US 1A, LEFT ON TO COTTAGE ST, RIGHT ON TO VENUS WAY	Carrier: PVS MINI BULK Carrier Address: 10900 HARPER AVE, DETROIT, MI 48213- Carrier Phone: 888-711-3445 Carrier 24 Hr Phone: 888-711-3445																						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Ennovi Etch Logic Facility ID: 9472
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million