

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner **Facility ID:** 9610

Reporting Period From January 1, 2025 to December 31, 2025

☒ **Annual** ☐ **Update** ☐ **Revised** ☒ **Facility Information has changed from the last submission**

Facility Identification				Owner/Operator Details		
Facility ID: 9610		Lat/Long: 41.9403/-71.278411		Name: LeachGarner		
Facility Name: LeachGarner				Address: 49 Pearl Street		
Maximum Occupants: 253				Attleboro, MA 02703, United States		
Physical Location: 49 Pearl Street, Attleboro, MA 02703		Nature of Business:		Phone: 508-222-7400 Email: ddolbashian@leachgarner.com		
County: Bristol County		NAICS Code: 331491		Parent Company Details		
Fire Department:		SIC Code:		Name:		
Phone: 508-222-7400		Dun and Brad No: 001208933		Dun and Brad No:		
☒ Manned ☐ Unmanned		EIN ID(Tax Number):		Address: ,		
Email: ddolbashian@leachgarner.com		FTE:		Phone: Email:		
Subject to EPCRA Section 312 (Annual Inventory)? ☒ Yes ☐ No				Tier II Information Contact		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☒ Yes ☐ No				Name: Darren Dolbashian		
Subject to Section 112r of Clean Air Act (CAA)? ☐ Yes ☒ No				Title: EHS Manager		
RMP Facility ID:				Phone: 401-952-6445 24 Hr.Phone: 401-952-6445		
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? ☒ Yes ☐ No				Email: ddolbashian@leachgarner.com		
TRI Facility ID: 02703LCHGR49PEA						
Mailing Address				Facility Emergency Planning Coordinator		
Company Name: LeachGarner				Name: Dave Bibeaault		
Attention:				Title: Security/Facilities Manager		
Street Address 1: 49 Pearl Street				Phone: 401-365-3341 24 Hr.Phone: 401-365-3341		
Street Address 2:				Email: dbibeaault@leachgarner.com		
City: Attleboro		State: MA				
Zip: 02703		Phone: 508-222-7400				
Country: United States						
Emergency Contacts						
Name	Title	Phone	24 Hr.Phone	Email		
Dave Bibeaault	Maintenance	401-365-3341	401-365-3341	dbibeaault@leachgarner.com		
Darren Dolbashian	EHS	401-952-6445	401-952-6445	ddolbashian@leachgarner.com		
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 9, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments ☐ Site Plan ☐ Site Coordinate Abbreviations ☐ Other Safeguard measures ☐ Facility Emergency Response Plan		
Darren Dolbashian, EHS Manager		2/5/2026 9:35:18 AM	401-952-6445			Darren Dolbashian
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number			Signature

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9610
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 280695 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: Lead Acid Batteries EHS: ☐ Contains EHS: ☒ Exceeds TPQ: ☒ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☒ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☒ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 400 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 400 Avg Daily Amt Code: 02 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[R]Other Desc: Battery</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Forklift and UPS batteries located through plant</td><td></td><td></td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Forklift and UPS batteries located through plant							
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Forklift and UPS batteries located through plant															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9610
Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS						
Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	20	Carrier:	Varies	
Shipment Frequency Count:	1	Maximum Shipment Quantity at	20	Carrier Address:	Varies, Varies, MA Varies	
Shipment Frequency Period:	Year	One Time:		Carrier Phone:	111-111-1111	
Physical State In Transit:	Liquid	Average Annual Shipment	20	Carrier 24 Hr	111-111-1111	
		Quantity:		Phone:		
		Routes of Travel:	Batteries are provided by forklift or UPS system maintenance contractors and routes vary			
MIXTURE COMPONENTS						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Lead	55	7439-92-1	☐		220	02
Sulfuric Acid	20	7664-93-9	☒	Sulfuric acid	80	01

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner **Facility ID:** 9610
Reporting Period From January 1, 2025 **to** December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 280690 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7697-37-2 Trade Secret: ☐ Chemical Name: Nitric acid EHS: ☒ Contains EHS: ☐ Exceeds TPQ: ☒ EHS Name: Nitric acid (conc 80% or greater) ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☒ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 2598 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 2598 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[M]Glass bottles or jugs</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Assay Lab</td> <td></td> <td>486</td> </tr> <tr> <td>[G]Carboy</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Acid Etch</td> <td></td> <td>2112</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[M]Glass bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Assay Lab		486	[G]Carboy	[1]Ambient pressure	[4]Ambient temperature	Acid Etch		2112				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[M]Glass bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Assay Lab		486																		
[G]Carboy	[1]Ambient pressure	[4]Ambient temperature	Acid Etch		2112																		
SHIPMENT DETAILS																							
Mode of Shipment: Trucks Shipment Frequency Count: 2 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 176 Maximum Shipment Quantity at One Time: 1760 Average Annual Shipment Quantity: 1760 Routes of Travel: Oakhill Avenue West to Route 152 North to Maple Street East to O'Neill Boulevard North to Pearl Street West	Carrier: Roberts Chemical Carrier Address: 330-B Victor Road, Attleboro, MA 02703-508-409-0220 Carrier Phone: 508-409-0220 Carrier 24 Hr Phone: 800-424-9300																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9610
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 280691 Check if Chemical Information is changed from the last submission: ☒ CAS #: 7727-37-9 Trade Secret: ☐ Chemical Name: Nitrogen (liquified) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☒ Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☒ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 101610 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 76208 Avg Daily Amt Code: 09 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Outside Northeast Corner of Property</td><td></td><td>60705</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Outside Northeast Corner of Property		60705					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Outside Northeast Corner of Property		60705													
SHIPMENT DETAILS																		
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9610
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 280692 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: Oil EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 37030 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 37030 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Equipment reservoirs throughout building		19455
	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Various locations throughout building		8071
	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Elevator hydraulic oil reservoir		1500
	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Transformers		8004
	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Various locations throughout building		4404
SHIPMENT DETAILS						
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9610
 Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID: 280693 Check if Chemical Information is changed from the last submission: ☒ CAS #: 143-33-9 Trade Secret: ☐ Chemical Name: Sodium cyanide (Na(CN)) EHS: ☒ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: Sodium cyanide (Na(CN)) ☒ Pure ☐ Mix ☒ Solid ☒ Liquid ☐ Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)															
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 15 Max Daily Amt Code: 01 Avg Daily Amt (lbs): 15 Avg Daily Amt Code: 01 Max Amt in Largest Container (lbs): No of days onsite: 365		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Cyanide Bombing</td> <td></td> <td>15</td> </tr> </tbody> </table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Cyanide Bombing		15
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Cyanide Bombing		15												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Solid	Maximum Capacity Per Vessel: 110 Maximum Shipment Quantity at One Time: 20 Average Annual Shipment Quantity: Routes of Travel: Oakhill Avenue West to RRoute 152 North to Maple Street East to O'Neill Boulevard North to Pearl Street West	Carrier: Roberts Chemical Carrier Address: 330-B Victor Road, Attleboro, MA 02703-508-409-0220 Carrier Phone: 800-424-9300 Carrier 24 Hr Phone:															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner **Facility ID:** 9610
Reporting Period From January 1, 2025 **to** December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 280694 Check if Chemical Information is changed from the last submission: ☐ CAS #: 7664-93-9 Trade Secret: ☐ Chemical Name: Sulfuric acid EHS: ☒ Contains EHS: ☐ Exceeds TPQ: ☒ EHS Name: Sulfuric acid (aerosol forms only) ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 1333.47 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 1333.47 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">Container Type</th> <th style="width:10%;">Pressure</th> <th style="width:10%;">Temperature</th> <th style="width:10%;">Storage Location</th> <th style="width:20%;">Description</th> <th style="width:25%;">Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[M]Glass bottles or jugs</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Multi</td> <td></td> <td>490.47</td> </tr> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Multi</td> <td></td> <td>843</td> </tr> </tbody> </table>						Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[M]Glass bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Multi		490.47	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Multi		843
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[M]Glass bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Multi		490.47																			
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Multi		843																			
SHIPMENT DETAILS																								
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 230 Maximum Shipment Quantity at One Time: 690 Average Annual Shipment Quantity: 690 Routes of Travel: Oakhill Avenue West to Route 152 North to Maple Street East To O'Neil Boulevard to Pearl Street West		Carrier: Roberts Chemical Carrier Address: 330-B Victor Road, Attleboro, MA 02703-508-409-0220 Carrier Phone: 508-409-0220 Carrier 24 Hr Phone: 800-424-9300																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9610
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million