

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. **Facility ID:** 11917

Reporting Period From January 1, 2025 to December 31, 2025

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details	
Facility ID:	11917	Lat/Long:	42.0176/-71.2317	Name:	Hub Folding Box Company, Inc.
Facility Name:	Hub Folding Box Company, Inc.			Address:	774 Norfolk Street
Maximum Occupants:	190				Mansfield, MA 02048, United States
Physical Location:	774 Norfolk Street, Mansfield, MA 02048	Nature of Business:	Folding Paperboard Box Manufacturing	Phone:	508-339-0005 Email: david.leitch@gpaglobal.net
County:	Bristol County	NAICS Code:	322212	Parent Company Details	
Fire Department:		SIC Code:		Name:	
Phone:	508-339-0005	Dun and Brad No:	174333781	Dun and Brad No:	
☒ Manned ☐ Unmanned		EIN ID(Tax Number):		Address:	,
Email:		FTE:		Phone:	Email:
Subject to EPCRA Section 312 (Annual Inventory)?				☒ Yes ☐ No	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				☒ Yes ☐ No	
Subject to Section 112r of Clean Air Act (CAA)?				☐ Yes ☒ No	
RMP Facility ID:					
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				☐ Yes ☒ No	
TRI Facility ID:					
Mailing Address				Facility Emergency Planning Coordinator	
Company Name:	Hub Folding Box Company, Inc.			Name:	Michael Cornaglia
Attention:				Title:	EHS Coordinator
Street Address 1:	774 Norfolk Street			Phone:	508-339-0005 24 Hr.Phone: 508-667-6633
Street Address 2:				Email:	michael.cornaglia@gpaglobal.net
City:	Mansfield	State:	MA		
Zip:	02048	Phone:	508-339-0005		
Country:	United States				
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
David Leitch	VP of Finance	508-339-0005	617-872-3001	david.leitch@gpaglobal.net	
Michael Cornaglia	EHS Coordinator	508-339-0005	508-667-6633	michael.cornaglia@gpaglobal.net	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 14, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments ☐ Site Plan ☐ Site Coordinate Abbreviations ☐ Other Safeguard measures ☐ Facility Emergency Response Plan	
Michael Cornaglia, EHS Coordinator		2/25/2026 2:22:27 PM	508-339-0005	Michael Cornaglia	
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards											
Chemical ID: 283746 Check if Chemical Information is changed from the last submission: ☒ CAS #: N/A Trade Secret: ☐ Chemical Name: 50% Sulfuric acid EHS: ☐ Contains EHS: ☒ Exceeds TPQ: ☒ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☒ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)											
Inventory	Storage Codes & Location												
Max Daily Amt (lbs): 325 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 325 Avg Daily Amt Code: 02 Max Amt in Largest Container (lbs): 325 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Carboy</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Wastewater treatment area</td> <td></td> <td>325</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Carboy	[1]Ambient pressure	[4]Ambient temperature	Wastewater treatment area		325
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)								
[R]Other Desc: Carboy	[1]Ambient pressure	[4]Ambient temperature	Wastewater treatment area		325								

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	1	Carrier:	No deliveries in 2025.
Shipment Frequency Count:	1	Maximum Shipment Quantity at	1	Carrier Address:	774 Norfolk Street, Mansfield,
Shipment Frequency Period:	Year	One Time:			MA 02048
Physical State In Transit:	Liquid	Average Annual Shipment	1	Carrier Phone:	508-339-0005
		Quantity:		Carrier 24 Hr	617-872-3001
		Routes of Travel:	No deliveries in 2025.	Phone:	

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sulfuric acid	50	7664-93-9	☒	Sulfuric acid	162.5	02
Water	50	7732-18-5	☐		162.5	02

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 283747 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Adhesives & Glues EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 29120	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 07	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		2100
Avg Daily Amt (lbs): 14560	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Laminating Area		12400
Avg Daily Amt Code: 06						
Max Amt in Largest Container (lbs): 2100	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		12400
No of days onsite: 365						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917
Reporting Period From January 1, 2025 to December 31, 2025

[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		1100
[K]Box	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		1120

SHIPMENT DETAILS

Mode of Shipment:	Maximum Capacity Per Vessel:	Carrier:
Shipment Frequency Count:	Maximum Shipment Quantity at One Time:	Carrier Address: MA
Shipment Frequency Period:	Average Annual Shipment Quantity:	Carrier Phone:
Physical State In Transit:	Routes of Travel:	Carrier 24 Hr Phone:

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 283748 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Coatings EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☒ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 95000	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 09	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Pressroom area		95000
Avg Daily Amt (lbs): 47500						
Avg Daily Amt Code: 07						
Max Amt in Largest Container (lbs): 550						
No of days onsite: 365						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS

Mode of Shipment:	Maximum Capacity Per Vessel:	Carrier:
Shipment Frequency Count:	Maximum Shipment Quantity at	Carrier Address:
Shipment Frequency Period:	One Time:	Carrier Phone:
Physical State In Transit:	Average Annual Shipment	Carrier 24 Hr
	Quantity:	Phone:
	Routes of Travel:	

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 283749 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Flocked Hips (Rolled Stock) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 20000	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 06						
Avg Daily Amt (lbs): 10000						
Avg Daily Amt Code: 06						
Max Amt in Largest Container (lbs): 500						
No of days onsite: 365						

SHIPMENT DETAILS

Mode of Shipment:	Maximum Capacity Per Vessel:	Carrier:
Shipment Frequency Count:	Maximum Shipment Quantity at	Carrier Address: MA
Shipment Frequency Period:	One Time:	Carrier Phone:
Physical State In Transit:	Average Annual Shipment	Carrier 24 Hr
	Quantity:	Phone:
	Routes of Travel:	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																									
Chemical ID: 283745 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Lead-Acid Batteries EHS: ☐ Contains EHS: ☒ Exceeds TPQ: ☒ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☒ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☒ Reproductive toxicity ☐ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☐ Simple asphyxiant ☒ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)																									
Inventory	Storage Codes & Location																										
Max Daily Amt (lbs): 40587 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 40587 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 248 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[R]Other Desc: Batteries</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Powered Industrial Truck Batteries</td><td>Batteries located in PIT throughout the facility.</td><td>40587</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Batteries	[1]Ambient pressure	[4]Ambient temperature	Powered Industrial Truck Batteries	Batteries located in PIT throughout the facility.	40587														
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[R]Other Desc: Batteries	[1]Ambient pressure	[4]Ambient temperature	Powered Industrial Truck Batteries	Batteries located in PIT throughout the facility.	40587																						
SHIPMENT DETAILS																											
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Solid	Maximum Capacity Per Vessel: 10000 Maximum Shipment Quantity at One Time: 4456 Average Annual Shipment Quantity: 1194 Routes of Travel: I-495N from Lakeville, MA to Mansfield, MA	Carrier: Alta Material Handling Carrier Address: 305 Kenneth Welch Dr, Lakeville, MA 02347 Carrier Phone: 781-886-7220 Carrier 24 Hr Phone: 781-886-7220																									
MIXTURE COMPONENTS																											
<table border="1"> <thead> <tr> <th>Chemical Name</th><th>%</th><th>CAS #</th><th>EHS</th><th>EHS Name</th><th>Max Daily Amount (lbs)</th><th>Max Daily Amount Code</th></tr> </thead> <tbody> <tr> <td>Lead</td><td>55</td><td>7439-92-1</td><td>☐</td><td></td><td>22322.85</td><td>06</td></tr> <tr> <td>Sulfuric acid</td><td>20</td><td>7664-93-9</td><td>☒</td><td>Sulfuric acid</td><td>8117.4</td><td>05</td></tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Lead	55	7439-92-1	☐		22322.85	06	Sulfuric acid	20	7664-93-9	☒	Sulfuric acid	8117.4	05						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Lead	55	7439-92-1	☐		22322.85	06																					
Sulfuric acid	20	7664-93-9	☒	Sulfuric acid	8117.4	05																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 283750 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Paper Board (Rolled Stock) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 900000 Max Daily Amt Code: 11 Avg Daily Amt (lbs): 450000 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 3000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Rolled stock</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Warehouse</td> <td></td> <td>900000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		900000					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		900000													
SHIPMENT DETAILS																		
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 283751 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Polyvinyl Chloride (Rolled Stock) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 22000 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 11000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 500 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		20000
	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Thermoforming Area		2000
SHIPMENT DETAILS						
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 283753 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Pressroom Chemicals EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 17370 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 8685 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): 2880 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Pressroom area	Fountain Solution (HT-255)	2300
	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Pressroom area	Fountain Solution (SF-94)	2300
	[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Pressroom area		920
	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Pressroom area		2750
	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Pressroom area	Posco Low VOC MRC	2880
	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Pressroom area	Posco Premium U.V. Wash	2880
	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Pressroom area	Posco PWM Wash	2880
	[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Pressroom area		125
	[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Pressroom area	Febo Clean	335

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917
 Reporting Period From January 1, 2025 to December 31, 2025

SHIPMENT DETAILS						
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:		Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:		Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:		

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 283752 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Rubber Modified Polystyrene (Rolled Stock) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location																		
Max Daily Amt (lbs): 137000 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 68500 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 600 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Rolled stock</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Warehouse</td> <td></td> <td>135000</td> </tr> <tr> <td>[R]Other Desc: Rolled stock</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Finishing Department</td> <td></td> <td>2000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		135000	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		2000
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)														
[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		135000														
[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		2000														

SHIPMENT DETAILS						
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:		Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:		Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:		

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 283754 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Scrap Paper Board EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 200000 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 100000 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 1200 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Bails of paper</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Warehouse</td> <td></td> <td>200000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Bails of paper	[1]Ambient pressure	[4]Ambient temperature	Warehouse		200000					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[R]Other Desc: Bails of paper	[1]Ambient pressure	[4]Ambient temperature	Warehouse		200000													
SHIPMENT DETAILS																		
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 283755 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Thermoplastic Polyester (Rolled Stock) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☒ Solid ☐ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☒ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☐ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☒ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 380000 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 190000 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 600 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Rolled stock</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Warehouse</td> <td></td> <td>360000</td> </tr> <tr> <td>[R]Other Desc: Rolled stock</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Finishing Department</td> <td></td> <td>20000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		360000	[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		20000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Warehouse		360000																		
[R]Other Desc: Rolled stock	[1]Ambient pressure	[4]Ambient temperature	Finishing Department		20000																		
SHIPMENT DETAILS																							
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917
 Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description		Physical Hazards		Health Hazards																									
Chemical ID: 283756 Check if Chemical Information is changed from the last submission: ☐ CAS #: N/A Trade Secret: ☐ Chemical Name: Ultra-Violet Curing Ink EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☐ Pure ☒ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐		☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive		☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																									
Inventory		Storage Codes & Location																											
Max Daily Amt (lbs): 11150 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 5575 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): 44 No of days onsite: 365		<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[N]Plastic bottles or jugs</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Ink Room</td> <td></td> <td>9940</td> </tr> <tr> <td>[F]Can</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Ink Room</td> <td></td> <td>160</td> </tr> <tr> <td>[N]Plastic bottles or jugs</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Pressroom area</td> <td></td> <td>1050</td> </tr> </tbody> </table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Ink Room		9940	[F]Can	[1]Ambient pressure	[4]Ambient temperature	Ink Room		160	[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Pressroom area		1050
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																								
[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Ink Room		9940																								
[F]Can	[1]Ambient pressure	[4]Ambient temperature	Ink Room		160																								
[N]Plastic bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Pressroom area		1050																								
SHIPMENT DETAILS																													
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:		Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:		Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:																									

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Hub Folding Box Company, Inc. Facility ID: 11917
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million