

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sensata Technologies, Inc. Facility ID: 2792

Reporting Period From January 1, 2025 to December 31, 2025

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details					
Facility ID: 2792		Lat/Long: 41.9522/-71.2622		Name: Michael Mitchell					
Facility Name: Sensata Technologies, Inc.				Address: 529 Pleasant Street					
Maximum Occupants: 1069				Attleboro, MA 02703, United States					
Physical Location: 529 Pleasant Street, Attleboro, MA 02703		Nature of Business: Other Aircraft Parts and Auxiliary Equipment Manufacturing		Phone: 508-236-1581		Email: mmitchell2@sensata.com			
				Parent Company Details					
County: Bristol County		NAICS Code: 336413		Name:					
Fire Department:		SIC Code: 3822, 3714		Dun and Brad No:					
Phone: 508-236-3800		Dun and Brad No: 610099744		Address:					
☒ Manned ☐ Unmanned		EIN ID(Tax Number):		Phone:		Email:			
Email: mmitchell2@sensata.com		FTE:							
Subject to EPCRA Section 312 (Annual Inventory)? ☒ Yes ☐ No				Tier II Information Contact					
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No				Name: Michael Mitchell					
Subject to Section 112r of Clean Air Act (CAA)? ☐ Yes ☒ No				Title: Americas Facilities Manager					
RMP Facility ID:				Phone: 508-236-1581 24 Hr.Phone: 508-685-7362					
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? ☐ Yes ☒ No				Email: mmitchell2@sensata.com					
TRI Facility ID:									
Mailing Address				Facility Emergency Planning Coordinator					
Company Name: Sensata Technologies, Inc.				Name: Dave DeSousa					
Attention: Richard DiNitto				Title: Attleboro Facilities Manager					
Street Address 1: 529 Pleasant Street				Phone: 508-236-3246 24 Hr.Phone: 508-509-5188					
Street Address 2:				Email: ddesousa@sensata.com					
City: Attleboro		State: MA							
Zip: 02703		Phone: 508-236-1581							
Country: United States									
Emergency Contacts									
Name		Title		Phone		24 Hr.Phone		Email	
Richard DiNitto		Corporate EHS Manager		508-236-3640		617-285-9757		rdinitto2@sensata.com	
Dave DeSousa		Attleboro Facilities Manager		508-236-3246		508-509-5188		ddesousa@sensata.com	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.								Optional Attachments	
Richard DiNitto, Director				2/24/2026 11:46:46 AM		617-285-9757		☐ Site Plan	
Name and official title of owner/operator or authorized representative				Date Signed		Telephone Number		☐ Site Coordinate Abbreviations	
						Signature		☐ Other Safeguard measures	
								☐ Facility Emergency Response Plan	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sensata Technologies, Inc. Facility ID: 2792
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 283355 Check if Chemical Information is changed from the last submission: ☐ CAS #: 107-21-1 Trade Secret: ☐ Chemical Name: Ethylene Glycol EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☒	☐ Combustible dust ☐ Corrosive to metal ☒ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☐ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☐ Simple asphyxiant ☐ Skin corrosion or irritation ☒ Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 4000 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 1000 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 510 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Operations Center OCIW Basement</td> <td></td> <td>510</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Operations Center OCIW Basement		510				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Operations Center OCIW Basement		510												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 510 Maximum Shipment Quantity at One Time: 2040 Average Annual Shipment Quantity: 2040 Routes of Travel: Springfield, east on 90, 495 S to N. Attleboro 95S to Toner Bldv. Attleboro, RI	Carrier: Astrochemicals Inc. Carrier Address: 126 Memorial Drive, Springfield, MA 01104-413-781-7240 Carrier Phone: 413-781-7240 Carrier 24 Hr Phone:															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sensata Technologies, Inc. Facility ID: 2792
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 283356 Check if Chemical Information is changed from the last submission: ☒ CAS #: 68476-30-2 Trade Secret: ☐ Chemical Name: Fuel Oil, (Diesel) EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☒	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☒ Flammable (gases, aerosols, liquids, or solids) ☐ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☒ Aspiration hazard ☒ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☒ Serious eye damage or eye irritation ☒ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 7694 Max Daily Amt Code: 05 Avg Daily Amt (lbs): 3000 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 3546 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Operations Center Emergency Generator	(30 gallons)	220
	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Business Center Emergency Generator	(250 gallons)	1800
	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	OC Secondary Containment Area	(500 gallons)	3546
SHIPMENT DETAILS						
Mode of Shipment: Tank Trucks	Maximum Capacity Per Vessel: 21750	Carrier: Quality Oil				
Shipment Frequency Count: 2	Maximum Shipment Quantity at 3300	Carrier Address: 329 Tremont Street, Rehoboth, MA 02769				
Shipment Frequency Period: Year	One Time:	Carrier Phone: 508-222-3187				
Physical State In Transit: Liquid	Average Annual Shipment Quantity: 2350	Carrier 24 Hr Phone: 508-339-3353				
	Routes of Travel: Rehoboth, MA to Attleboro, MA via Route 118 or I-95					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sensata Technologies, Inc. Facility ID: 2792

Reporting Period From January 1, 2025 to December 31, 2025

Chemical Description	Physical Hazards	Health Hazards																																								
Chemical ID: 283357 Check if Chemical Information is changed from the last submission: ☐ CAS #: 7727-37-9 Trade Secret: ☐ Chemical Name: Nitrogen EHS: ☐ Contains EHS: ☐ Exceeds TPQ: ☐ EHS Name: ☒ Pure ☐ Mix ☐ Solid ☒ Liquid ☐ Gas Chemical Added On: Check if the chemical is below reporting threshold: ☐	☐ Combustible dust ☐ Corrosive to metal ☐ Explosive ☐ Flammable (gases, aerosols, liquids, or solids) ☒ Gas under pressure ☐ Hazard Not Otherwise Classified (HNOC) ☐ In contact with water emits flammable gas ☐ Organic peroxide ☐ Oxidizer (liquid, solid or gas) ☐ Pyrophoric (liquid or solid) ☐ Pyrophoric gas ☐ Self-heating ☐ Self-reactive	☒ Acute toxicity (any route of exposure) ☐ Aspiration hazard ☐ Carcinogenicity ☐ Germ cell mutagenicity ☐ Hazard Not Otherwise Classified (HNOC) ☐ Reproductive toxicity ☒ Respiratory or skin sensitization ☐ Serious eye damage or eye irritation ☒ Simple asphyxiant ☒ Skin corrosion or irritation ☐ Specific target organ toxicity (single or repeated exposure)																																								
Inventory	Storage Codes & Location																																									
Max Daily Amt (lbs): 71826 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 45000 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 68640 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[L]Cylinder</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Bld. 12 Disc Department, OC3W</td><td>(13,800 Liters)</td><td>243.1</td></tr> <tr> <td>[L]Cylinder</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Bld. 12 Thermostats, OC3E</td><td>(27,570 Liters)</td><td>486.1</td></tr> <tr> <td>[L]Cylinder</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Bld. 12 TSL Chemistry Lab, OC1E</td><td>(2,300 Liters)</td><td>121.5</td></tr> <tr> <td>[A]Above ground tank</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Operation Center</td><td>(118,047.2 gallons)</td><td>68640</td></tr> <tr> <td>[L]Cylinder</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>HALTS ab OC1E</td><td>(4,600 Liters)</td><td>182.3</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	Bld. 12 Disc Department, OC3W	(13,800 Liters)	243.1	[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	Bld. 12 Thermostats, OC3E	(27,570 Liters)	486.1	[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	Bld. 12 TSL Chemistry Lab, OC1E	(2,300 Liters)	121.5	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Operation Center	(118,047.2 gallons)	68640	[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	HALTS ab OC1E	(4,600 Liters)	182.3					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																																					
[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	Bld. 12 Disc Department, OC3W	(13,800 Liters)	243.1																																					
[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	Bld. 12 Thermostats, OC3E	(27,570 Liters)	486.1																																					
[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	Bld. 12 TSL Chemistry Lab, OC1E	(2,300 Liters)	121.5																																					
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Operation Center	(118,047.2 gallons)	68640																																					
[L]Cylinder	[2]Greater than ambient pressure	[7]Cryogenic conditions	HALTS ab OC1E	(4,600 Liters)	182.3																																					
SHIPMENT DETAILS																																										
Mode of Shipment: Tank Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 20215 Maximum Shipment Quantity at One Time: 20215 Average Annual Shipment: 5000 Quantity: Routes of Travel: Kittery, ME to Attleboro, MA via I-95 or Glenmont, NY to Attleboro, MA via I-90E	Carrier: Messer Group Carrier Address: 200 Somerset Corporate Blvd, Bridgewater Township, NJ 08807 Carrier Phone: 908-464-8100 Carrier 24 Hr Phone:																																								

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sensata Technologies, Inc. Facility ID: 2792
Reporting Period From January 1, 2025 to December 31, 2025

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million