

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2025

Page 1

Printed: February 19, 2026

>>>>>>>>> THE 7 FACILITIES IN THIS REPORT HAVE ALL BEEN VALIDATED FOR SUBMISSION <<<<<<<<<<

Facility: National Grid-Attleboro Satellite Facility

FACILITY NAME AND LOCATION:

National Grid-Attleboro Satellite Facility
Dept:
87 West Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.951845
Longitude: -71.29679
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☒ Manned ☐ Unmanned
Maximum No. of Occupants: 26

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No
Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Blanch, Deb

Job Title: Lead Env. Engineer
Contact Type(s): Fac. Emergency Coordinator, Emergency Contact, Tier II Information Contact
Address: 19 Phillips Lane, Hanover, MASSACHUSETTS 02339 USA
Phones: Mobile - Cell: 617-908-8881 24-hour: 800-465-1212
Email: deborah.blanch@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000
Email:

Sawiski, Kevin

Job Title: NE Facilities Mgr
Contact Type(s): Emergency Contact, Fac. Emergency Coordinator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA

Facility: National Grid-Attleboro Satellite Facility (continued)

Phones: Work: 617-435-4822 24-hour: 800-465-1212 Emergency: 877-952-2586
Email: kevin.sawiski@nationalgrid.com

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 44,196 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 44,196 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Transformer storage yard

Container Type: Other Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 44,196 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
- ☐ Ships via Tank Trucks
- ☐ Ships via Rail Car
- ☐ Ships via Tank Car
- ☐ Ships via Pipeline
- ☐ Ships via Barge
- ☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 0

Facility: National Grid-Attleboro Satellite Facility (continued)

Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 0
Maximum Shipment Qty (lbs): 0
Average Shipment Qty (lbs): 0
Physical State in Transit: Liquid
Carrier: 0
Comments (please provide both the primary and alternate routes of travel): N/A

Mixture or Product Name: SODIUM CHLORIDE

CAS #: 7647-14-5

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☒ Acute toxicity (any route of exposure)
- ☒ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☐ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 25,000 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 20,000 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Sand & Salt Pile/Storage Area

Container Type: Other Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 25,000 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
- ☐ Ships via Tank Trucks
- ☐ Ships via Rail Car
- ☐ Ships via Tank Car

Facility: National Grid-Attleboro Satellite Facility (continued)

- ☐ Ships via Pipeline
☐ Ships via Barge
☒ Ships via Other Shipment Mode
Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 0
Maximum Shipment Qty (lbs): 0
Average Shipment Qty (lbs): 0
Physical State in Transit: Solid
Carrier: 0
Comments (please provide both the primary and alternate routes of travel): NA ,

ATTACHMENTS:

MODF SDS.pdf
Sodium Chloride SDS.pdf

- ☐ I have submitted a site plan
☐ I have attached a description of dikes and other safeguard measures
☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

- ☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 1 through 4, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

02/10/2026

Date signed

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2025

Page 5

Printed: February 19, 2026

Facility: National Grid-Chartley Pond 8

FACILITY NAME AND LOCATION:

National Grid-Chartley Pond 8
Dept:
200 Peckham Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.944849
Longitude: -71.237014
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☐ Manned ☒ Unmanned

Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Blanch, Deb

Job Title: Lead Env. Engineer
Contact Type(s): Fac. Emergency Coordinator, Emergency Contact, Tier II Information Contact
Address: 19 Phillips Lane, Hanover, MASSACHUSETTS 02339 USA
Phones: Mobile - Cell: 617-908-8881 24-hour: 800-465-1212
Email: deborah.blanch@nationalgrid.com

Langlois, Mike

Job Title: Manager
Contact Type(s): Emergency Contact
Address: 1250 Brayton Point Road, Brockton, MASSACHUSETTS 02301 USA
Phones: 24-hour: 800-465-1212 Mobile - Cell: 774-644-3728
Email: michael.langlois@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000

Facility: National Grid-Chartley Pond 8 (continued)

Email:

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 138,197 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 138,197 pounds Average Daily Amount code: 10 (100,000-499,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Transformer storage yard

Container Type: Transformers Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 138,197 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☒ Ships via Other Shipment Mode
- Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year

Facility: National Grid-Chartley Pond 8 (continued)

Maximum capacity per single vessel (lbs): 0

Maximum Shipment Qty (lbs): 0

Average Shipment Qty (lbs): 0

Physical State in Transit: Liquid

Carrier: 0

Comments (please provide both the primary and alternate routes of travel): N/A

ATTACHMENTS:

MODF SDS.pdf

- ☐ I have submitted a site plan
- ☐ I have attached a description of dikes and other safeguard measures
- ☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 5 through 7, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

02/06/2026

Date signed

Facility: National Grid-Forest Street 2

FACILITY NAME AND LOCATION:

National Grid-Forest Street 2
Dept:
79 Forest Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.944149
Longitude: -71.2723
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☐ Manned ☒ Unmanned

Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Blanch, Deb

Job Title: Lead Env. Engineer
Contact Type(s): Fac. Emergency Coordinator, Emergency Contact, Tier II Information Contact
Address: 19 Phillips Lane, Hanover, MASSACHUSETTS 02339 USA
Phones: Mobile - Cell: 617-908-8881 24-hour: 800-465-1212
Email: deborah.blanch@nationalgrid.com

Langlois, Mike

Job Title: Manager
Contact Type(s): Emergency Contact
Address: 1250 Brayton Point Road, Brockton, MASSACHUSETTS 02301 USA
Phones: 24-hour: 800-465-1212 Mobile - Cell: 774-644-3728
Email: michael.langlois@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000

Facility: National Grid-Forest Street 2 (continued)

Email:

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☒ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 15,384 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 15,384 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Transformer storage yard

Container Type: Transformers Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 15,384 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☒ Ships via Other Shipment Mode
- Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year

Facility: National Grid-Forest Street 2 (continued)

Maximum capacity per single vessel (lbs): 0
Maximum Shipment Qty (lbs): 0
Average Shipment Qty (lbs): 0
Physical State in Transit: Liquid
Carrier: 0
Comments (please provide both the primary and alternate routes of travel): N/A

ATTACHMENTS:

MODF SDS.pdf

- ☐ I have submitted a site plan
☐ I have attached a description of dikes and other safeguard measures
☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 8 through 10, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

02/06/2026

Date signed

Facility: National Grid-Paragon Distribution Services

FACILITY NAME AND LOCATION:

National Grid-Paragon Distribution Services
Dept:
523 Pleasant Street - Building A
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.948636
Longitude: -71.268928
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☐ Manned ☒ Unmanned

Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Maggiacomo, Rob

Job Title: Sr. Supervisor
Contact Type(s): Emergency Contact
Address:
Phones: Mobile - Cell: 508-328-5654 24-hour: 800-465-1212
Email: robert.maggiacomo@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000
Email:

Shattuck, Nikki

Job Title: Environmental Scientist
Contact Type(s): Emergency Contact, Tier II Information Contact, Fac. Emergency Coordinator
Address: 939 Southbridge Street, Worcester, MASSACHUSETTS 01610 USA
Phones: Mobile - Cell: 508-328-5635 24-hour: 800-465-1212

Facility: National Grid-Paragon Distribution Services (continued)

Email: nikki.shattuck@nationalgrid.com

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 207,599 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 207,599 pounds Average Daily Amount code: 10 (100,000-499,999 pounds)

Max amount in largest container:

Days on site: 91

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building A

Container Type: Other Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 207,599 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☒ Ships via Other Shipment Mode
- Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year

Facility: National Grid-Paragon Distribution Services (continued)

Maximum capacity per single vessel (lbs): 0
Maximum Shipment Qty (lbs): 0
Average Shipment Qty (lbs): 0
Physical State in Transit: Liquid
Carrier: 0
Comments (please provide both the primary and alternate routes of travel): NA

ATTACHMENTS:

MODF SDS.pdf

- ☐ I have submitted a site plan
☐ I have attached a description of dikes and other safeguard measures
☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

The transformers were removed from this site on 10/1/2024 and moved to Paragon Distribution Services. This will be the last report submitted for Mansfield Advanced Warehouse.

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 11 through 13, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

02/10/2026

Date signed

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2025

Page 14

Printed: February 19, 2026

Facility: National Grid-Read Street 9

FACILITY NAME AND LOCATION:

National Grid-Read Street 9
Dept:
367 Read Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.91426
Longitude: -71.342281
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☐ Manned ☒ Unmanned

Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Blanch, Deb

Job Title: Lead Env. Engineer
Contact Type(s): Fac. Emergency Coordinator, Emergency Contact, Tier II Information Contact
Address: 19 Phillips Lane, Hanover, MASSACHUSETTS 02339 USA
Phones: Mobile - Cell: 617-908-8881 24-hour: 800-465-1212
Email: deborah.blanch@nationalgrid.com

Langlois, Mike

Job Title: Manager
Contact Type(s): Emergency Contact
Address: 1250 Brayton Point Road, Brockton, MASSACHUSETTS 02301 USA
Phones: 24-hour: 800-465-1212 Mobile - Cell: 774-644-3728
Email: michael.langlois@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000

Facility: National Grid-Read Street 9 (continued)

Email:

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 192,967 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 192,967 pounds Average Daily Amount code: 10 (100,000-499,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Transformer storage yard

Container Type: Transformers Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 192,967 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☒ Ships via Other Shipment Mode
- Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year

Facility: National Grid-Read Street 9 (continued)

Maximum capacity per single vessel (lbs): 0
Maximum Shipment Qty (lbs): 0
Average Shipment Qty (lbs): 0
Physical State in Transit: Liquid
Carrier: NA
Comments (please provide both the primary and alternate routes of travel): N/A

ATTACHMENTS:

MODF SDS.pdf

- ☐ I have submitted a site plan
☐ I have attached a description of dikes and other safeguard measures
☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 14 through 16, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

02/09/2026

Date signed

Facility: National Grid-South Attleboro 5

FACILITY NAME AND LOCATION:

National Grid-South Attleboro 5
Dept:
541 South Washington Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.914665
Longitude: -71.36132
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☐ Manned ☒ Unmanned

Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Blanch, Deb

Job Title: Lead Env. Engineer
Contact Type(s): Fac. Emergency Coordinator, Emergency Contact, Tier II Information Contact
Address: 19 Phillips Lane, Hanover, MASSACHUSETTS 02339 USA
Phones: Mobile - Cell: 617-908-8881 24-hour: 800-465-1212
Email: deborah.blanch@nationalgrid.com

Langlois, Mike

Job Title: Manager
Contact Type(s): Emergency Contact
Address: 1250 Brayton Point Road, Brockton, MASSACHUSETTS 02301 USA
Phones: 24-hour: 800-465-1212 Mobile - Cell: 774-644-3728
Email: michael.langlois@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000

Facility: National Grid-South Attleboro 5 (continued)

Email:

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☒ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 15,599 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 15,599 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Transformer storage yard

Container Type: Transformers Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 15,599 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☒ Ships via Other Shipment Mode
- Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year

Facility: National Grid-South Attleboro 5 (continued)

Maximum capacity per single vessel (lbs): 0

Maximum Shipment Qty (lbs): 0

Average Shipment Qty (lbs): 0

Physical State in Transit: Liquid

Carrier: NA

Comments (please provide both the primary and alternate routes of travel): N/A

ATTACHMENTS:

MODF SDS.pdf

- ☐ I have submitted a site plan
- ☐ I have attached a description of dikes and other safeguard measures
- ☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 17 through 19, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

02/09/2026

Date signed

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2025

Page 20

Printed: February 19, 2026

Facility: National Grid-West Street 1

FACILITY NAME AND LOCATION:

National Grid-West Street 1
Dept:
87 West Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.951845
Longitude: -71.29679
MAILING ADDRESS: 170 Data Drive
Waltham, Massachusetts 02451 USA

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 006952626
NAICS: 221122 (Electric Power Distribution)
SIC: 4911 (ELECTRICAL SERVICES)

Is the facility manned? ☐ Manned ☒ Unmanned

Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No

Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Allen, Todd

Job Title: Manager
Contact Type(s): Emergency Contact
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212 Mobile - Cell: 508-989-7175
Email: todd.allen@nationalgrid.com

Blanch, Deb

Job Title: Lead Env. Engineer
Contact Type(s): Fac. Emergency Coordinator, Emergency Contact, Tier II Information Contact
Address: 19 Phillips Lane, Hanover, MASSACHUSETTS 02339 USA
Phones: Mobile - Cell: 617-908-8881 24-hour: 800-465-1212
Email: deborah.blanch@nationalgrid.com

Massachusetts Electric Company,

Job Title:
Contact Type(s): Owner / Operator
Address: 170 Data Drive, Waltham, MASSACHUSETTS 02451 USA
Phones: 24-hour: 800-465-1212
Email: nationalgrid@nationalgrid.com

NA,

Job Title:
Contact Type(s): Chemical Carrier
Address: NA, NA, MASSACHUSETTS 00000 USA
Phones: 24-hour: 000-000-0000 Work: 000-000-0000

Facility: National Grid-West Street 1 (continued)

Email:

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Mineral Oil Dielectric Fluid

CAS #: 64742-53-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☒ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☐ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 163,709 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 163,709 pounds Average Daily Amount code: 10 (100,000-499,999 pounds)

Max amount in largest container:

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Transformer storage yard

Container Type: Transformers Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 163,709 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☒ Ships via Other Shipment Mode
- Other shipment mode: NA
Frequency of Shipment: 0
Shipment Frequency Period: Year

Facility: National Grid-West Street 1 (continued)

Maximum capacity per single vessel (lbs): 0

Maximum Shipment Qty (lbs): 0

Average Shipment Qty (lbs): 0

Physical State in Transit: Liquid

Carrier: NA

Comments (please provide both the primary and alternate routes of travel): no transport route needed, oil in transformers on-site

ATTACHMENTS:

MODF SDS.pdf

- ☐ I have submitted a site plan
- ☐ I have attached a description of dikes and other safeguard measures
- ☐ I have attached a list of site coordinate abbreviations

CERTIFICATION:

State/local fees: None

☒ All facility information (not including chemical information) is identical to last year's submission

FACILITY NOTES:

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 20 through 22, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Peter Harley, Director

Name and official title of owner/operator OR owner/operator's authorized representative

02/10/2026

Date signed