

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Amtrak Attleboro Paralleling Station Facility ID: 184

Reporting Period From January 1, 2019 to December 31, 2019

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification Facility ID: 184 Facility Name: Amtrak Attleboro Paralleling Station Maximum Occupants: Off of Read Street (Rear of # 959), Attleboro, MA Physical Location: 02703 County: Bristol County Fire Department: 877-223-6797 Phone: 877-223-6797 <input type="checkbox"/> Manned <input checked="" type="checkbox"/> Unmanned Email: bosz10pd@amtrak.com Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No RMP Facility ID: Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No TRI Facility ID:		Owner/Operator Details Name: Samuel Maxwell Address: 165 Royal Little Drive Phone: Providence, RI 02904, United States 401-641-9344 Email: MaxwellS@amtrak.com Parent Company Details Name: Dun and Brad No: Address: MA, United States Phone: Email:																
Mailing Address Company Name: Samuel Maxwell Attention: Samuel Maxwell Street Address 1: 165 Royal Little Drive Street Address 2: City: Providence Zip: 02904 State: RI Phone: 401-641-9344 Country: United States		Facility Emergency Planning Coordinator Name: Title: Phone: Email: 24 Hr. Phone:																
Emergency Contacts																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Title</th> <th>Phone</th> <th>24 Hr. Phone</th> <th>Email</th> </tr> </thead> <tbody> <tr> <td>Power Director Amtrak</td> <td>Power Director</td> <td>877-223-6797</td> <td>877-223-6797</td> <td>Bosz10pd@amtrak.com</td> </tr> <tr> <td>Chief Train Dispatcher Amtrak</td> <td>Chief Train Dispatcher</td> <td>CETC</td> <td>800-243-1255</td> <td>underwvg@amtrak.com</td> </tr> </tbody> </table>		Name	Title	Phone	24 Hr. Phone	Email	Power Director Amtrak	Power Director	877-223-6797	877-223-6797	Bosz10pd@amtrak.com	Chief Train Dispatcher Amtrak	Chief Train Dispatcher	CETC	800-243-1255	underwvg@amtrak.com	Optional Attachments <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan	
Name	Title	Phone	24 Hr. Phone	Email														
Power Director Amtrak	Power Director	877-223-6797	877-223-6797	Bosz10pd@amtrak.com														
Chief Train Dispatcher Amtrak	Chief Train Dispatcher	CETC	800-243-1255	underwvg@amtrak.com														

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Paul Jones, Division Engineer

Name and official title of owner/operator or authorized representative

2/13/2020 1:23:27 PM
Date Signed

617-785-0185
Telephone Number

Paul Jones
Signature

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Amtrak Attleboro Paralleling Station Facility ID: 184
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards	
Chemical ID: 164405 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Transformer oil, Insulating oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPC: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)			
Inventory					
Max Daily Amt (lbs): 10330 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 10330 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 8200 No of days onsite: 365					
Storage Codes & Location					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
<input type="checkbox"/> Other Desc: Transformers	<input type="checkbox"/> 1 Ambient pressure	<input type="checkbox"/> 4 Ambient temperature	<input type="checkbox"/> Electrical substation (railroad right-of-way)		10330

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Amtrak Attleboro Paralleling Station Facility ID: 184
 Reporting Period From January 1, 2019 to December 31, 2019

SHIPMENT DETAILS

Mode of Shipment: Trucks
 Shipment Frequency Count: 0
 Shipment Frequency Period: Year
 Physical State In Transit: Liquid

Maximum Capacity Per Vessel:
 Maximum Shipment Quantity at One Time:
 Average Annual Shipment Quantity:
 Routes of Travel:

Carrier:
 Carrier Address:
 Carrier Phone:
 Carrier 24 Hr Phone:

There are no regular transfer operations performed at this facility. Periodically, the oil is filtered by an outside vendor using a closed-loop system to remove impurities.

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Butyated Hydroxytoluene (50-KVA)	0.3	128-37-0	<input type="checkbox"/>		30.99	01
Severely Hydrotreated Light Naphthenic Petroleum Oil (50-KVA & 10-MVA)	99.7	64742-53-6	<input type="checkbox"/>		10299.01	06

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Amtrak Attleboro Paralleling Station Facility ID: 184
 Reporting Period From January 1, 2019 to December 31, 2019

Notes

Notes entered by Submit User: Unmanned facility, although 2-3 employees may periodically be onsite to inspect and maintain the facility. Chemical Carrier. Not applicable Comments: Dielectric fluid is not transferred on or offsite under normal operations.

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million

Facility: Amtrak Attleboro Paralleling Station

FACILITY NAME AND LOCATION:

Amtrak Attleboro Paralleling Station
Dept:
Off of Read Street (Rear of # 959)
Attleboro, MA 02703 USA
County: Bristol
Fire District:
Latitude: 41.903889
Longitude: -71.323056
MAILING ADDRESS: 165 Royal Little Drive
Providence, RI 02904 USA

☐ All facility information (not including chemical information) is identical to last year's submission

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 796569655 (DUN & BradStreet)
NAICS: 482111 (Line-Haul Railroads)
SIC: 4011 (SIC)
T2M Facility ID: 184 (T2M Facility ID)

Is the facility manned? ☐ Manned ☒ Unmanned
Maximum No. of Occupants: 0

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☐ Yes ☒ No
Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☐ Yes ☒ No

CONTACT INFORMATION:

Amtrak, Power Director

Title: Power Director
Contact Type(s): Emergency Contact
Address:
Phones: 24-hour: 8772236797 Phone: 8772236797
Email: Bosz10pd@amtrak.com

Amtrak Chief Train Dispatcher, Chief Train Dispatcher

Title: CETC
Contact Type(s): Emergency Contact
Address:
Phones: 24-hour: 8002431255 Phone: 8002431255
Email: underwg@amtrak.com

Maxwell, Samuel

Title: Assistant Division Engineer, Electric Traction
Contact Type(s): Owner / Operator
Address: 165 Royal Little Drive, Providence, RI 02904 USA
Phones: 24-hour: 4016419344 Phone: 4016419344
Email: MaxwellS@Amtrak.com

Walker, Caitlin

Title: Sr. Environmental Specialist

Facility: Amtrak Attleboro Paralleling Station (continued)

Contact Type(s): Tier II Information Contact
Address: 255 Welton Street, Rear, Hamden, CT 06517 USA
Phones: 24-hour: 8603199691 Mobile - Cell: 8603199691 Phone: 8603199691
Email: Caitlin.Walker@Amtrak.com

,
Title:
Contact Type(s): Parent Company
Address: MA USA
Phones:
Email:

,
Title:
Contact Type(s): Billing
Address:
Phones:
Email:

,
Title:
Contact Type(s): Other
Address: Off of Read Street (Rear of # 959), Attleboro, MA 02703 USA
Phones: 24-hour: 8772236797 Phone: 8772236797
Email: bosz10pd@amtrak.com

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Transformer oil, Insulating oil

CAS #:

EHS: ☐ Yes ☒ No
☐ Pure ☒ Mixture
☐ Solid ☒ Liquid ☐ Gas
☒ Identical to previous year
☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive
☐ Flammable (gases, aerosols, liquids, or solids)
☐ Oxidizer (liquid, solid, or gas)
☐ Self-reactive
☐ Pyrophoric (liquid or solid)
☐ Pyrophoric gas
☐ Self-heating
☐ Organic peroxide
☐ Corrosive to metal
☐ Gas under pressure (compressed gas)
☐ In contact with water emits flammable gas
☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☐ Skin corrosion or irritation
☐ Serious eye damage or eye irritation
☐ Respiratory or skin sensitization
☐ Germ cell mutagenicity
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Specific target organ toxicity (single or repeated exposure)
☒ Aspiration hazard
☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

Tier Two
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2019

Page 3

Printed: February 13, 2020

Facility: Amtrak Attleboro Paralleling Station (continued)

☐ Below Reporting Thresholds

Maximum Amount: 10330 pounds Maximum Amount code: 06 (10,000 - 24,999 pounds)

Average Daily Amount: 10330 pounds Average Daily Amount code: 06 (10,000 - 24,999 pounds)

Max amount in largest container: 8200 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential: ☐ Yes ☒ No

Container Type: Transformers Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 10330 pounds Location Description: Electrical substation (railroad right-of-way)

MIXTURE COMPONENTS:

Name: Butylated Hydroxytoluene (50-KVA) CAS #: 128-37-0 ☐ EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 0.3 (by weight)

Name: Severely Hydrotreated Light Napthenic Petroleum Oil (50-KVA & 10-MVA) CAS #: 64742-53-6 ☐ EHS

Max Amt Code: 06 (10,000 - 24,999 pounds) Component Percentage: 99.7 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MA:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☒ Ships via Other Shipment Mode

Other shipment mode: Not Applicable

Frequency of Shipment: 0

Shipment Frequency Period: Year

Maximum capacity per single vessel: 0

Maximum Shipment Qty (lbs): 0

Average Shipment Qty (lbs): 0

Physical State in Transit: Liquid

Carrier: N/A

Comments (please provide both the primary and alternate routes of travel): There are no regular transfer operations performed at this facility. Periodically, the oil is filtered by an outside vendor using a closed-loop system to remove impurities.

State/local fees: None

☐ I have attached a site plan

☐ I have attached a list of site coordinate abbreviations

☐ I have attached a description of dikes and other safeguard measures

FACILITY NOTES:

Unmanned Facility, although 2-3 employees may periodically be onsite to inspect and maintain the facility.

Chemical Carrier: Not applicable

Comments: Dielectric fluid is not transferred on or offsite under normal operations.

Facility: Amtrak Attleboro Paralleling Station (continued)

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 1 through 4, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature



02/13/2020

Date signed

Paul Jones, Division Engineer

Name and official title of owner/operator

OR owner/operator's authorized representative