

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. **Facility ID:** 1184

Reporting Period From January 1, 2019 to December 31, 2019

Annual Update Revised Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details			
Facility ID:	1184	Lat/Long:	41.937643/-71.273794	Name:	Glines Rhodes Inc		
Facility Name:	Glines & Rhodes, Inc.			Address:	189 East Street		
Maximum Occupants:	28	Nature of Business:	Secondary Smelting, Refining, and Alloying of Nonferrous Metal (except Copper and Aluminum)	Phone:	508-226-2000 x 233	Email:	ryan@glinesandrhodes.com
Physical Location:	189 East Street, Attleboro, MA 02703			Parent Company Details			
County:	Bristol County	NAICS Code:	331492	Name:	Dun and Brad No:		
Fire Department:		SIC Code:		Address:	MA , United States		
Phone:	508-226-2000 x 232	Dun and Brad No:	052529979	Phone:		Email:	
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):					
Email:		FTE:					
Subject to EPCRA Section 312 (Annual Inventory)?				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
Subject to Section 112r of Clean Air Act (CAA)?				<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		
RMP Facility ID:							
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
TRI Facility ID:	02703GLNSN189EA			Tier II Information Contact			
Mailing Address				Facility Emergency Planning Coordinator			
Company Name:	Glines & Rhodes, Inc.			Name:	Paul Richard (Wood Massachusetts, Inc.)		
Attention:				Title:	Senior Program Director		
Street Address 1:	189 East Street			Phone:	978-392-5328	24 Hr.Phone:	781-552-9899
Street Address 2:				Email:	paul.richard2@woodplc.com		
City:	Attleboro	State:	MA				
Zip:	02703	Phone:	508-226-2000 x 233				
Country:	United States			Name:	Ryan Crowell		
				Title:	Executive Vice President		
				Phone:	508-226-2000 x 223	24 Hr.Phone:	774-306-6505
				Email:	ryan@glinesandrhodes.com		
Emergency Contacts							
Name	Title	Phone	24 Hr.Phone	Email			
Ryan Crowell	Executive Vice President	508-226-2000 x 223	774-306-6505	ryan@glinesandrhodes.com			
Jason Enos	Vice President of Operations	508-226-2000	401-585-6158	jason@glinesandrhodes.com			
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 11, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.							Optional Attachments
Ryan Crowell, Executive Vice President <u>2/27/2020 7:57:22 PM</u> <u>508-226-2000 x 223</u> <u>Ryan Crowell</u>							<input type="checkbox"/> Site Plan
Name and official title of owner/operator or authorized representative <u>Date Signed</u> <u>Telephone Number</u> <u>Signature</u>							<input type="checkbox"/> Site Coordinate Abbreviations
							<input type="checkbox"/> Other Safeguard measures
							<input type="checkbox"/> Facility Emergency Response Plan

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184

Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 169418 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: 3% POTASSIUM CYANIDE SOLUTION EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 6700 Max Daily Amt Code: 05 Avg Daily Amt (lbs): 6700 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): 2500 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Concentrator/Evaporation Building</td> <td></td> <td>1700</td> </tr> <tr> <td>[R]Other Desc: container</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Concentrator/Evaporation Building</td> <td></td> <td>5000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Concentrator/Evaporation Building		1700	[R]Other Desc: container	[1]Ambient pressure	[4]Ambient temperature	Concentrator/Evaporation Building		5000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Concentrator/Evaporation Building		1700																		
[R]Other Desc: container	[1]Ambient pressure	[4]Ambient temperature	Concentrator/Evaporation Building		5000																		

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184

Reporting Period From January 1, 2019 to December 31, 2019

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	1	Carrier:	No Deliveries in 2019	
Shipment Frequency Count:	1	Maximum Shipment Quantity at One Time:	1	Carrier Address:	189 East Street, Attleboro, MA 02703	
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	1	Carrier Phone:	508-226-2000 x232	
Physical State In Transit:	Liquid	Routes of Travel:	The solution is created on-site. Shipment information for potassium cyanide (EHS chemical) is reported separately.		Carrier 24 Hr Phone:	774-306-6505

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Potassium Cyanide	3	151-50-8	<input checked="" type="checkbox"/>	Potassium cyanide	201	02

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 169419 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: 3% SODIUM CYANIDE SOLUTION EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 5500 Max Daily Amt Code: 05 Avg Daily Amt (lbs): 2800 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 500 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Concentrator/ Evaporation Building		5500

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184

Reporting Period From January 1, 2019 to December 31, 2019

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	5500	Carrier:	Glines & Rhodes
Shipment Frequency Count:	2	Maximum Shipment Quantity at One Time:	5500	Carrier Address:	189 East St., Attleboro, MA 02703-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	2800	Carrier Phone:	508-226-2000 x
Physical State In Transit:	Liquid	Routes of Travel:	I-95 to Exit 3 - MA123 towards Attleboro/Norton. Take right onto MA-123 and travel 0.8 miles. Take left onto County Street and continue for 1.1 miles onto Park Street. Turn right onto Oneil Blvd and take 3rd left onto East St	Carrier 24 Hr Phone:	774-306-6505 x

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sodium Cyanide	3	143-33-9	<input checked="" type="checkbox"/>	Sodium cyanide (Na(CN))	165	02

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 169420 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: 65% Nitric Acid Solution EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 931 Max Daily Amt Code: 03 Avg Daily Amt (lbs): 931 Avg Daily Amt Code: 03 Max Amt in Largest Container (lbs): 8 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[M]Glass bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Stone Processing Area - Stone recovery solution mixture		504
	[M]Glass bottles or jugs	[1]Ambient pressure	[4]Ambient temperature	Laboratory Area		427

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184

Reporting Period From January 1, 2019 to December 31, 2019

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	6300	Carrier:	Roberts Chemical
Shipment Frequency Count:	6	Maximum Shipment Quantity at One Time:	930	Carrier Address:	330 Oakhill Ave., Attleboro, MA 02703-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	470	Carrier Phone:	508-409-0220 x
Physical State In Transit:	Liquid	Routes of Travel:	I-95 to Exit 3 - MA123 towards Attleboro/Norton. Take right onto MA-123 and travel 0.8 miles. Take left onto County Street and continue for 1.1 miles onto Park Street. Turn right onto Oneil Blvd and take 3rd left onto East St.	Carrier 24 Hr Phone:	508-409-0220 x

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Nitric acid	65	7697-37-2	<input checked="" type="checkbox"/>	Nitric acid	605.15	03

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 169416 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-30-2 Trade Secret: <input type="checkbox"/> Chemical Name: FUEL OIL, [NO. 2] EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location												
Max Daily Amt (lbs): 71000 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 71000 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 71000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Aboveground Tank, Southeast section of property</td> <td></td> <td>71000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Aboveground Tank, Southeast section of property		71000
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)								
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Aboveground Tank, Southeast section of property		71000								

SHIPMENT DETAILS		
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 169417 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-85-7 Trade Secret: <input type="checkbox"/> Chemical Name: PETROLEUM GASES, LIQUEFIED EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 22100 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 22100 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 4400 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[A]Above ground tank	[2]Greater than ambient pressure	[4]Ambient temperature	Aboveground Tanks (5)- Southeast Side of Property		22100
SHIPMENT DETAILS						
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 169421 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 151-50-8 Trade Secret: <input type="checkbox"/> Chemical Name: POTASSIUM CYANIDE EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Potassium cyanide <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 300 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 150 Avg Daily Amt Code: 02 Max Amt in Largest Container (lbs): 50 No of days onsite: 365	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[K]Box</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Concentrator/ Evaporation Building</td> <td></td> <td>300</td> </tr> </tbody> </table>						Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[K]Box	[1]Ambient pressure	[4]Ambient temperature	Concentrator/ Evaporation Building		300
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[K]Box	[1]Ambient pressure	[4]Ambient temperature	Concentrator/ Evaporation Building		300													

SHIPMENT DETAILS					
Mode of Shipment: Trucks Shipment Frequency Count: 3 Shipment Frequency Period: Year Physical State In Transit: Solid	Maximum Capacity Per Vessel: 6000 Maximum Shipment Quantity at One Time: 100 Average Annual Shipment Quantity: 100 Routes of Travel: I-95 to Exit 3 - MA123 towards Attleboro/Norton. Take right onto MA-123 and travel 0.8 miles. Take left onto County Street and continue for 1.1 miles onto Park Street. Turn right onto Oneil Blvd and take 3rd left onto East St.	Carrier: Technic, Inc. Carrier Address: 1 Spectacle St., Cranston, RI 02910-1032 Carrier Phone: 401-781-6100 x Carrier 24 Hr Phone: 800-424-9300 x			

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Glines & Rhodes, Inc. Facility ID: 1184

Reporting Period From January 1, 2019 to December 31, 2019

Notes

Notes entered by Submit User

No deliveries of 3% potassium cyanide solution occurred in 2019. The solution is created on-site. Shipment information for potassium cyanide (EHS chemical) is reported separately.

Chemical Amount Range Code & Description

#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million