

# Tier II Emergency and Hazardous Chemical Inventory Facility Name: CPS Technologies Corporation / Attleboro Facility Facility ID: 4743

Reporting Period From January 1, 2019 to December 31, 2019

☒ Annual
 ☐ Update
 ☐ Revised
 ☐ Facility Information has changed from the last submission

*Attleboro* *2019*

<b>Facility Identification</b> Facility ID: 4743 Facility Name: CPS Technologies Corporation / Attleboro Lat/Long: 41.95772,-71.30005 Maximum Occupants: 6 Physical Location: 79 Walton Street, Attleboro, MA 02703 County: Bristol County Fire Department: 508-222-0614 x 219 Phone: 508-222-0614 x 219 <input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned Email: rjaruse@alsic.com FTE: 6 NAICS Code: 332999 SIC Code: 3679 Dun and Brad No: 120998661 EIN ID(Tax Number): Nature of Business: All Other Miscellaneous Fabricated Metal Product Manufacturing				<b>Owner/Operator Details</b> Name: Grant Bennett Address: 33 Dean Street Belmont, MA 02478, United States Phone: 508-222-0614 x 218 Email: gbennett@alsic.com <b>Parent Company Details</b> Name: Dun and Brad No: Address: MA, United States Phone: Email:			
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Subject to Section 112 of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No RMP Facility ID: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No TRI Facility ID:				<b>Tier II Information Contact</b> Name: Rob Jaruse Title: Plant Engineering Mgr Phone: 508-801-5960 Email: rjaruse@alsic.com 24 Hr. Phone: 508-801-5960			
<b>Mailing Address</b> Company Name: CPS Technologies Corporation Attention: Rob Jaruse Street Address 1: 111 South Worcester Street Street Address 2: City: Norton Zip: 02766 State: MA Phone: 508-222-0614 x 219 Country: United States				<b>Facility Emergency Planning Coordinator</b> Name: Rob Jaruse Title: Plant Engineering Mgr Phone: 508-801-5960 Email: rjaruse@alsic.com 24 Hr. Phone: 508-801-5960			
<b>Emergency Contacts</b>							
Name		Title	Phone	24 Hr. Phone	Email		
Rob Jaruse		Plant Engineering Manager	508-222-0614 x 219	508-801-5960	rjaruse@alsic.com		
Rob Jaruse		Plant Engineering Manager	508-222-0614 x 219	508-801-5960	rjaruse@alsic.com		

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.  
 Rob Jaruse, Plant Engineering Mgr  
 Date Signed: 1/27/2020 12:02:31 PM  
 Telephone Number: 508-801-5960  
 Signature: Rob Jaruse

☒ Site Plan  
☒ Site Coordinate Abbreviations  
☒ Other Safeguard measures  
☐ Facility Emergency Response Plan

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: CPS Technologies Corporation / Attleboro Facility      Facility ID: 4743  
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards																					
Chemical ID: 160369 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Batteries EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <a href="#">MSDS</a> <a href="#">SDS</a> Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																							
Inventory																									
Storage Codes & Location																									
Max Daily Amt (lbs): 2971 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 2971 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 2850 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc:</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Twelve (12) Exit lights. Lithonia Lighting. Contractor Select - Grainger 2XLE4-120/2 77. 6V lead cadmium battery @ 2# each.</td> <td></td> <td>24</td> </tr> <tr> <td>[R]Other Desc:</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Computer UPS Backup Batteries (3) - 26 pound shipping weight each.</td> <td></td> <td>78</td> </tr> <tr> <td>[R]Other Desc:</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Emergency Lighting Batteries (16</td> <td></td> <td>19</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Twelve (12) Exit lights. Lithonia Lighting. Contractor Select - Grainger 2XLE4-120/2 77. 6V lead cadmium battery @ 2# each.		24	[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Computer UPS Backup Batteries (3) - 26 pound shipping weight each.		78	[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Emergency Lighting Batteries (16		19
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																				
[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Twelve (12) Exit lights. Lithonia Lighting. Contractor Select - Grainger 2XLE4-120/2 77. 6V lead cadmium battery @ 2# each.		24																				
[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Computer UPS Backup Batteries (3) - 26 pound shipping weight each.		78																				
[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Emergency Lighting Batteries (16		19																				

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: CPS Technologies Corporation / Attleboro Facility Facility ID: 4743  
Reporting Period From January 1, 2019 to December 31, 2019

			batteries) - Best Lighting Products R-1C Batteries at 1.2# each and 6V/4.5 AH. Sealed lead cadmium batteries.		
[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Toyota Forklift / Hawker Battery @ 2,850#; 10-30% sulfuric acid.	2850	

## SHIPMENT DETAILS

Mode of Shipment: Trucks  
Shipment Frequency Count: 1  
Shipment Frequency Period: Year  
Physical State In Transit: Solid

Maximum Capacity Per Vessel: 26  
Maximum Shipment Quantity at One Time: 78  
Average Annual Shipment Quantity: 78  
Routes of Travel:

Carrier: Brodie Toyota-Lift  
Carrier Address: 1180 General Edwards Hwy,  
Sharon, MA 02067-  
Carrier Phone: 781-784-7761  
Carrier 24 Hr Phone: 781-784-7761

Brodie is the current supplier and could take one of several routes to the facility. Brodie comes from their Sharon, MA facility. Their address is 1180 General Edwards Highway, Sharon, MA 02067. Computer UPS batteries were used for the basis of the weights above. Primary Route Driving directions to 79 Walton St, Attleboro, MA 02703 From 1180 General Edwards Hwy, Sharon, MA 02067 1. Head northeast on U.S. 1 N/2Boston-Providence Turnpike toward Old Post Rd 2. Sharp left onto U.S. 1 S/2Boston-Providence Turnpike 3. Merge onto I-95 S via the ramp on the left to Attleboro/2Providence Rt 4. Take exit 5 toward N Attleboro 5. Merge onto Robert F Toner Blvd 6. Continue onto Toner

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: CPS Technologies Corporation / Attleboro Facility      Facility ID: 4743  
Reporting Period From January 1, 2019 to December 31, 2019

Bvld 7. Turn left onto North Dr  
8. Turn right onto Walton St  
Destination will be on the right 79 Walton St  
Attleboro, MA 02703  
Secondary Route  
Driving directions to 79 Walton St, Attleboro, MA 02703  
3D2D From 1180 General Edwards Hwy, Sharon, MA 02067 1. Head northeast on U.S. 1 N  
7Boston-Providence Turnpike toward Old Post Rd  
2. Make a U-turn at Old Post Rd  
3. Take the exit toward Massachusetts 152 S 4. Turn left onto Taunton St 5. Continue onto MA-152 S  
7Kelley Blvd  
Continue to follow MA-152 S 6. Turn right onto Commonwealth Ave 7. Continue onto Stobbs Dr 8. Turn left onto North Ave 9. Take the 2nd right onto Walton St  
Destination will be on the right 79 Walton St  
Attleboro, MA 02703

## MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Housing	10	N/A	<input type="checkbox"/>		297.1	02
Lead	60	7439-92-1	<input type="checkbox"/>		1782.6	04
Sulfuric Acid	30	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	891.3	03

**Tier II Emergency and Hazardous Chemical Inventory**

**Facility Name: CPS Technologies Corporation / Attleboro Facility      Facility ID: 4743**  
**Reporting Period From January 1, 2019 to December 31, 2019**

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million