

**Tier II Emergency and Hazardous Chemical Inventory****Facility Name: Larson Tool & Stamping Company Facility ID: 1493****Reporting Period From January 1, 2019 to December 31, 2019**☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details	
Facility ID:	1493			Name:	Charles Cederberg
Facility Name:	Larson Tool & Stamping Company	Lat/Long:	41.5609/-71.1723	Address:	90 Olive St Attleboro, MA 02703, United States
Maximum Occupants:	77	Nature of Business:	Metal Stamping Mfg	Phone:	508-272-5159 Email: ccederberg@larsontool.com
Physical Location:	90 Olive St, Attleboro, MA 02703	NAICS Code:	332116	<b>Parent Company Details</b>	
County:	Bristol County	SIC Code:	3469	Name:	Dun and Brad No:
Fire Department:	508-222-0897 x 27	Dun and Brad No:	001459536	Address:	MA, United States
Phone:	<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned	EIN ID(Tax Number):	04-1525530	Phone:	Email:
Email:	wjordan@larsontool.com	FTE:	65	<b>Tier II Information Contact</b>	
Subject to EPCRA Section 312 (Annual Inventory)?				Name: Charles Cederberg	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				Title: President	
Subject to Section 112r of Clean Air Act (CAA)?				Phone: 508-222-0897 x 27 24 Hr. Phone: 508-272-5159	
RMP Facility ID:				Email: ccederberg@larsontool.com	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
TRI Facility ID:					
<b>Mailing Address</b>				<b>Facility Emergency Planning Coordinator</b>	
Company Name:		Larson Tool & Stamping Company		Name: Charles Cederberg	
Attention:		90 Olive St		Title: President	
Street Address 1:				Phone: 508-222-0897 x 27 24 Hr. Phone: 508-272-5159	
Street Address 2:				Email: ccederberg@larsontool.com	
City:		Attleboro			
Zip:		02703			
Country:		United States			
<b>Emergency Contacts</b>					
Name		Title	Phone	24 Hr. Phone	Email
Charles Cederberg		President	508-222-0897	508-272-5159	ccederberg@larsontool.com
William Larson		Vice President	508-222-0897 x 30	508-243-1675	blarson@larsontool.com
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Charles Cederberg, President 2/4/2020 11:25:32 AM Date Signed Telephone Number Signature					
<b>Optional Attachments</b> <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan					

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company  
Reporting Period From January 1, 2019 to December 31, 2019

Facility ID: 1493

Chemical Description	Physical Hazards	Health Hazards																		
Chemical ID: 162025 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: SULFURIC ACID EHS: <input checked="" type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																		
Inventory																				
Storage Codes & Location																				
Max Daily Amt (lbs): 183.26 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 91.63 Avg Daily Amt Code: 01 Max Amt in Largest Container (lbs): 137,445 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Metering station behind maintenance</td> <td></td> <td>183.26</td> </tr> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Pump station outside maintenance</td> <td>Storage area beside pump tank.</td> <td>183.26</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Metering station behind maintenance		183.26	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Pump station outside maintenance	Storage area beside pump tank.	183.26	
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)															
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Metering station behind maintenance		183.26															
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Pump station outside maintenance	Storage area beside pump tank.	183.26															

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company Facility ID: 1493  
Reporting Period From January 1, 2019 to December 31, 2019

### SHIPMENT DETAILS

Mode of Shipment: Trucks  
Shipment Frequency Count: 1  
Shipment Frequency Period: Year  
Physical State in Transit: Liquid

Maximum Capacity Per Vessel: 137,445  
Maximum Shipment Quantity at One Time: 137,445  
Average Annual Shipment Quantity: 137,445  
Routes of Travel: Route 95 to exit 3 in Massachusetts to Rt123 to Olive St to 90 Olive St

Carrier: A. Dule Pyle  
Carrier Address: 650 Westtown Road, West Chester, PA 19381-  
Carrier Phone: 800-523-5020  
Carrier 24 Hr Phone: 800-523-5020

### MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
NalcoWater 3D Trasar 3DT230	5	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	9.163	01

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 162026 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> Trade Secret: <input type="checkbox"/> CAS #: 7664-93-9 Chemical Name: SULFURIC ACID EHS: <input checked="" type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

  

Inventory					Storage Codes & Location		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)		
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Batteries in Forktrucks Throughout Plant (includes battery weight)		18776		

Max Daily Amt (lbs): 15765  
 Max Daily Amt Code: 06  
 Avg Daily Amt (lbs): 15765  
 Avg Daily Amt Code: 06  
 Max Amt in Largest Container (lbs): 2970  
 No of days onsite: 365

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company Facility ID: 1493  
Reporting Period From January 1, 2019 to December 31, 2019

### SHIPMENT DETAILS

Mode of Shipment: Trucks  
Shipment Frequency Count: 3  
Shipment Frequency Period: Year  
Physical State in Transit: Liquid

Maximum Capacity Per Vessel: 4000  
Maximum Shipment Quantity at: 268  
One Time: 120  
Average Annual Shipment  
Quantity:  
Routes of Travel:

Route 95 to exit 3 in  
Massachusetts to Rt 123 to  
Olive St to 90 Olive St

Carrier: Northeast Battery  
Carrier Address: 168 Carpenter St PO Box 743,  
Providence, RI 02901-  
Carrier Phone: 800-441-8824  
Carrier 24 Hr  
Phone: 800-441-8824

### MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Lead	70	7439-92-1	<input type="checkbox"/>		11035.5	06
Sulfuric Acid in Lead Batteries	5	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	788.25	03

### Chemical Amount Range Code & Description

#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million