

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: **Schnitzer Northeast - Attleboro** Facility ID: **10009**

Reporting Period From January 1, 2019 to December 31, 2019

Annual
 Update
 Revised
 Facility Information has changed from the last submission

Facility Identification Facility ID: 10009 Facility Name: Schnitzer Northeast - Attleboro Maximum Occupants: 30 Physical Location: 136 Bacon Street, South Attleboro, MA 02703 County: Bristol County Fire Department: 603-717-2560 Phone: <input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned Email: cmjohnson@sch.n.com Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No RMP Facility ID: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No TRI Facility ID:		Owner/Operator Details Name: Prolerized New England Company LLC Address: 69 Rover Street, Everett, MA 02149, United States Phone: 781-706-7003 Email: kfitzpatrick@sch.n.com Parent Company Details Name: Dun and Brad No. 027754084 Address: MA, United States Phone:																
Mailing Address Company Name: Schnitzer Northeast Attention: 136 Bacon Street Street Address 1: 136 Bacon Street Street Address 2: South Attleboro City: South Attleboro Zip: 02703 State: MA Phone: 508-399-8300 Country: United States		Tier II Information Contact Name: Keri Fitzpatrick Title: Regional Environmental Manager Phone: 781-706-7003 Email: kfitzpatrick@sch.n.com 24 Hr. Phone: 781-706-7003																
Emergency Contacts																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Title</th> <th>Phone</th> <th>24 Hr. Phone</th> <th>Email</th> </tr> </thead> <tbody> <tr> <td>Cameron Johnson</td> <td>Facility Manager</td> <td>603-717-2560</td> <td>603-717-2560</td> <td>cmjohnson@sch.n.com</td> </tr> <tr> <td>Keri Fitzpatrick</td> <td>Regional Environmental Manager</td> <td>781-706-7003</td> <td>781-706-7003</td> <td>kfitzpatrick@sch.n.com</td> </tr> </tbody> </table>		Name	Title	Phone	24 Hr. Phone	Email	Cameron Johnson	Facility Manager	603-717-2560	603-717-2560	cmjohnson@sch.n.com	Keri Fitzpatrick	Regional Environmental Manager	781-706-7003	781-706-7003	kfitzpatrick@sch.n.com	Optional Attachments <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan	
Name	Title	Phone	24 Hr. Phone	Email														
Cameron Johnson	Facility Manager	603-717-2560	603-717-2560	cmjohnson@sch.n.com														
Keri Fitzpatrick	Regional Environmental Manager	781-706-7003	781-706-7003	kfitzpatrick@sch.n.com														

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Name and official title of owner/operator or authorized representative: Keri Fitzpatrick, Regional Environmental Manager
 Date Signed: 2/26/2020 7:57:31 AM
 Telephone Number: 781-706-7003
 Signature: _____

Tier II Emergency and Hazardous Chemical Inventory
 Facility Name: Schnitzer Northeast - Attleboro Facility ID: 10009
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards																																					
Chemical ID: 168842 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																																							
Inventory		Storage Codes & Location																																							
Max Daily Amt (lbs): 2400 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 1200 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 2400 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Portable tank on maintenance vehicle</td> <td>portable tank on maintenance vehicle</td> <td>2400</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Portable tank on maintenance vehicle	portable tank on maintenance vehicle	2400	<p style="text-align: center;">SHIPMENT DETAILS</p> <table border="0"> <tr> <td>Mode of Shipment:</td> <td>Tank Trucks</td> <td>Maximum Capacity Per Vessel:</td> <td>2400</td> <td>Carrier:</td> <td>Taylor Oil Northeast, Inc.</td> </tr> <tr> <td>Shipment Frequency Count:</td> <td>12</td> <td>Maximum Shipment Quantity at One Time:</td> <td>2400</td> <td>Carrier Address:</td> <td>176 Centre Street, Holbrook, MA 80089-4383</td> </tr> <tr> <td>Shipment Frequency Period:</td> <td>Year</td> <td>Average Annual Shipment Quantity:</td> <td>1200</td> <td>Carrier Phone:</td> <td>800-894-3835</td> </tr> <tr> <td>Physical State In Transit:</td> <td>Liquid</td> <td>Routes of Travel:</td> <td>Centre Street to Union Street (Holbrook) to Route 139 to Route 24 to Route 95 to Route 1 to Bacon Street</td> <td>Carrier 24 Hr Phone:</td> <td>781-767-1264</td> </tr> </table>				Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	2400	Carrier:	Taylor Oil Northeast, Inc.	Shipment Frequency Count:	12	Maximum Shipment Quantity at One Time:	2400	Carrier Address:	176 Centre Street, Holbrook, MA 80089-4383	Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	1200	Carrier Phone:	800-894-3835	Physical State In Transit:	Liquid	Routes of Travel:	Centre Street to Union Street (Holbrook) to Route 139 to Route 24 to Route 95 to Route 1 to Bacon Street	Carrier 24 Hr Phone:	781-767-1264
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																																				
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Portable tank on maintenance vehicle	portable tank on maintenance vehicle	2400																																				
Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	2400	Carrier:	Taylor Oil Northeast, Inc.																																				
Shipment Frequency Count:	12	Maximum Shipment Quantity at One Time:	2400	Carrier Address:	176 Centre Street, Holbrook, MA 80089-4383																																				
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	1200	Carrier Phone:	800-894-3835																																				
Physical State In Transit:	Liquid	Routes of Travel:	Centre Street to Union Street (Holbrook) to Route 139 to Route 24 to Route 95 to Route 1 to Bacon Street	Carrier 24 Hr Phone:	781-767-1264																																				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Schnitzer Northeast - Attleboro Facility ID: 10009
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards																														
Chemical ID: 168843 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Hydraulic Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																														
Inventory																																
Storage Codes & Location																																
Max Daily Amt (lbs): 19620 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 15000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 7200 No of days onsite: 365	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Maintenance Garage</td> <td>Steel Drums inside Maintenance Building</td> <td>3240</td> </tr> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Shear Building</td> <td>275-gallon tank inside Shear Building</td> <td>1980</td> </tr> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>HRB Bailer</td> <td>HRB bailer - equipment reservoir</td> <td>7200</td> </tr> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>TGS Bailer</td> <td>TGS bailer - equipment reservoir</td> <td>7200</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Maintenance Garage	Steel Drums inside Maintenance Building	3240	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Shear Building	275-gallon tank inside Shear Building	1980	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	HRB Bailer	HRB bailer - equipment reservoir	7200	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TGS Bailer	TGS bailer - equipment reservoir	7200	
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																											
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Maintenance Garage	Steel Drums inside Maintenance Building	3240																											
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Shear Building	275-gallon tank inside Shear Building	1980																											
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	HRB Bailer	HRB bailer - equipment reservoir	7200																											
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TGS Bailer	TGS bailer - equipment reservoir	7200																											
SHIPMENT DETAILS																																
Mode of Shipment: Tank Trucks Shipment Frequency Count: 9 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 21000 Maximum Shipment Quantity at One Time: 7200 Average Annual Shipment Quantity: 15400	Carrier: Ocean State Oil Carrier Address: 123 Ocean State Drive, North Kingstown, RI 02852-401-295-0482 Carrier Phone: 800-554-4557 Carrier 24 Hr Phone: Routes of Travel: Ocean State Drive to Commerce Park Rd to RI-403 to RI-4 to I-95 to Route 1 to Bacon Street																														

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: **Schnitzer Northeast - Attleboro** Facility ID: **10009**
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards																									
Chemical ID: 168844 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Lead Acid Batteries EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Lead Acid Batteries <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																									
Inventory																											
Max Daily Amt (lbs): 44000 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 22000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 44000 No of days onsite: 365																											
SHIPMENT DETAILS																											
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 44000 Maximum Shipment Quantity at One Time: 44000 Average Annual Shipment: 22000 Quantity: Bacon Street to Route 1 to Route 95	Carrier: Interstate Battery Carrier Address: 78 County Road, Freetown, MA 02717- Carrier Phone: 508-763-2895 Carrier 24 Hr Phone: 508-763-2895																									
MIXTURE COMPONENTS																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:20%;">Chemical Name</th> <th style="width:10%;">%</th> <th style="width:15%;">CAS #</th> <th style="width:10%;">EHS</th> <th style="width:20%;">EHS Name</th> <th style="width:15%;">Max Daily Amount (lbs)</th> <th style="width:10%;">Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>Lead</td> <td>82</td> <td>7439-92-1</td> <td><input type="checkbox"/></td> <td></td> <td>36080</td> <td>07</td> </tr> <tr> <td>Sulfuric Acid</td> <td>18</td> <td>7664-93-9</td> <td><input checked="" type="checkbox"/></td> <td>Sulfuric acid (aerosol forms only)</td> <td>7920</td> <td>05</td> </tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Lead	82	7439-92-1	<input type="checkbox"/>		36080	07	Sulfuric Acid	18	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	7920	05						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Lead	82	7439-92-1	<input type="checkbox"/>		36080	07																					
Sulfuric Acid	18	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	7920	05																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:20%;">Container Type</th> <th style="width:15%;">Pressure</th> <th style="width:15%;">Temperature</th> <th style="width:15%;">Storage Location</th> <th style="width:15%;">Description</th> <th style="width:20%;">Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Plastic Casing</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>On pallets inside building and adjacent to building (under cover)</td> <td>On pallets inside building and adjacent to building (under cover)</td> <td>44000</td> </tr> </tbody> </table>			Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Plastic Casing	[1]Ambient pressure	[4]Ambient temperature	On pallets inside building and adjacent to building (under cover)	On pallets inside building and adjacent to building (under cover)	44000													
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[R]Other Desc: Plastic Casing	[1]Ambient pressure	[4]Ambient temperature	On pallets inside building and adjacent to building (under cover)	On pallets inside building and adjacent to building (under cover)	44000																						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Schnitzer Northeast - Atleboro Facility ID: 10009
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million