

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: **Schnitzer Northeast - Attleboro** Facility ID: **10009**

Reporting Period From January 1, 2019 to December 31, 2019

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

<b>Facility Identification</b> Facility ID: 10009 Facility Name: Schnitzer Northeast - Attleboro Maximum Occupants: 30 Physical Location: 136 Bacon Street, South Attleboro, MA 02703 County: Bristol County Fire Department: 603-717-2560 Phone: <input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned Email: cmjohnson@schm.com Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No RMP Facility ID: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No TRI Facility ID:		<b>Owner/Operator Details</b> Name: Prolerized New England Company LLC Address: 69 Rover Street, Everett, MA 02149, United States Phone: 781-706-7003 Email: kfitzpatrick@schm.com <b>Parent Company Details</b> Name: Dun and Brad No. 027754084 Address: MA, United States Phone:	
<b>Mailing Address</b> Company Name: Schnitzer Northeast Attention: Street Address 1: 136 Bacon Street Street Address 2: City: South Attleboro Zip: 02703 State: MA Phone: 508-399-8300 Country: United States		<b>Tier II Information Contact</b> Name: Keri Fitzpatrick Title: Regional Environmental Manager Phone: 781-706-7003 Email: kfitzpatrick@schm.com 24 Hr. Phone: 781-706-7003	
<b>Facility Emergency Planning Coordinator</b> Name: Cameron Johnson Title: Facility Manager Phone: 603-717-2560 Email: cmjohnson@schm.com 24 Hr. Phone: 603-717-2560			
<b>Emergency Contacts</b>			
<b>Name</b> Cameron Johnson Keri Fitzpatrick	<b>Title</b> Facility Manager Regional Environmental Manager	<b>Phone</b> 603-717-2560 781-706-7003	<b>24 Hr. Phone</b> 603-717-2560 781-706-7003 <b>Email</b> cmjohnson@schm.com kfitzpatrick@schm.com
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Keri Fitzpatrick, Regional Environmental Manager Date Signed: 2/26/2020 7:57:31 AM Signature: Keri Fitzpatrick Telephone Number: 781-706-7003			
<b>Optional Attachments</b> <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan			

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Schnitzer Northeast - Attleboro      Facility ID: 10009  
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards														
Chemical ID: 168842 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input checked="" type="checkbox"/> Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory																		
Storage Codes & Location																		
Max Daily Amt (lbs): 2400 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 1200 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 2400 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Portable tank on maintenance vehicle</td> <td>portable tank on maintenance vehicle</td> <td>2400</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Portable tank on maintenance vehicle	portable tank on maintenance vehicle	2400					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Portable tank on maintenance vehicle	portable tank on maintenance vehicle	2400													
SHIPMENT DETAILS																		
Mode of Shipment: Tank Trucks Shipment Frequency Count: 12 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 2400 Maximum Shipment Quantity at One Time: 2400 Average Annual Shipment Quantity: 1200 Routes of Travel: Centre Street to Union Street (Holbrook) to Route 139 to Route 24 to Route 95 to Route 1 to Bacon Street	Carrier: Taylor Oil Northeast, Inc. Carrier Address: 176 Centre Street, Holbrook, MA 80089-4383 Carrier Phone: 800-894-3835 Carrier 24 Hr Phone: 781-767-1264																

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Schnitzer Northeast - Attleboro Facility ID: 10009  
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards																																
Chemical ID: 168843 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Hydraulic Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																																		
Inventory																																				
Storage Codes & Location																																				
Max Daily Amt (lbs): 19620 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 15000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 7200 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Maintenance Garage</td> <td>Steel Drums inside Maintenance Building</td> <td>3240</td> </tr> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Shear Building</td> <td>275-gallon tank inside Shear Building</td> <td>1980</td> </tr> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>HRB Bailier</td> <td>HRB bailier - equipment reservoir</td> <td>7200</td> </tr> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>TGS Bailier</td> <td>TGS bailier - equipment reservoir</td> <td>7200</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Maintenance Garage	Steel Drums inside Maintenance Building	3240	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Shear Building	275-gallon tank inside Shear Building	1980	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	HRB Bailier	HRB bailier - equipment reservoir	7200	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TGS Bailier	TGS bailier - equipment reservoir	7200	Mode of Shipment: Tank Trucks Shipment Frequency Count: 9 Shipment Frequency Period: Year Physical State In Transit: Liquid				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																															
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Maintenance Garage	Steel Drums inside Maintenance Building	3240																															
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Shear Building	275-gallon tank inside Shear Building	1980																															
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	HRB Bailier	HRB bailier - equipment reservoir	7200																															
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	TGS Bailier	TGS bailier - equipment reservoir	7200																															
SHIPMENT DETAILS																																				
Maximum Capacity Per Vessel: 21000 Maximum Shipment Quantity at One Time: 7200 Average Annual Shipment Quantity: 15400 Routes of Travel: Ocean State Drive to Commerce Park Rd to RI-403 to RI-4 to I-95 to Route 1 to Bacon Street																																				
Carrier: Ocean State Oil Carrier Address: 123 Ocean State Drive, North Kingstown, RI 02852-401-295-0482 Carrier Phone: 800-554-4557 Carrier 24 Hr Phone:																																				

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Schnitzer Northeast - Attleboro Facility ID: 10009  
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards		
Chemical ID: 168844 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Lead Acid Batteries EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
Inventory						
Max Daily Amt (lbs): 44000 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 22000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 44000 No of days onsite: 365		Container Type: [R]Other Desc: Plastic Casing Pressure: [1]Ambient pressure Temperature: [4]Ambient temperature Storage Location: On pallets inside building and adjacent to building (under cover) Description: On pallets inside building and adjacent to building (under cover) Max Amt At Location(lbs): 44000				
SHIPMENT DETAILS						
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 44000 Maximum Shipment Quantity at One Time: 44000 Average Annual Shipment Quantity: 22000 Routes of Travel: Bacon Street to Route 1 to Route 95	Carrier: Interstate Battery Carrier Address: 78 County Road, Freetown, MA 02717- Carrier Phone: 508-763-2895 Carrier 24 Hr Phone: 508-763-2895				
MIXTURE COMPONENTS						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Lead	82	7439-92-1	<input type="checkbox"/>		36080	07
Sulfuric Acid	18	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	7920	05

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Schnitzer Northeast - Attleboro Facility ID: 10009  
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million