

Tier II Emergency and Hazardous Chemical Inventory**Facility Name:** Verizon ATTLEBORO CO (MA566106) **Facility ID:** 8476**Reporting Period** From January 1, 2019 to December 31, 2019
☒ Annual
 ☐ Update
 ☐ Revised
 ☒ Facility Information has changed from the last submission

Facility Identification Facility ID: 8476 Facility Name: Verizon ATTLEBORO CO (MA566106) Maximum Occupants: 1 Physical Location: 39 BANK ST, ATTLEBORO, MA 02703 County: Bristol County Fire Department: 908-559-4600 <input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned Email: Susan.Calderon@Verizon.com Lat/Long: 41.9461/-71.2833 Nature of Business: Wireline Communications NAICS Code: 517311 SIC Code: 4813 Dun and Brad No: 107212169 EIN ID (Tax Number): 23-2259884 FTE:		Owner/Operator Details Name: Verizon Communications, Inc. Address: One Verizon Way, MC: 33E040F Basking Ridge, NJ 07920-1097, United States Phone: 908-559-4600 Email: Susan.Calderon@Verizon.com Parent Company Details Name: Dun and Brad No: Address: NJ, United States Phone:	
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No RMP Facility ID: Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No TRI Facility ID:		Tier II Information Contact Name: Susan Calderon Title: EPCRA Program Project Manager Phone: 908-559-4600 Email: Susan.Calderon@Verizon.com 24 Hr. Phone: 800-386-9639	
Mailing Address Company Name: Verizon Communications, Inc. Attention: Susan Calderon Street Address 1: One Verizon Way, MC: 33E040F, Attn: EPCRA Program Street Address 2: City: Basking Ridge Zip: 07920-1097 State: NJ Phone: 908-559-4600 Country: United States		Facility Emergency Planning Coordinator Name: Kenneth Richard Title: Property Manager Phone: 774-409-3206 Email: kenneth.f.richard@verizon.com 24 Hr. Phone: 800-386-9639	
Emergency Contacts			
Name	Title	Phone	24 Hr. Phone
Kenneth Richard	Property Manager	774-409-3206	800-386-9639
Compliance Service Center	Manager, Verizon EHS Department	800-386-9639	800-386-9639
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Susan Calderon, EPCRA Program Project Manager Name and official title of owner/operator or authorized representative Date Signed: 1/2/2020 8:28:22 AM Telephone Number: 908-559-4600 Signature: Susan Calderon Optional Attachments <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan			

Tier II Emergency and Hazardous Chemical Inventory
Facility Name: Verizon ATTLEBORO CO (MA566106) **Facility ID:** 8476
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards																			
Chemical ID: 156790 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory		Storage Codes & Location																					
Max Daily Amt (lbs): 18615 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 18615 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 18250 No of days onsite: 365	<table border="1"><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[C] Tank inside building</td><td>[1] Ambient pressure</td><td>[4] Ambient temperature</td><td>Inside-Other - Basement/Power Room</td><td></td><td></td></tr><tr><td>[B] Below ground tank</td><td>[1] Ambient pressure</td><td>[4] Ambient temperature</td><td>Outside-Other</td><td></td><td></td></tr></tbody></table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[C] Tank inside building	[1] Ambient pressure	[4] Ambient temperature	Inside-Other - Basement/Power Room			[B] Below ground tank	[1] Ambient pressure	[4] Ambient temperature	Outside-Other						
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[C] Tank inside building	[1] Ambient pressure	[4] Ambient temperature	Inside-Other - Basement/Power Room																				
[B] Below ground tank	[1] Ambient pressure	[4] Ambient temperature	Outside-Other																				
SHIPMENT DETAILS																							
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:		Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon ATTLEBORO CO (MA566106)

Facility ID: 8476

Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID: 156789	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission. CAS #: Trade Secret: Chemical Name: EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Lead Acid Batteries Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input checked="" type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)														
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 57336 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 57336 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 697 No of days onsite: 365		<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[R]Other Desc: Battery</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Inside-Main Bldg-Basement Floor</td><td></td><td></td></tr></tbody></table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Inside-Main Bldg-Basement Floor		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Inside-Main Bldg-Basement Floor														
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid		Maximum Capacity Per Vessel: 1 Maximum Shipment Quantity at One Time: 1 Average Annual Shipment Quantity: 1 Routes of Travel: No shipments received this year															
MIXTURE COMPONENTS																	
Chemical Name		%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code										
SULFURIC ACID		6.7	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	3841.512	04										

Tier II Emergency and Hazardous Chemical Inventory
Facility Name: Verizon ATTLEBORO CO (MA566106) **Facility ID:** 8476
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Amount Range Code & Description			
#	Code	Amount Range	
1	01	[01] 0-99	
2	02	[02] 100-499	
3	03	[03] 500-999	
4	04	[04] 1,000-4,999	
5	05	[05] 5,000-9,999	
6	06	[06] 10,000-24,999	
7	07	[07] 25,000-49,999	
8	08	[08] 50,000-74,999	
9	09	[09] 75,000-99,999	
10	10	[10] 100,000-499,999	
11	11	[11] 500,000-999,999	
12	12	[12] 1,000,000-9,999,999	
13	13	[13] 10,000,000- Greater than 10 million	