

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon ATTLEBORO CO (MA566106) Facility ID: 8476

Reporting Period From January 1, 2019 to December 31, 2019

Annual Update Revised Facility Information has changed from the last submission

Facility Identification		Owner/Operator Details	
Facility ID:	8476	Name:	Verizon Communications, Inc.
Facility Name:	Verizon ATTLEBORO CO (MA566106)	Address:	One Verizon Way, MC: 33E040F Basking Ridge, NJ 07920-1097, United States
Maximum Occupants:	1	Phone:	908-559-4600 Email: Susan.Calderon@Verizon.com
Physical Location:	39 BANK ST, ATTLEBORO, MA 02703	Parent Company Details	
County:	Bristol County	Name:	
Fire Department:		Dun and Brad No:	
Phone:	908-559-4600	Address:	NJ, United States
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		Phone:	
Email:	Susan.Calderon@Verizon.com	FTE:	
Subject to EPCRA Section 312 (Annual Inventory)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Tier II Information Contact	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name:	Susan Calderon
Subject to Section 112r of Clean Air Act (CAA)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Title:	EPCRA Program Project Manager
RMP Facility ID:		Phone:	908-559-4600
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Email:	Susan.Calderon@Verizon.com
TRI Facility ID:			
Mailing Address		Facility Emergency Planning Coordinator	
Company Name:	Verizon Communications, Inc.	Name:	Kenneth Richard
Attention:	Susan Calderon	Title:	Property Manager
Street Address 1:	One Verizon Way, MC: 33E040F, Attn: EPCRA Program	Phone:	774-409-3206
Street Address 2:		Email:	kenneth.f.richard@verizon.com
City:	Basking Ridge	24 Hr. Phone:	800-386-9639
Zip:	07920-1097		
Country:	United States		
Emergency Contacts			
Name	Title	Phone	Email
Kenneth Richard	Property Manager	774-409-3206	kenneth.f.richard@verizon.com
Compliance Service Center	Manager, Verizon EHS Department	800-386-9639	Susan.Calderon@Verizon.com

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Susan Calderon, EPCRA Program Project Manager
 Date Signed: 1/22/2020 8:28:22 AM
 Telephone Number: 908-559-4600
 Signature: Susan Calderon

Optional Attachments
 Site Plan
 Site Coordinate Abbreviations
 Other Safeguard measures
 Facility Emergency Response Plan

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon ATTLEBORO CO (MA566106) Facility ID: 8476
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards																		
Chemical ID: 156790 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																		
Inventory																				
Max Daily Amt (lbs): 18615 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 18615 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 18250 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[C]Tank inside building</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Inside-Other - Basement/Power Room</td> <td></td> <td></td> </tr> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Outside-Other</td> <td></td> <td></td> </tr> </tbody> </table>		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Inside-Other - Basement/Power Room			[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Outside-Other		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)															
[C]Tank inside building	[1]Ambient pressure	[4]Ambient temperature	Inside-Other - Basement/Power Room																	
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Outside-Other																	
SHIPMENT DETAILS																				
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:																		

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon ATTLEBORO CO (MA566106) Facility ID: 8476
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical ID:	Chemical Description	Physical Hazards	Health Hazards
156789	Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Lead Acid Batteries EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input checked="" type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location												
Max Daily Amt (lbs): 57336 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 57336 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 697 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Battery</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Inside-Main Bldg-Base ment Floor</td> <td></td> <td></td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Inside-Main Bldg-Base ment Floor		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)								
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Inside-Main Bldg-Base ment Floor										

SHIPMENT DETAILS

Mode of Shipment: Trucks
 Shipment Frequency Count: 1
 Shipment Frequency Period: Year
 Physical State In Transit: Liquid

Maximum Capacity Per Vessel: 1
 Maximum Shipment Quantity at One Time: 1
 Average Annual Shipment Quantity: 1
 Routes of Travel: No shipments received this year

Carrier: Infrequent Every 10 Years
 Carrier Address: Infrequent, Infrequent, MA 00000
 Carrier Phone: 111-111-1111
 Carrier 24 Hr Phone: 111-111-1111

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
SULFURIC ACID	6.7	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	3841.512	04

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon ATTLEBORO CO (MA566106) Facility ID: 8476

Reporting Period From January 1, 2019 to December 31, 2019

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million