

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: **Larson Tool & Stamping Company** Facility ID: **1493**

Reporting Period From January 1, 2020 to December 31, 2020

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details	
Facility ID: 1493		Lat/Long: 41.935988/-71.289494		Name: Charles Cederberg	
Facility Name: Larson Tool & Stamping Company				Address: 90 Olive St	
Maximum Occupants: 77				Attleboro, MA 02703, United States	
Physical Location: 90 Olive St, Attleboro, MA 02703		Nature of Business: Metal Stamping Mfg		Phone: 508-272-5159 Email: ccederberg@larsontool.com	
County: Bristol County		NAICS Code: 332116		Parent Company Details	
Fire Department: 508-222-0897 x 27		SIC Code: 3469		Name: Larson Tool & Stamping Company	
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		Dun and Brad No: 001459536		Dun and Brad No: 001459536	
Email: wjordan@larsontool.com		EIN ID(Tax Number): 04-1525530		Address: 90 Olive St.	
		FTE: 65		Attleboro, MA 02703, United States	
				Phone: 508-222-0897 Email:	
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Tier II Information Contact	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Name: Charles Cederberg	
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Title: President	
RMP Facility ID:				Phone: 508-222-0897 x 27 24 Hr.Phone: 508-272-5159	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Email: ccederberg@larsontool.com	
TRI Facility ID:					
Mailing Address				Facility Emergency Planning Coordinator	
Company Name: Larson Tool & Stamping Company				Name: Charles Cederberg	
Attention:				Title: President	
Street Address 1: 90 Olive St				Phone: 508-222-0897 x 27 24 Hr.Phone: 508-272-5159	
Street Address 2:				Email: ccederberg@larsontool.com	
City: Attleboro		State: MA			
Zip: 02703		Phone: 508-222-0897 x 27			
Country: United States					
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
Charles Cederberg	President	508-222-0897	508-272-5159	ccederberg@larsontool.com	
William Larson	Vice President	508-222-0897 x 30	508-243-1675	blarson@larsontool.com	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments	
Charles Cederberg, President		2/12/2021 9:53:06 AM	508-222-0897 x 27	<input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan	
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company

Facility ID: 1493

Reporting Period From January 1, 2020 to December 31, 2020

Page 2 of 4

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 182751 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: SULFURIC ACID EHS: <input checked="" type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 183.26 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 91.63 Avg Daily Amt Code: 01 Max Amt in Largest Container (lbs): 137.445 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Pump station outside maintenance</td> <td>Storage area beside pump tank.</td> <td>183.26</td> </tr> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Metering station behind maintenance</td> <td></td> <td>183.26</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Pump station outside maintenance	Storage area beside pump tank.	183.26	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Metering station behind maintenance		183.26				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Pump station outside maintenance	Storage area beside pump tank.	183.26																		
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Metering station behind maintenance		183.26																		

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company Facility ID: 1493
 Reporting Period From January 1, 2020 to December 31, 2020

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	137.445	Carrier:	A. Duie Pyle
Shipment Frequency Count:	1	Maximum Shipment Quantity at One Time:	137.445	Carrier Address:	650 Westtown Road, West Chester, PA 19381-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	137.445	Carrier Phone:	800-523-5020
Physical State In Transit:	Liquid	Routes of Travel:	Route 95 to exit 3 in Massachusetts to Rt123 to Olive St to 90 Olive St	Carrier 24 Hr Phone:	800-523-5020

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
NalcoWater 3D Trasar 3DT230	5	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	9.163	01

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 182752 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: SULFURIC ACID EHS: <input checked="" type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 15765 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 15765 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 2970 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Batteries in Forktrucks Throughout Plant (includes battery weight)		18776

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company

Facility ID: 1493

Reporting Period From January 1, 2020 to December 31, 2020

Page 4 of 4

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	4000	Carrier:	Northeast Battery
Shipment Frequency Count:	3	Maximum Shipment Quantity at	268	Carrier Address:	168 Carpenter St PO Box 743,
Shipment Frequency Period:	Year	One Time:			Providence , RI 02901-
Physical State In Transit:	Liquid	Average Annual Shipment	120	Carrier Phone:	800-441-8824
		Quantity:		Carrier 24 Hr	800-441-8824
		Routes of Travel:	Route 95 to exit 3 in	Phone:	
			Massachusetts to Rt 123 to		
			Olive St to 90 Olive St		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sulfuric Acid in Lead Batteries	5	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	788.25	03
Lead	70	7439-92-1	<input type="checkbox"/>		11035.5	06

Chemical Amount Range Code & Description

#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million