

## Tier II Emergency and Hazardous Chemical Inventory

**Facility Name:** Sturdy Memorial Hospital **Facility ID:** 9519

**Reporting Period From January 1, 2020 to December 31, 2020**

☒ **Annual** ☐ **Update** ☐ **Revised** ☐ **Facility Information has changed from the last submission**

Facility Identification				Owner/Operator Details	
Facility ID: 9519		Lat/Long: 41.9421/-71.2753		Name: Sturdy Memorial Hospital	
Facility Name: Sturdy Memorial Hospital				Address: 211 Park St., P. O. Box 2963	
Maximum Occupants: 1500				Attleboro, MA 02703-0963, United States	
Physical Location: 211 Park Street, Attleboro, MA 02703-0963		Nature of Business: General Medical and Surgical Hospitals		Phone: 508-236-8575 Email: dboyer@sturdymemorial.org	
County: Bristol County		NAICS Code: 622110		Parent Company Details	
Fire Department:		SIC Code: 8062		Name:	
Phone: 508-236-8575		Dun and Brad No: N/A		Dun and Brad No: N/A	
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number): 04-2768252		Address: MA , United States	
Email: dboyer@sturdymemorial.org		FTE:		Phone: Email:	
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				<b>Tier II Information Contact</b> Name: Dann Boyer Title: Director Facility Operations Phone: 508-236-8575 24 Hr.Phone: 774-644-9505 Email: dboyer@sturdymemorial.org	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
RMP Facility ID:					
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
TRI Facility ID:					
Mailing Address				Facility Emergency Planning Coordinator	
Company Name: Sturdy Memorial Hospital				Name: Title: Phone: 24 Hr.Phone: Email:	
Attention: Dann Boyer					
Street Address 1: 211 Park Street					
Street Address 2:					
City: Attleboro		State: MA			
Zip: 02703-0963		Phone: 501-236-8575			
Country: United States					
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
Dann Boyer	Director Facility Operations	508-236-8575	774-644-9505	dboyer@sturdymemorial.org	
Dann Boyer	Director Facility Operations	508-236-8575	774-644-9505	dboyer@sturdymemorial.org	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 6, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.					<b>Optional Attachments</b> <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan
Dann Boyer, Director Facility Operations		2/24/2021 1:51:07 PM	508-236-8575	Dann Boyer	
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number	Signature	

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2020 to December 31, 2020

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 189864 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> <b>CAS #:</b> 68476-33-5 Trade Secret: <input type="checkbox"/> <b>Chemical Name:</b> #6 Fuel Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 65696 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 65696 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 65696 No of days onsite: 331	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Next to boiler room entrance</td> <td></td> <td>82120</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to boiler room entrance		82120				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to boiler room entrance		82120												
SHIPMENT DETAILS																	
Mode of Shipment: Tank Trucks Shipment Frequency Count: 0 Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Global Petroleum Carrier Address: 11 Broadway, Chelsea, MA 02150- Carrier Phone: 781-398-4280 Carrier 24 Hr Phone: 800-424-9300															

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: **Sturdy Memorial Hospital** Facility ID: **9519**

Reporting Period From January 1, 2020 to December 31, 2020

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 189865 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> <b>CAS #:</b> 68334-30-5 Trade Secret: <input type="checkbox"/> <b>Chemical Name:</b> Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 50081 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 49576 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 46118 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Across street, leased</td><td></td><td>3963</td></tr> <tr> <td>[B]Below ground tank</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Parking lot next to boiler room</td><td></td><td>46118</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Across street, leased		3963	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot next to boiler room		46118					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Across street, leased		3963																			
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot next to boiler room		46118																			
SHIPMENT DETAILS																								
Mode of Shipment: Tank Trucks Shipment Frequency Count: 18 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 36043 Maximum Shipment Quantity at One Time: 2601 Average Annual Shipment Quantity: 951 Routes of Travel: Local routes - Park St./Rt. 118.	Carrier: Al's Quality Oil Carrier Address: 329 Tremont Street, Rehoboth, MA 02769- Carrier Phone: 508-222-3187 Carrier 24 Hr Phone: 508-822-2212																						

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2020 to December 31, 2020

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 189866 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> <b>CAS #:</b> 68334-30-5 Trade Secret: <input type="checkbox"/> <b>Chemical Name:</b> Diesel Fuel Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <a href="#">MSDS</a> <a href="#">/SDS</a> Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 43236 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 36030 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 43236 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Next to physician's parking lot</td> <td></td> <td>43236</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to physician's parking lot		43236					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to physician's parking lot		43236													
SHIPMENT DETAILS																		
Mode of Shipment: Tank Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 36030 Maximum Shipment Quantity at One Time: 14412 Average Annual Shipment Quantity: 14412 Routes of Travel: Park Street/Rt. 118	Carrier: Al's Quality Oil Carrier Address: 329 Tremont Street, Rehoboth, MA 02769- Carrier Phone: 508-222-3187 Carrier 24 Hr Phone: 508-822-2212																

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2020 to December 31, 2020

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 189867 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7782-44-7 Trade Secret: <input type="checkbox"/> <b>Chemical Name:</b> Liquid Oxygen EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 61906 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 45027 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 57144 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Parking lot next to boiler room</td><td>6000-gallon tank</td><td>57144</td></tr> <tr> <td>[A]Above ground tank</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Parking lot next to boiler room</td><td>500-gallon tank</td><td>4762</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	6000-gallon tank	57144	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	500-gallon tank	4762					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	6000-gallon tank	57144																			
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	500-gallon tank	4762																			
SHIPMENT DETAILS																								
Mode of Shipment: Tank Trucks Shipment Frequency Count: 20 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 56192 Maximum Shipment Quantity at One Time: 46450 Average Annual Shipment Quantity: 28351 Routes of Travel: Rt 95 to Rt 123 East to Attleboro, straight to Park Street.	Carrier: Praxair Carrier Address: 39 Old Ridgebury Rd., Danbury, CT 06810-800-772-9247 Carrier Phone: 800-772-9247 Carrier 24 Hr Phone:																						

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital      Facility ID: 9519

Reporting Period From January 1, 2020 to December 31, 2020

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million