

## Tier II Emergency and Hazardous Chemical Inventory

**Facility Name:** Rust-Oleum      **Facility ID:** 2716

**Reporting Period** From January 1, 2021 to December 31, 2021

☒ Annual    ☐ Update    ☐ Revised    ☒ Facility information has changed from the last submission

Facility Identification		Owner/Operator Details	
Facility ID:	2716	Name:	Mark Nelson
Facility Name:	Rust-Oleum	Address:	113 Olive Street Attleboro, MA 02703, United States
Maximum Occupants:	42	Phone:	774-331-1031      Email: Mark.Nelson@rustoleum.com
Physical Location:	113 Olive Street, Attleboro, MA 02703	<b>Parent Company Details</b>	
County:	Bristol County	Name:	Rust-Oleum
Fire Department:	508-243-3240	Dun and Brad No.:	11 E Hawthorne Pkwy Vernon Hills, IL 60061, United States
Phone:	508-243-3240	Address:	800-323-3584      Email:
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned	NAICS Code: 325510 SIC Code: 005094420 Dun and Brad No: 005094420 EIN ID(Tax Number):	Phone:	800-323-3584      Email:
Email:	Aferri@rustoleum.com	FTE: 35	
Subject to EPCRA Section 312 (Annual Inventory)?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to Section 112r of Clean Air Act (CAA)?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
RMP Facility ID: 004155651		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
TRI Facility ID: 02703mntstrober			
<b>Mailing Address</b>		<b>Facility Emergency Planning Coordinator</b>	
Company Name: Rust-Oleum		Name: Anthony Ferri	
Attention: Anthony Ferri		Title: EHS Manager	
Street Address 1: 113 Olive Street		Phone: 508-243-3240	
Street Address 2:		Email: Aferri@rustoleum.com	
City: Attleboro		24 Hr. Phone: 508-243-3240	
Zip: 02703			
Country: United States			
<b>Emergency Contacts</b>			
<b>Name</b>	<b>Title</b>	<b>Phone</b>	<b>24 Hr. Phone</b>
Anthony Ferri	EHS Manager	508-222-3710 x 1270-9	508-243-3240
Mark Nelson	Plant Manager	774-331-1031	774-331-1031
Email: Mark.Nelson@rustoleum.com			
<p>Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 22, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.</p> <p>Anthony Ferri, EHS Manager      3/1/2022 2:09:09 PM      508-243-3240      Anthony Ferri</p> <p>Name and official title of owner/operator or authorized representative      Date Signed      Telephone Number      Signature</p>			
		<input checked="" type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards	
Chemical ID: 211156	<input checked="" type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)			
Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard			
CAS #: 1341-49-7	<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity			
Trade Secret: <input type="checkbox"/>	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity			
Chemical Name: Ammonium Bifluoride	<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)			
EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/>	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity			
EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization			
MSDS /SDS	<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation			
Chemical Added On: <input type="checkbox"/>	<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input type="checkbox"/> Simple asphyxiant			
Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Pyrophoric (liquid or solid)	<input checked="" type="checkbox"/> Skin corrosion or irritation			
	<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)			
	<input type="checkbox"/> Self-heating				
	<input type="checkbox"/> Self-reactive				
Inventory		Storage Codes & Location			
Max Daily Amt (lbs): 2737					
Max Daily Amt Code: 04					
Avg Daily Amt (lbs): 1500					
Avg Daily Amt Code: 04					
Max Amt in Largest Container (lbs): 90					
No of days onsite: 365					
SHIPMENT DETAILS					
Mode of Shipment: Trucks		Maximum Capacity Per Vessel: 2000		Carrier: Roberts Chemical	
Shipment Frequency Count: 4		Maximum Shipment Quantity at One Time: 2000		Carrier Address: 330-B Victor Road, Lebanon, MA 01750	
Shipment Frequency Period: Year		Average Annual Shipment Quantity: 1500		Carrier Phone: 717-274-2521	
Physical State In Transit: Liquid		Routes of Travel: 1-95 North/South to Exit 3 (Attleboro - Rte 123 - Olive Street)		Carrier 24 Hr Phone: 800-424-9300	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID: 21157	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission:	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)														
CAS #: 1336-21-6	Trade Secret: <input type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input checked="" type="checkbox"/> Aspiration hazard														
Chemical Name: Ammonium Hydroxide	EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/>	<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity														
EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS /SDS	<input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity														
Chemical Added On: <input checked="" type="checkbox"/> Check if the chemical is below reporting threshold:		<input checked="" type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)														
		<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity														
		<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization														
		<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation														
		<input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas)	<input type="checkbox"/> Simple asphyxiant														
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input checked="" type="checkbox"/> Skin corrosion or irritation														
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)														
		<input type="checkbox"/> Self-heating															
		<input type="checkbox"/> Self-reactive															
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 1400 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 922 Avg Daily Amt Code: 03 Max Amt in Largest Container (lbs): 210 No of days onsite: 365		<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[E]Plastic or nonmetallic drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Bldg #2 1st Floor</td><td>Building #2 Containment</td><td>1407</td></tr></tbody></table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #2 1st Floor	Building #2 Containment	1407
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #2 1st Floor	Building #2 Containment	1407												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 6 Shipment Frequency Period: Year Physical State In Transit: Liquid		Maximum Capacity Per Vessel: 2000 Maximum Shipment Quantity at One Time: 2000 Average Annual Shipment Quantity: 2000 Routes of Travel: I-95 North/South - Exit 3 (Attleboro) - Rte 123 - Olive Street															
MIXTURE COMPONENTS																	
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code											
Aqua Ammonia	35	1336-21-6	<input type="checkbox"/>		490	02											

## Page 4 of 22

Chemical Description		Physical Hazards		Health Hazards			
Chemical ID:	211211	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
Check if Chemical Information is changed from the last submission:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input checked="" type="checkbox"/> Aspiration hazard				
CAS #:	1310-73-2	<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity				
Trade Secret:	<input type="checkbox"/>	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity				
Chemical Name:	Causitic Soda 50%	<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
EHS:	<input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPC: <input type="checkbox"/>	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity				
EHS Name:		<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization				
<input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS /SDS	<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
Chemical Added On:		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Simple asphyxiant				
Check if the chemical is below reporting threshold:	<input type="checkbox"/>	<input type="checkbox"/> Pyrophoric (liquid or solid)	<input checked="" type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-heating					
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 8823		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 05		[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2	Building #2	8823
Avg Daily Amt (lbs): 4878							
Avg Daily Amt Code: 04							
Max Amt in Largest Container (lbs): 3000							
No of days onsite: 365							

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	250	Carrier:	Univar
Shipment Frequency Count:	4	Maximum Shipment Quantity at One Time:	2000	Carrier Address:	175 Terminal Road Providence, RI 02905,
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	3000	Carrier Phone:	401-781-5600
Physical State in Transit:	Liquid	Routes of Travel:	I-95 North and South tot Exit #3A Attleboro - Rte123 E - Olive Street		
			Carrier 24 Hr Phone:	401-781-5600	

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sodium Hydroxide	0.48	1310-73-2	<input type="checkbox"/>		42.3504	01
Sodium Chloride	0.48	7647-14-5	<input type="checkbox"/>		42.3504	01

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description	Physical Hazards	Health Hazards														
Chemical ID: 211150 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 64-17-5 Trade Secret: <input type="checkbox"/> Chemical Name: Ethanol SDA 300C 200 proof EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> Chemical Added On: <u>/SDS</u> Check if the chemical is below reporting threshold: <input type="checkbox"/>  <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)														
Inventory																
Storage Codes & Location																
Max Daily Amt (lbs): 180726 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 103726 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 81792 No of days onsite: 365	<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[B]Below ground tank</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Robert St UST Bunker</td><td>Robert St Bunker</td><td>129500</td></tr></tbody></table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	Robert St Bunker	129500
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)											
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	Robert St Bunker	129500											

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Mode of Shipment:

Tank Trucks

Shipment Frequency Count:

4

Shipment Frequency Period:

Week

Physical State In Transit:

Liquid

Maximum Capacity Per Vessel:

6300

Maximum Shipment Quantity at One Time:

45000

Average Annual Shipment Quantity:

12

Routes of Travel:

195 N to Exit 3 (RT 123) - Left on County St - Right on Olive St

Carrier:

Sasol Chemicals North America

Carrier Address:

PO Box 201344, Dallas, TX 77079

Carrier Phone:

281-588-3000

Carrier 24 Hr Phone:

800-424-9300

SHIPMENT DETAILS

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
ethanol	96	64-17-5	<input type="checkbox"/>		171689.7	10
2-propanol	5	67-63-0	<input type="checkbox"/>		9036.3	05
Ethanol	96	64-17-5	<input type="checkbox"/>		171689.7	10

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards			
Chemical ID: 211158	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission:	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
CAS #: 1345-05-7		<input type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard				
Trade Secret: <input type="checkbox"/>		<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity				
Chemical Name: Lithopone		<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity				
EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/>		<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS /SDS	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity				
Chemical Added On: <input type="checkbox"/>		<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization				
Check if the chemical is below reporting threshold: <input type="checkbox"/>		<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input type="checkbox"/> Simple asphyxiant				
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-heating					
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 34992		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 07		[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building 2 2nd floor	Building 2 2nd flr	34992
Avg Daily Amt (lbs): 22162							
Avg Daily Amt Code: 06							
Max Amt in Largest Container (lbs): 50							
No of days onsite: 365							



Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Kings Express
Shipment Frequency Count:	6	Maximum Shipment Quantity at One Time:	45000	Carrier Address:	12910 Mulberry Ave, Whittier, CA 90602-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	245000	Carrier Phone:	909-989-9900
Physical State In Transit:	Solid	Routes of Travel:	I-95 North/South - Exit 3 (Attleboro) - Rte 123 - Olive Street	Carrier 24 Hr Phone:	800-424-9300

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Zinc Sulfate	29	1314-98-3	<input type="checkbox"/>		10147.68	06
Barium Sulfate	69	7727-43-7	<input type="checkbox"/>		24144.48	06

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards			
Chemical ID: 211159	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission:	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
CAS #: 8052-41-3	Trade Secret: <input type="checkbox"/>	<input type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard				
Chemical Name: Mineral Spirits	EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/>	<input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Carcinogenicity				
EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS /SDS	<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Germ cell mutagenicity				
Chemical Added On:	Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
		<input type="checkbox"/> In contact with water emits flammable gas	<input type="checkbox"/> Reproductive toxicity				
		<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Respiratory or skin sensitization				
		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Simple asphyxiant				
		<input type="checkbox"/> Pyrophoric gas	<input checked="" type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Self-heating	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 65824		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 08		[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	Robert St UST Bunker	65824
Avg Daily Amt (lbs): 41260							
Avg Daily Amt Code: 07							
Max Amt in Largest Container (lbs): 45000							
No of days onsite: 365							
SHIPMENT DETAILS							
Mode of Shipment: Tank Trucks		Maximum Capacity Per Vessel: 35000		Carrier: Transport Services LLC			
Shipment Frequency Count: 6		Maximum Shipment Quantity at One Time: 45000		Carrier Address: 8544 West National Ave, West Allis, WI 53227-			
Shipment Frequency Period: Year		Average Annual Shipment Quantity: 260000		Carrier Phone: 414-321-9500			
Physical State in Transit: Liquid		Routes of Travel: 1-95 North/South - Exit 3A - Rte 123E - Attleboro - Olive Street		Carrier 24 Hr Phone: 800-424-9300			
MIXTURE COMPONENTS							
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	
Trimethylbenzene	5	95-63-6	<input type="checkbox"/>		3291.2	04	
Solvent Naphtha	95	64742-88-7	<input type="checkbox"/>		62532.8	08	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID: 211151	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission: CAS #: 37244-96-5 Trade Secret: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)														
EHS Name: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS: <input type="checkbox"/> <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>																	
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 232550 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 156646 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 50 No of days onsite: 365		<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[J]Bag</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Building 2 2nd Floor</td><td>Building 2 2nd floor</td><td>232550</td></tr></tbody></table>				Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building 2 2nd Floor	Building 2 2nd floor	232550
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building 2 2nd Floor	Building 2 2nd floor	232550												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 3 Shipment Frequency Period: Month Physical State in Transit: Solid		Maximum Capacity Per Vessel: 42000 Maximum Shipment Quantity at One Time: 42000 Average Annual Shipment Quantity: 1141957 Routes of Travel: Rte MA-24 S - I95-S - Exit 3 (Attleboro, MA) Carrier: Carrier Address: Carrier Phone: Carrier: 190 Atwell DriveSuite 120, Toronto, ON, Canada, M9W6H8 Carrier 24 Hr Phone: 416-244-3300															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description	Physical Hazards	Health Hazards												
Chemical ID: 211155 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 000098-56-6 Trade Secret: <input type="checkbox"/> Chemical Name: OXSOL EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)												
Inventory														
Storage Codes & Location														
Max Daily Amt (lbs): 7167 Max Daily Amt Code: 05 Avg Daily Amt (lbs): 7000 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): No of days onsite: 365	<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[D]Steel drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>1st Floor Flammable Room</td><td>1st Floor Flammable Room</td><td>7167</td></tr></tbody></table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	1st Floor Flammable Room	1st Floor Flammable Room	7167	
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)									
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	1st Floor Flammable Room	1st Floor Flammable Room	7167									
SHIPMENT DETAILS														
Mode of Shipment: Shipment Frequency Count: 2 Shipment Frequency Period: Year Physical State in Transit: Liquid	Maximum Capacity Per Vessel: 8000 Maximum Shipment Quantity at One Time: 8000 Average Annual Shipment Quantity: 2000 Routes of Travel: I-95 South to Exit 3A	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:												

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards			
Chemical ID: 211160	Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
CAS #: 1330-20-7	Trade Secret: <input type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard				
Chemical Name: Rezimac Mixed Xylene in Alkyd Resin (Rezimac)	EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPO: <input type="checkbox"/>	<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity				
EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> <u>SDS</u>	Chemical Added On: <input type="checkbox"/>	<input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity				
Check if the chemical is below reporting threshold: <input type="checkbox"/>		<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
		<input type="checkbox"/> In contact with water emits flammable gas	<input type="checkbox"/> Reproductive toxicity				
		<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Respiratory or skin sensitization				
		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Simple asphyxiant				
		<input type="checkbox"/> Pyrophoric gas	<input checked="" type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Self-heating	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 53449		<b>Container Type</b>	<b>Pressure</b>	<b>Temperature</b>	<b>Storage Location</b>	<b>Description</b>	<b>Max Amt At Location(lbs)</b>
Max Daily Amt Code: 08		[B]Below ground tank	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Robert St UST Bunker	Robert St UST Bunker	53270
Avg Daily Amt (lbs): 26807							
Avg Daily Amt Code: 07							
Max Amt in Largest Container (lbs): 53449							
No of days onsite: 366							

## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

### SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	42000	Carrier:	Kenan Advantage Group
Shipment Frequency Count:	4	Maximum Shipment Quantity at One Time:	42000	Carrier Address:	4366 Mount Pleasant Street NW, North Canton, OH
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	110000	Carrier Phone:	800-969-5419
Physical State In Transit:	Liquid	Routes of Travel:	I-95 North/South - Exit 3 (Attleboro) - Rte 123 to Olive Street	Carrier 24 Hr Phone:	800-424-9300

### MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
ethylbenzene	0.05	100-41-4	<input type="checkbox"/>		26,7245	01
Light Aliphatic Solvent Naphtha	9.3	8032-32-4	<input type="checkbox"/>		4970,757	04
Mineral Spirits	13.3	8052-41-3	<input type="checkbox"/>		7108,717	05
M Xylene	11.8	108-38-3	<input type="checkbox"/>		6306,982	05
P Xylene	5.2	106-42-3	<input type="checkbox"/>		2779,348	04
O Xylene	5.2	95-47-6	<input type="checkbox"/>		2779,348	04
Ethylbenzene	5.2	100-41-4	<input type="checkbox"/>		2779,348	04
Cumene	1	98-82-8	<input type="checkbox"/>		534,49	03

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards	
Chemical ID: 211154	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission:	<input checked="" type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)		
CAS #: 9000-59-3		<input type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard		
Trade Secret: <input type="checkbox"/>		<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity		
Chemical Name: Seedlac	<input type="checkbox"/> Exceeds TPO: <input type="checkbox"/>	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity		
EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/>		<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)		
EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas	<input type="checkbox"/> Exceeds MSDS /SDS	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity		
Chemical Added On: <input type="checkbox"/>		<input type="checkbox"/> In contact with water emits flammable gas	<input type="checkbox"/> Respiratory or skin sensitization		
Check if the chemical is below reporting threshold: <input type="checkbox"/>		<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Serious eye damage or eye irritation		
		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input type="checkbox"/> Simple asphyxiant		
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Skin corrosion or irritation		
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)		
		<input type="checkbox"/> Self-heating			
		<input type="checkbox"/> Self-reactive			
Inventory		Storage Codes & Location			
Max Daily Amt (lbs): 1955000					
Max Daily Amt Code: 12					
Avg Daily Amt (lbs): 1189000					
Avg Daily Amt Code: 12					
Max Amt in Largest Container (lbs):					
No of days onsite: 366					
SHIPMENT DETAILS					
Mode of Shipment: Trucks		Maximum Capacity Per Vessel: 41000		Carrier: Logistics coordinator "Rhime"	
Shipment Frequency Count: 48		Maximum Shipment Quantity at 41000		Carrier Address: Chicago, IL	
Shipment Frequency Period: Year		One Time:		Carrier Phone:	
Physical State in Transit: Solid		Average Annual Shipment Quantity: 41000		Carrier 24 Hr	
		Routes of Travel: I-95 South to Exit # Attleboro		Phone:	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description	Physical Hazards	Health Hazards																		
Chemical ID: 211149 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 497-19-8 Trade Secret: <input type="checkbox"/> Chemical Name: Soda Ash EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPC: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> Chemical Added On: <u>/SDS</u> Check if the chemical is below reporting threshold: <input type="checkbox"/> <input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive <input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																				
Inventory																				
Storage Codes & Location																				
Max Daily Amt (lbs): 36100 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 15380 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 50 No of days onsite: 366	<table><thead><tr><th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr></thead><tbody><tr><td>[J]Bag</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Building #2</td><td>1st floor building #2</td><td>40000</td></tr><tr><td>[I]Fiber drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Bldg #2</td><td>Bldg #2</td><td>36100</td></tr></tbody></table>		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2	1st floor building #2	40000	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #2	Bldg #2	36100
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)															
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2	1st floor building #2	40000															
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #2	Bldg #2	36100															
SHIPMENT DETAILS																				
Mode of Shipment: Trucks Shipment Frequency Count: 6 Shipment Frequency Period: Year Physical State in Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 45000 Average Annual Shipment Quantity: 256307 Routes of Travel: Clyde St-Oakhill Ave-Locust St-S Main St-Olive St (4 miles) Carrier: Roberts Chemical Carrier Address: 330-B Victor Road, Attleboro, MA 02703 Carrier Phone: 508-409-0220 Carrier 24 Hr Phone: 508-409-0220 x110																			



## Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards			
Chemical ID: 211162	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission:	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
CAS #: 7681-52-9	Trade Secret: <input type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input checked="" type="checkbox"/> Aspiration hazard				
Chemical Name: Sodium Hypochlorite	EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/>	<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity				
EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS / SDS	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity				
Chemical Added On: <input type="checkbox"/>	Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
		<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity				
		<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization				
		<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
		<input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Simple asphyxiant				
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-heating					
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 105138		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 10		[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #6	Building #6	160000
Avg Daily Amt (lbs): 105138							
Avg Daily Amt Code: 10							
Max Amt in Largest Container (lbs): 105000							
No of days onsite: 365							

# Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

## SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Borden & Remington Corp
Shipment Frequency Count:	70	Maximum Shipment Quantity at One Time:	45000	Carrier Address:	63 Water Street, Fall River, MA 02721-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	45000	Carrier Phone:	800-543-5393
Physical State In Transit:	Liquid	Routes of Travel:	1 - 95 NORTH/SOUTH - EXIT 3A (MA123 EAST) TOWARDS ATTLEBORO - OLIVE STREET		
				Carrier 24 Hr Phone:	800-424-9300

## MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Water	82	7732-18-5	<input type="checkbox"/>		86213.16	09
Sodium Hydroxide	2	1310-73-2	<input type="checkbox"/>		2102.76	04
Sodium Hypochlorite	16	7681-52-9	<input type="checkbox"/>		16822.08	06

# Tier II Emergency and Hazardous Chemical Inventory

**Facility Name:** Rust-Oleum      **Facility ID:** 2716  
**Reporting Period** From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards																			
Chemical ID: 211163 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Sulfuric Acid EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> /SDS Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory																							
Storage Codes & Location																							
Max Daily Amt (lbs): 15 Max Daily Amt Code: 01 Avg Daily Amt (lbs): 13 Avg Daily Amt Code: 01 Max Amt in Largest Container (lbs): 5 No of days onsite: 366	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc:</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Multiple Locations In The Facility</td> <td></td> <td>3000</td> </tr> <tr> <td>[R]Other Desc: PIT</td> <td>[2]Greater than ambient pressure</td> <td>[5]Greater than ambient temperature</td> <td>Multiple Locations</td> <td>Facility Charging Stations</td> <td>400</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Multiple Locations In The Facility		3000	[R]Other Desc: PIT	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Multiple Locations	Facility Charging Stations	400				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[R]Other Desc:	[1]Ambient pressure	[4]Ambient temperature	Multiple Locations In The Facility		3000																		
[R]Other Desc: PIT	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Multiple Locations	Facility Charging Stations	400																		
SHIPMENT DETAILS																							
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 50 Maximum Shipment Quantity at One Time: 10 Average Annual Shipment Quantity: 10 Routes of Travel:	Carrier: Univar Carrier Address: 175 Terminal Road, Providence, RI 02905-401-781-5600 Carrier Phone: 401-781-5600 x110 Carrier 24 Hr Phone:	I-95 North/South - Exit 3A - Rte 123E - towards Attleboro (Rte 123E) - to Olive Street																				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards	
Chemical ID: 211148	<input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure)		
Check if Chemical Information is changed from the last submission:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard		
CAS #: 7664-93-9		<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity		
Trade Secret:	<input type="checkbox"/>	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity		
Chemical Name: Sulfuric acid	<input checked="" type="checkbox"/> Sulfuric Acid	<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)		
EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/>		<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity		
EHS Name: Sulfuric acid		<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization		
<input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS /SDS	<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation		
Chemical Added On:		<input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Simple asphyxiant		
Check if the chemical is below reporting threshold: <input type="checkbox"/>		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Skin corrosion or irritation		
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)		
		<input type="checkbox"/> Self-heating			
		<input type="checkbox"/> Self-reactive			
Inventory		Storage Codes & Location			
Max Daily Amt (lbs): 75569					
Max Daily Amt Code: 09					
Avg Daily Amt (lbs): 44332					
Avg Daily Amt Code: 07					
Max Amt in Largest Container (lbs): 75000					
No of days onsite: 366					
SHIPMENT DETAILS					
Mode of Shipment: Tank Trucks		Maximum Capacity Per Vessel: 5000		Carrier: Univar	
Shipment Frequency Count: 5		Maximum Shipment Quantity at One Time: 50000		Carrier Address: 175 Terminal Road, Providence, RI 02905-	
Shipment Frequency Period: Year		Average Annual Shipment Quantity: 310000		Carrier Phone: 800-556-2426	
Physical State In Transit: Liquid		Routes of Travel: I-95 North/South - Exit 3AE towards Attleboro Rte 123E - Rte 123E - to Olive Street		Carrier 24 Hr Phone: 800-556-2426	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum      Facility ID: 2716

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description		Physical Hazards		Health Hazards			
Chemical ID: 211153	<input checked="" type="checkbox"/> Check if Chemical Information is changed from the last submission:	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
CAS #: 13463-67-7		<input type="checkbox"/> Corrosive to metal	<input checked="" type="checkbox"/> Aspiration hazard				
Trade Secret: <input type="checkbox"/>		<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity				
Chemical Name: Titanium Dioxide	<input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPC: <input type="checkbox"/>	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity				
EHS: <input type="checkbox"/>		<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
EHS Name: <input type="checkbox"/>		<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)	<input type="checkbox"/> Reproductive toxicity				
<input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	MSDS /SDS	<input type="checkbox"/> In contact with water emits flammable gas	<input checked="" type="checkbox"/> Respiratory or skin sensitization				
Chemical Added On: <input type="checkbox"/>		<input type="checkbox"/> Organic peroxide	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
Check if the chemical is below reporting threshold: <input type="checkbox"/>		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Simple asphyxiant				
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Pyrophoric gas	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-heating					
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 50000		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 08		[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #9	6th Street	50000
Avg Daily Amt (lbs): 10741							
Avg Daily Amt Code: 06							
Max Amt in Largest Container (lbs): 50000							
No of days onsite: 366							

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716  
Reporting Period From January 1, 2021 to December 31, 2021

Mode of Shipment: Trucks  
Shipment Frequency Count: 2  
Shipment Frequency Period: Week  
Physical State In Transit: Liquid

Maximum Capacity Per Vessel: 42000  
Maximum Shipment Quantity at One Time: 42000  
Average Annual Shipment Quantity: 2100000  
Routes of Travel: I-95 North and South to Exit #3  
A Attleboro - Rte 123 East - Olive Street

Carrier: Common Carriers  
Carrier Address: MA  
Carrier Phone: 800-262-8200  
Carrier 24 Hr Phone:

SHIPMENT DETAILS

Chemical Name

%

CAS #

EHS

EHS Name

Max Daily Amount (lbs)

Max Daily Amount Code

Water

50

7732-18-5

☐

25000

07

Titanium Dioxide

50

13463-67-7

☐

25000


07

MIXTURE COMPONENTS

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million








**Safety Procedure**  
Attleboro, MA



# SITE MAP








KEY	
	CURRENT LEVEL
	HAZARDOUS WASTE LOCATION
	BLEACH STORAGE
	SULFURIC ACID STORAGE






# 1st FLOOR EVACUATION DIAGRAM



KEY	
	CURRENT LEVEL
	HAZARDOUS WASTE LOCATION
	BLEACH STORAGE
	SULFURIC ACID STORAGE
	UNIVERSAL WASTE STORAGE




# 2ND FLOOR EVACUATION DIAGRAM



## KEY

- CURRENT LEVEL
- HAZARDOUS WASTE LOCATION



# 3RD FLOOR EVACUATION DIAGRAM



## KEY

<span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black;"></span>	CURRENT LEVEL
<span style="display: inline-block; width: 15px; height: 15px; background-color: blue; border: 1px solid black;"></span>	HAZARDOUS WASTE LOCATION

