

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital **Facility ID:** 9519

Reporting Period From January 1, 2021 to December 31, 2021

☒ **Annual** ☐ **Update** ☐ **Revised** ☐ **Facility Information has changed from the last submission**

Facility Identification				Owner/Operator Details		
Facility ID: 9519		Lat/Long: 41.9421/-71.2753		Name: Sturdy Memorial Hospital		
Facility Name: Sturdy Memorial Hospital				Address: 211 Park St., P. O. Box 2963		
Maximum Occupants: 1500				Attleboro, MA 02703-0963, United States		
Physical Location: 211 Park Street, Attleboro, MA 02703-0963		Nature of Business: General Medical and Surgical Hospitals		Phone: 508-236-8575 Email: dboyer@sturdymemorial.org		
County: Bristol County		NAICS Code: 622110		Parent Company Details		
Fire Department:		SIC Code: 8062		Name:		
Phone: 508-236-8575		Dun and Brad No: N/A		Dun and Brad No: N/A		
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number): 04-2768252		Address: MA , United States		
Email: dboyer@sturdymemorial.org		FTE:		Phone: Email:		
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Tier II Information Contact Name: Dann Boyer Title: Director Facility Operations Phone: 508-236-8575 24 Hr.Phone: 774-644-9505 Email: dboyer@sturdymemorial.org		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
RMP Facility ID:						
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
TRI Facility ID:						
Mailing Address				Facility Emergency Planning Coordinator		
Company Name: Sturdy Memorial Hospital				Name: Title: Phone: 24 Hr.Phone: Email:		
Attention: Dann Boyer						
Street Address 1: 211 Park Street						
Street Address 2:						
City: Attleboro		State: MA				
Zip: 02703-0963		Phone: 501-236-8575				
Country: United States						
Emergency Contacts						
Name	Title	Phone	24 Hr.Phone	Email		
Dann Boyer	Director Facility Operations	508-236-8575	774-644-9505	dboyer@sturdymemorial.org		
Dann Boyer	Director Facility Operations	508-236-8575	774-644-9505	dboyer@sturdymemorial.org		
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan		
Dann Boyer, Director Facility Operations		3/1/2022 7:16:10 AM	508-236-8575			Dann Boyer
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number			Signature

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: **Sturdy Memorial Hospital** Facility ID: **9519**

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 210936 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68334-30-5 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 50081 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 49576 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 46118 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Parking lot next to boiler room</td> <td></td> <td>46118</td> </tr> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Across street, leased</td> <td></td> <td>3963</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot next to boiler room		46118	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Across street, leased		3963					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot next to boiler room		46118																			
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Across street, leased		3963																			
SHIPMENT DETAILS																								
Mode of Shipment: Tank Trucks Shipment Frequency Count: 22 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 36043 Maximum Shipment Quantity at One Time: 36030 Average Annual Shipment Quantity: 5663 Routes of Travel: Local routes - Park St./Rt. 118.	Carrier: Al's Quality Oil Carrier Address: 329 Tremont Street, Rehoboth, MA 02769- Carrier Phone: 508-222-3187 Carrier 24 Hr Phone: 508-822-2212																						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 210937 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68334-30-5 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 43236 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 36030 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 43236 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Next to physician's parking lot</td> <td></td> <td>43236</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to physician's parking lot		43236				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to physician's parking lot		43236												
SHIPMENT DETAILS																	
Mode of Shipment: Tank Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 36030 Maximum Shipment Quantity at One Time: 14412 Average Annual Shipment Quantity: 14412 Routes of Travel: Park Street/Rt. 118	Carrier: Al's Quality Oil Carrier Address: 329 Tremont Street, Rehoboth, MA 02769- Carrier Phone: 508-222-3187 Carrier 24 Hr Phone: 508-822-2212															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 210938 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7782-44-7 Trade Secret: <input type="checkbox"/> Chemical Name: Liquid Oxygen EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 57144 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 43768 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 57144 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Parking lot next to boiler room</td><td>500-gallon tank</td><td>4762</td></tr> <tr> <td>[A]Above ground tank</td><td>[2]Greater than ambient pressure</td><td>[7]Cryogenic conditions</td><td>Parking lot next to boiler room</td><td>6000-gallon tank</td><td>57144</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	500-gallon tank	4762	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	6000-gallon tank	57144					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	500-gallon tank	4762																			
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	6000-gallon tank	57144																			
SHIPMENT DETAILS																								
Mode of Shipment: Tank Trucks Shipment Frequency Count: 21 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 56192 Maximum Shipment Quantity at One Time: 45094 Average Annual Shipment Quantity: 26753 Routes of Travel: Rt 95 to Rt 123 East to Attleboro, straight to Park Street.	Carrier: Praxair Carrier Address: 39 Old Ridgebury Rd., Danbury, CT 06810-800-772-9247 Carrier Phone: 800-772-9247 Carrier 24 Hr Phone:																						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2021 to December 31, 2021

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million