

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Marathon Company **Facility ID:** 11689

Reporting Period From January 1, 2022 to December 31, 2022

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

| Facility Identification | | | | Owner/Operator Details | |
|--|--------------------------------------|----------------------|--------------------------------------|---|--|
| Facility ID: | 11689 | Lat/Long: | 41.93998/-71.27613 | Name: | Marathon Company |
| Facility Name: | Marathon Company | | | Address: | 90 O'Neil Blvd. |
| Maximum Occupants: | 82 | | | | Attleboro, MA 02703, United States |
| Physical Location: | 90 O'Neil Blvd., Attleboro, MA 02703 | Nature of Business: | Jewelry and Silverware Manufacturing | Phone: | 508-222-5544 Email: rforman@marathon-co.com |
| County: | Bristol County | NAICS Code: | 339910 | Parent Company Details | |
| Fire Department: | | SIC Code: | 3479 | Name: | Marathon Company |
| Phone: | 508-222-5544 | Dun and Brad No: | 001207638 | Dun and Brad No: | 001207638 |
| <input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned | | EIN ID(Tax Number): | 04-1580260 | Address: | 90 O'Neil Blvd. |
| Email: | | FTE: | 82 | | Attleboro, MA 02703, United States |
| | | | | Phone: | |
| | | | | Email: | |
| Subject to EPCRA Section 312 (Annual Inventory)? | | | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | |
| Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? | | | | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | |
| Subject to Section 112r of Clean Air Act (CAA)? | | | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | |
| RMP Facility ID: | | | | | |
| Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? | | | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | |
| TRI Facility ID: | | | | | |
| Mailing Address | | | | Facility Emergency Planning Coordinator | |
| Company Name: | Marathon Company | | | Name: | Ralph Manz |
| Attention: | | | | Title: | Plant Manager |
| Street Address 1: | 90 O'Neil Blvd. | | | Phone: | 401-578-3874 |
| Street Address 2: | | | | 24 Hr.Phone: | 401-578-3874 |
| City: | Attleboro | State: | MA | Email: | rmanz@marathon-co.com |
| Zip: | 02703 | Phone: | 508-222-5544 | | |
| Country: | United States | | | | |
| Emergency Contacts | | | | | |
| Name | Title | Phone | 24 Hr.Phone | Email | |
| Ralph Manz | Plant Manager | 508-222-5544 | 401-578-3874 | rmanz@marathon-co.com | |
| Roger Forman | Owner | 508-222-5544 | 508-944-4417 | rforman@marathon-co.com | |
| Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 3, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. | | | | | Optional Attachments <input checked="" type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan |
| Lee Desmarais, HR | | 2/16/2023 8:07:35 AM | 508-222-5544 | Lee Desmarais | |
| Name and official title of owner/operator or authorized representative | | Date Signed | Telephone Number | Signature | |
| | | | | | |

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Marathon Company Facility ID: 11689
Reporting Period From January 1, 2022 to December 31, 2022

| Chemical Description | Physical Hazards | Health Hazards | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|------------------|---|--------------------------|-------------|--------------------------|----------------------|---------------------|------------------------|----------|---------------------|------|-----------------------|---------------------|------------------------|----------|---|-----|---------------------------------|---------------------|------------------------|----------|---|----|--|--|--|--|
| Chemical ID: 222685 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-41-7 Trade Secret: <input type="checkbox"/> Chemical Name: Ammonia EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Ammonia <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/> | <input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive | <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inventory | Storage Codes & Location | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Max Daily Amt (lbs): 2915 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 1749.3 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 2478 No of days onsite: 365 | <table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>exterior</td> <td>exterior steel tank</td> <td>2478</td> </tr> <tr> <td>[R]Other Desc: piping</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>interior</td> <td>interior steel piping network, approx 50', estimated 50 GAL</td> <td>292</td> </tr> <tr> <td>[R]Other Desc: cracking chamber</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>interior</td> <td>interior cracking chamber, approx 5 GAL, stainless steel, located in Furnace Room</td> <td>29</td> </tr> </tbody> </table> | Container Type | Pressure | Temperature | Storage Location | Description | Max Amt At Location(lbs) | [A]Above ground tank | [1]Ambient pressure | [4]Ambient temperature | exterior | exterior steel tank | 2478 | [R]Other Desc: piping | [1]Ambient pressure | [4]Ambient temperature | interior | interior steel piping network, approx 50', estimated 50 GAL | 292 | [R]Other Desc: cracking chamber | [1]Ambient pressure | [4]Ambient temperature | interior | interior cracking chamber, approx 5 GAL, stainless steel, located in Furnace Room | 29 | | | | |
| Container Type | Pressure | Temperature | Storage Location | Description | Max Amt At Location(lbs) | | | | | | | | | | | | | | | | | | | | | | | | |
| [A]Above ground tank | [1]Ambient pressure | [4]Ambient temperature | exterior | exterior steel tank | 2478 | | | | | | | | | | | | | | | | | | | | | | | | |
| [R]Other Desc: piping | [1]Ambient pressure | [4]Ambient temperature | interior | interior steel piping network, approx 50', estimated 50 GAL | 292 | | | | | | | | | | | | | | | | | | | | | | | | |
| [R]Other Desc: cracking chamber | [1]Ambient pressure | [4]Ambient temperature | interior | interior cracking chamber, approx 5 GAL, stainless steel, located in Furnace Room | 29 | | | | | | | | | | | | | | | | | | | | | | | | |
| SHIPMENT DETAILS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mode of Shipment: Trucks Shipment Frequency Count: 4 Shipment Frequency Period: Year Physical State In Transit: Liquid | Maximum Capacity Per Vessel: 20000 Maximum Shipment Quantity at One Time: 2478 Average Annual Shipment Quantity: 7434 Routes of Travel: Local roads | Carrier: Tanner Industries Carrier Address: 735 Davisville Road, Southhampton, PA 18966-3200 Carrier Phone: 800-643-6226 Carrier 24 Hr Phone: 800-643-6226 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Marathon Company Facility ID: 11689

Reporting Period From January 1, 2022 to December 31, 2022

| Chemical Amount Range Code & Description | | |
|--|------|--|
| # | Code | Amount Range |
| 1 | 01 | [01] 0-99 |
| 2 | 02 | [02] 100-499 |
| 3 | 03 | [03] 500-999 |
| 4 | 04 | [04] 1,000-4,999 |
| 5 | 05 | [05] 5,000-9,999 |
| 6 | 06 | [06] 10,000-24,999 |
| 7 | 07 | [07] 25,000-49,999 |
| 8 | 08 | [08] 50,000-74,999 |
| 9 | 09 | [09] 75,000-99,999 |
| 10 | 10 | [10] 100,000-499,999 |
| 11 | 11 | [11] 500,000-999,999 |
| 12 | 12 | [12] 1,000,000-9,999,999 |
| 13 | 13 | [13] 10,000,000- Greater than 10 million |