



Massachusetts Emergency Management Agency
 (http://www.epa.gov/epcra) 400 Worcester Road
 Framingham, MA 01702 -5399
 Phone :508-820-2099

Online TIER II MANAGER™

Welcome Anthony, RustOleum Last Login: 02/28/2023, 01:23 PM
 (/Account/Login.aspx)

[Home \(../Index.aspx\)](#) [Facilities \(../Index.aspx\)](#) [My Account \(../Index.aspx\)](#) [Resources \(../User/ResourceLinks.aspx\)](#)

Active Facilities

[Back](#)

[All \(javascript:void\(0\)\)](#)
[A \(javascript:void\(0\)\)](#)
[B \(javascript:void\(0\)\)](#)
[C \(javascript:void\(0\)\)](#)
[D \(javascript:void\(0\)\)](#)
[E \(javascript:void\(0\)\)](#)
[F \(javascript:void\(0\)\)](#)
[G \(javascript:void\(0\)\)](#)
[H \(javascript:void\(0\)\)](#)
[I \(javascript:void\(0\)\)](#)
[J \(javascript:void\(0\)\)](#)
[K \(javascript:void\(0\)\)](#)
[L \(javascript:void\(0\)\)](#)
[M \(javascript:void\(0\)\)](#)
[N \(javascript:void\(0\)\)](#)
[O \(javascript:void\(0\)\)](#)
[P \(javascript:void\(0\)\)](#)
[Q \(javascript:void\(0\)\)](#)
[R \(javascript:void\(0\)\)](#)
[S \(javascript:void\(0\)\)](#)
[T \(javascript:void\(0\)\)](#)
[U \(javascript:void\(0\)\)](#)
[V \(javascript:void\(0\)\)](#)
[W \(javascript:void\(0\)\)](#)
[X \(javascript:void\(0\)\)](#)
[Y \(javascript:void\(0\)\)](#)
[Z \(javascript:void\(0\)\)](#)
[Other \(javascript:void\(0\)\)](#)

[Add New Facility](#)

<u>Facility ID</u>	<u>Facility Name</u>	<u>Client System ID</u>	<u>Address</u>	<u>County</u>	<u>Facility Status</u>	<u>City</u>	<u>LEPC</u>	<u>312 Status</u>	<u>302 Status</u>	<u>Latest Report</u>
Facility ID	Facility Name	Client System ID	Address	All ▼		City	LEPC	All ▼	All ▼	
2716	Rust-Oleum (ID: 2716) (/Facility/Facility.aspx?facilityID=2716&ReportStatus=COMPLETED")		113 Olive Street, Attleboro, MA 02703	Bristol County	Active	Attleboro		Active	Active	2022 Tier II Report Annual (02/28/2023) (Completed)

Total Results: 1 Rows per page 10 ▼



Massachusetts Emergency Management Agency
(<http://www.epa.gov/epcra>) 400 Worcester Road
Framingham, MA 01702 -5399
Phone :508-820-2099

Online TIER II MANAGER™

Welcome Anthony, RustOleum Last Login: 02/28/2023, 01:23 PM
(/Account/Login.aspx)

[Home \(../Index.aspx\)](#) [Facilities \(../Index.aspx\)](#) [My Account \(../Index.aspx\)](#) [Resources \(../User/ResourceLinks.aspx\)](#)

[Back](#) View Report Homepage for Rust-Oleum (/Facility/Facility.aspx?Rptid=60335&FacilityID=2716)
(ID: 2716)

[List Submissions \(/Facility/Facility.aspx?Rptid=60335&FacilityID=2716\)](#)

Step 1 Step 2 Step 3 Step 4 Step 5 Step 6

0 Notes

Report

[Print Report](#)

2022 Annual Tier II Report(Rust-Oleum) - 60335



Submission Status : Completed

Status Date : 2/28/2023

Last Updated : 2/28/2023

Submission Type : Online

Submitter Username : Anthony Ferri [Attleboro02703]

Facility Information

Facility ID	2716	Lat/Long	41.93,-71.28
Facility Name	Rust-Oleum	Maximum Number of	68
Facility Status	Active	Occupants at one time	

Inactive Reasons**Inactive as Of****Physical Location**

113 Olive Street Attleboro, MA 02703, United States

County

Bristol County

Site Phone

508-243-3240

Manned

Yes

Owner/Operator

Eric Priestley - Owner/Operator, 113 Olive Street, Attleboro, MA 02703, United States

Facility Type

Facility

Nature of Business**NAICS**

325510

SIC Code**Dun & Brad No**

005094420

Number of Full Time

68

Employees**Chemical Inventory**

Total: 22

EHS: 2

EHS>TPQ: 2

Chemical List

[Back](#)

[All \(javascript:void\(0\)\)](#)
[A \(javascript:void\(0\)\)](#)
[B \(javascript:void\(0\)\)](#)
[C \(javascript:void\(0\)\)](#)
[D \(javascript:void\(0\)\)](#)
[E \(javascript:void\(0\)\)](#)
[F \(javascript:void\(0\)\)](#)
[G \(javascript:void\(0\)\)](#)
[H \(javascript:void\(0\)\)](#)
[I \(javascript:void\(0\)\)](#)
[J \(javascript:void\(0\)\)](#)
[K \(javascript:void\(0\)\)](#)
[L \(javascript:void\(0\)\)](#)
[M \(javascript:void\(0\)\)](#)
[N \(javascript:void\(0\)\)](#)
[O \(javascript:void\(0\)\)](#)
[P \(javascript:void\(0\)\)](#)
[Q \(javascript:void\(0\)\)](#)
[R \(javascript:void\(0\)\)](#)
[S \(javascript:void\(0\)\)](#)
[T \(javascript:void\(0\)\)](#)
[U \(javascript:void\(0\)\)](#)
[V \(javascript:void\(0\)\)](#)
[W \(javascript:void\(0\)\)](#)
[X \(javascript:void\(0\)\)](#)
[Y \(javascript:void\(0\)\)](#)
[Z \(javascript:void\(0\)\)](#)
[Other \(javascript:void\(0\)\)](#)

<u>CAS No</u>	<u>Chemical Name</u>	<u>Pure/Mix</u>	<u>EHS</u>	<u>Max Daily Amt (lbs)</u>	<u>EHS Exceeds TPQ</u>	<u>Is Valid</u>	<u>Last Modified Date</u>
			All ▼				
N/A	Alkyl 7667-OX-50 (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228641&RptId=60335)	Mix	Non-EHS	11015	No	✓	2/28/2023 8:48:13 AM
1341497	Ammonium Bifluoride (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228645&RptId=60335)	Pure	Non-EHS	2737	No	✓	2/28/2023 8:49:13 AM
1336216	Ammonium Hydroxide (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228646&RptId=60335)	Mix	Non-EHS	1400	No	✓	2/28/2023 8:50:06 AM
N/A	ATTAGL 40 (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228639&RptId=60335)	Mix	Non-EHS	45750	No	✓	2/28/2023 8:04:07 AM

<u>CAS No</u>	<u>Chemical Name</u>	<u>Pure/Mix</u>	<u>EHS</u>	<u>Max Daily Amt (lbs)</u>	<u>EHS Exceeds TPQ</u>	<u>Is Valid</u>	<u>Last Modified Date</u>
9000719	Casein (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228640&RptId=60335)	Pure	Non-EHS	29575	No		2/28/2023 8:05:03 AM
1310732	Caustic Soda 50% (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228636&RptId=60335)	Mix	Non-EHS	8823	No		2/28/2023 8:06:46 AM
N/A	Dicalite (diatomaceous earth) (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228642&RptId=60335)	Mix	Non-EHS	79610	No		2/28/2023 8:10:45 AM
64175	Ethanol SDA 300C 200 proof (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228632&RptId=60335)	Mix	Non-EHS	180726	No		2/28/2023 8:15:11 AM
N/A	Lead-Acid Battery (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228651&RptId=60335)	Mix	EHS	16872	Exceeds TPQ		2/28/2023 8:17:00 AM
1345057	Lithopone (../Submission/T2/ViewChemical.aspx?T2ChemicalID=228647&RptId=60335)	Mix	Non-EHS	34992	No		2/28/2023 8:18:07 AM

1 (javascript:void(0)) 2 (javascript:void(0)) 3 (javascript:void(0)) » (javascript:void(0)) Last» (javascript:void(0)) Page 1 of 3

Total Results:22 Rows per page 10 ▼

Subject to Status

The following statuses are reported by the Facility. These statuses may be changed based on Admin Review.

EPCRA Section 312
(Annual Inventory)

Active

EPCRA Section 302
(EHS Amt>TPQ)

Active

CAA Section 112(r)
(RMP)

Active

EPCRA Section 313
(TRI)

Active

RMP ID 004155651

TRI Facility ID 02703mntsrrober

Report Contacts

Number of Tier II Contacts: 1

Number of Emergency Planning Coordinators: 1

Number of Emergency Contacts: 2

Facility and Owner/Operator Contacts

Name	Contact Type	Phone	24 Hr Phone	Email	Move
Facility	Direct Site Communication	508-243-3240	508-243-3240	Aferri@rustoleum.com	

Name	Contact Type	Phone	24 Hr Phone	Email	Move
Eric Priestley - Owner/Operator		508-431-3079	508-431-3079	eric.priestley@rustoleum.com	

Regulatory and Emergency Contacts

Name	Title	Contact Type	Phone	24 Hr Phone	Email	Is Valid	Move
Eric Priestley	Plant Manager	Regulatory Point of Contact	508-222-3710	508-431-3079	eric.priestley@rustoleum.com	✓	
Anthony Ferri	EHS Manager	Emergency Planning Coordinator	508-243-3240	508-243-3240	Aferri@rustoleum.com	✓	
Anthony Ferri	EHS Manager	Emergency Contacts	508-222-3710 x 12709	508-243-3240	Aferri@rustoleum.com	✓	⬆ ⬇
Eric Priestley	Plant Manager	Emergency Contacts	508-222-3710	508-431-3079	eric.priestley@rustoleum.com	✓	⬆ ⬇

Attachments

Description	File	File Type	Sent as Hardcopy
Site Plan	Facility Lay Out.pdf (../Submission/T2/ViewT2Attachments.aspx?opentype=NewWindow&AttachmentId=424612)	application/pdf	No
Site Coordinate Abbreviations	Facility Diagram w Haz Waste Storage.pdf (../Submission/T2/ViewT2Attachments.aspx?opentype=NewWindow&AttachmentId=384756)	application/pdf	No
Safeguard Measures			No
Facility Emergency Response Plan			No

Certification

Name of Owner/Operator or Authorized Representative : Eric Priestley
Official Title : Plant Manager

Telephone Number : 508-222-3710
Date : 2/28/2023

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details																
Facility ID:	2716	Lat/Long:	41.93/-71.28	Name:	Eric Priestley - Owner/Operator															
Facility Name:	Rust-Oleum			Address:	113 Olive Street															
Maximum Occupants:	68				Attleboro, MA 02703, United States															
Physical Location:	113 Olive Street, Attleboro, MA 02703	Nature of Business:		Phone:	508-431-3079 Email: eric.priestley@rustoleum.com															
County:	Bristol County	NAICS Code:	325510	Parent Company Details																
Fire Department:		SIC Code:		Name:	Rust-Oleum															
Phone:	508-243-3240	Dun and Brad No:	005094420	Dun and Brad No:																
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):		Address:	11 E Hawthorne Pkwy															
Email:	Aferri@rustoleum.com	FTE:	68		Vernon Hills, IL 60061, United States															
				Phone:	800-323-3584 Email:															
Subject to EPCRA Section 312 (Annual Inventory)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																
Subject to Section 112r of Clean Air Act (CAA)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																
RMP Facility ID: 004155651				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																
TRI Facility ID: 02703mntsrober																				
Mailing Address				Tier II Information Contact																
Company Name: Rust-Oleum				Name: Eric Priestley																
Attention: Anthony Ferri				Title: Plant Manager																
Street Address 1: 113 Olive Street				Phone: 508-222-3710 24 Hr.Phone: 508-431-3079																
Street Address 2:				Email: eric.priestley@rustoleum.com																
City: Attleboro State: MA																				
Zip: 02703 Phone: 508-222-3710																				
Country: United States																				
Emergency Contacts				Facility Emergency Planning Coordinator																
				Name: Anthony Ferri																
				Title: EHS Manager																
				Phone: 508-243-3240 24 Hr.Phone: 508-243-3240																
				Email: Aferri@rustoleum.com																
<table border="1"> <thead> <tr> <th>Name</th> <th>Title</th> <th>Phone</th> <th>24 Hr.Phone</th> <th>Email</th> </tr> </thead> <tbody> <tr> <td>Anthony Ferri</td> <td>EHS Manager</td> <td>508-222-3710 x 1270-9</td> <td>508-243-3240</td> <td>Aferri@rustoleum.com</td> </tr> <tr> <td>Eric Priestley</td> <td>Plant Manager</td> <td>508-222-3710</td> <td>508-431-3079</td> <td>eric.priestley@rustoleum.com</td> </tr> </tbody> </table>						Name	Title	Phone	24 Hr.Phone	Email	Anthony Ferri	EHS Manager	508-222-3710 x 1270-9	508-243-3240	Aferri@rustoleum.com	Eric Priestley	Plant Manager	508-222-3710	508-431-3079	eric.priestley@rustoleum.com
Name	Title	Phone	24 Hr.Phone	Email																
Anthony Ferri	EHS Manager	508-222-3710 x 1270-9	508-243-3240	Aferri@rustoleum.com																
Eric Priestley	Plant Manager	508-222-3710	508-431-3079	eric.priestley@rustoleum.com																
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 31, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Eric Priestley, Plant Manager Name and official title of owner/operator or authorized representative					Optional Attachments <input checked="" type="checkbox"/> Site Plan <input checked="" type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan															
		2/28/2023 1:00:28 PM	508-222-3710	Eric Priestley																
		Date Signed	Telephone Number	Signature																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228641 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Alkyl 7667-OX-50 EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 11015 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 3459 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 500 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #7 Flammables Room</td> <td></td> <td>11000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Building #7 Flammables Room		11000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Building #7 Flammables Room		11000												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	20000	Carrier:	Common Carriers
Shipment Frequency Count:	2	Maximum Shipment Quantity at	2000	Carrier Address:	Various, Various, MA
Shipment Frequency Period:	Year	One Time:		Carrier Phone:	800-262-8200
Physical State In Transit:	Liquid	Average Annual Shipment	1000	Carrier 24 Hr	800-262-8200
		Quantity:		Phone:	
		Routes of Travel:	I-95 North/South - Rte 123 towards Attleboro - Olive Street		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Ethyl benzene	0.4	100-41-4	<input type="checkbox"/>		44.06	01
Xylene	1.7	1330-20-7	<input type="checkbox"/>		187.255	02
Benzene, 1-chloro-4(trifluoromethyl)	47.9	98-56-6	<input type="checkbox"/>		5276.185	05

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228645 Check If Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 1341-49-7 Trade Secret: <input type="checkbox"/> Chemical Name: Ammonium Bifluoride EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> <u>/SDS</u> Chemical Added On: Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 2737 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 1500 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 90 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building#9</td> <td></td> <td></td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Building#9						
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Building#9														
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 4 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 2000 Maximum Shipment Quantity at One Time: 2000 Average Annual Shipment Quantity: 1500 Routes of Travel: I-95 North/South to Exit 3 (Attleboro - Rte 123 - Olive Street)	Carrier: Roberts Chemical Carrier Address: 330-B Victor Road, Lebanon, MA 01750 Carrier Phone: 717-274-2521 Carrier 24 Hr Phone: 800-424-9300															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																		
Chemical ID: 228646 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 1336-21-6 Trade Secret: <input type="checkbox"/> Chemical Name: Ammonium Hydroxide EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> <u>/SDS</u> Chemical Added On: Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																		
Inventory	Storage Codes & Location																			
Max Daily Amt (lbs): 1400 Max Daily Amt Code: 04 Avg Daily Amt (lbs): 922 Avg Daily Amt Code: 03 Max Amt in Largest Container (lbs): 210 No of days onsite: 365	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Bldg #2 1st Floor</td> <td>Building #2 Containment</td> <td>1407</td> </tr> </tbody> </table>						Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #2 1st Floor	Building #2 Containment	1407		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)															
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #2 1st Floor	Building #2 Containment	1407															
SHIPMENT DETAILS																				
Mode of Shipment: Trucks Shipment Frequency Count: 6 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 2000 Maximum Shipment Quantity at One Time: Average Annual Shipment: 2000 Quantity: Routes of Travel: I-95 North/South - Exit 3 (Attleboro) - Rte 123 - Olive Street	Carrier: Severance Trucking Co Carrier Address: 49 McGrath Road, Dracut, MA 01826- Carrier Phone: 800-225-1111 Carrier 24 Hr Phone: 800-424-9300																		
MIXTURE COMPONENTS																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Chemical Name</th> <th>%</th> <th>CAS #</th> <th>EHS</th> <th>EHS Name</th> <th>Max Daily Amount (lbs)</th> <th>Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>Aqua Ammonia</td> <td>35</td> <td>1336-21-6</td> <td><input type="checkbox"/></td> <td></td> <td>490</td> <td>02</td> </tr> </tbody> </table>							Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Aqua Ammonia	35	1336-21-6	<input type="checkbox"/>		490	02
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code														
Aqua Ammonia	35	1336-21-6	<input type="checkbox"/>		490	02														

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																									
Chemical ID: 228639 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: ATTAGL 40 EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																									
Inventory	Storage Codes & Location																										
Max Daily Amt (lbs): 45750 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 27087 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 50 No of days onsite: 365	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #9, Second Floor</td> <td></td> <td>45750</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #9, Second Floor		45750														
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #9, Second Floor		45750																						
SHIPMENT DETAILS																											
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 5000 Average Annual Shipment Quantity: 50000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone: 800-262-8200																									
MIXTURE COMPONENTS																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Chemical Name</th> <th>%</th> <th>CAS #</th> <th>EHS</th> <th>EHS Name</th> <th>Max Daily Amount (lbs)</th> <th>Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>Silica, crystalline</td> <td>1</td> <td>14808-60-7</td> <td><input type="checkbox"/></td> <td></td> <td>457.5</td> <td>02</td> </tr> <tr> <td>Attapulgate</td> <td>99</td> <td>12174-11-7</td> <td><input type="checkbox"/></td> <td></td> <td>45292.5</td> <td>07</td> </tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Silica, crystalline	1	14808-60-7	<input type="checkbox"/>		457.5	02	Attapulgate	99	12174-11-7	<input type="checkbox"/>		45292.5	07						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Silica, crystalline	1	14808-60-7	<input type="checkbox"/>		457.5	02																					
Attapulgate	99	12174-11-7	<input type="checkbox"/>		45292.5	07																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228640 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 9000-71-9 Trade Secret: <input type="checkbox"/> Chemical Name: Casein EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input checked="" type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 29575 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 20844 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 80 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2,7, Second Floor</td> <td></td> <td>29575</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		29575				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		29575												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 5000 Average Annual Shipment Quantity: 30000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone: 800-262-8200															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228636 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 1310-73-2 Trade Secret: <input type="checkbox"/> Chemical Name: Caustic Soda 50% EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 8823 Max Daily Amt Code: 05 Avg Daily Amt (lbs): 4878 Avg Daily Amt Code: 04 Max Amt in Largest Container (lbs): 3000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[O]Tote bin</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2</td> <td>Building #2</td> <td>8823</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2	Building #2	8823				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2	Building #2	8823												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	250	Carrier:	Univar
Shipment Frequency Count:	4	Maximum Shipment Quantity at	2000	Carrier Address:	175 Terminal Road
Shipment Frequency Period:	Year	One Time:			Providence, RI 02905,
Physical State In Transit:	Liquid	Average Annual Shipment	3000		Providence, RI 02905
		Quantity:		Carrier Phone:	401-781-5600
		Routes of Travel:	I-95 North and South tot Exit	Carrier 24 Hr	401-781-5600
			#3A Attleboro - Rte123 E -	Phone:	
			Olive Street		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Water	50	7732-18-5	<input type="checkbox"/>		4411.5	04
Sodium Hydroxide	50	1310-73-2	<input type="checkbox"/>		4411.5	04

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																									
Chemical ID: 228642 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Dicalite (diatomaceous earth) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS/SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																									
Inventory	Storage Codes & Location																										
Max Daily Amt (lbs): 79610 Max Daily Amt Code: 09 Avg Daily Amt (lbs): 39222 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 80 No of days onsite: 365	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2,7, Second Floor</td> <td></td> <td>79610</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		79610														
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		79610																						
SHIPMENT DETAILS																											
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Week Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 8000 Average Annual Shipment Quantity: 4000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone:																									
MIXTURE COMPONENTS																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Chemical Name</th> <th>%</th> <th>CAS #</th> <th>EHS</th> <th>EHS Name</th> <th>Max Daily Amount (lbs)</th> <th>Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>Respirable quartz</td> <td>2</td> <td>14808-60-7</td> <td><input type="checkbox"/></td> <td></td> <td>1592.2</td> <td>04</td> </tr> <tr> <td>Calcined diatomaceous earth</td> <td>98</td> <td>61790-53-2</td> <td><input type="checkbox"/></td> <td></td> <td>78017.8</td> <td>09</td> </tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Respirable quartz	2	14808-60-7	<input type="checkbox"/>		1592.2	04	Calcined diatomaceous earth	98	61790-53-2	<input type="checkbox"/>		78017.8	09						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Respirable quartz	2	14808-60-7	<input type="checkbox"/>		1592.2	04																					
Calcined diatomaceous earth	98	61790-53-2	<input type="checkbox"/>		78017.8	09																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228632 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 64-17-5 Trade Secret: <input type="checkbox"/> Chemical Name: Ethanol SDA 300C 200 proof EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 180726 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 103747 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 81792 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Robert St UST Bunker</td> <td>Robert St Bunker</td> <td>129500</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	Robert St Bunker	129500				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	Robert St Bunker	129500												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Sasol Chemicals North
Shipment Frequency Count:	4	Maximum Shipment Quantity at	45000		America
Shipment Frequency Period:	Week	One Time:		Carrier Address:	PO Box 201344, Dallas, TX
Physical State In Transit:	Liquid	Average Annual Shipment	45000		77079
		Quantity:		Carrier Phone:	281-588-3000
		Routes of Travel:	I95 N to Exit 3 (RT 123) - Left	Carrier 24 Hr	800-424-9300
			on County St - Right on Olive	Phone:	
			St		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
2-propanol	5	67-63-0	<input type="checkbox"/>		9036.3	05
Ethanol	95	64-17-5	<input type="checkbox"/>		171689.7	10

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																									
Chemical ID: 228651 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Lead-Acid Battery EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																									
Inventory	Storage Codes & Location																										
Max Daily Amt (lbs): 16872 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 16872 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 2710 No of days onsite: 365	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Battery</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Multiple mobile locations in the facility</td> <td>Powered Industrial Trucks (PIT)</td> <td>16872</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Multiple mobile locations in the facility	Powered Industrial Trucks (PIT)	16872														
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Multiple mobile locations in the facility	Powered Industrial Trucks (PIT)	16872																						
SHIPMENT DETAILS																											
Mode of Shipment: Trucks Shipment Frequency Count: .5 Shipment Frequency Period: Year Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 2710 Average Annual Shipment Quantity: 1000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Common Carriers Carrier Address: Various, Various, MA 02703 Carrier Phone: 800-262-8200 Carrier 24 Hr Phone: 800-262-8200																									
MIXTURE COMPONENTS																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Chemical Name</th> <th>%</th> <th>CAS #</th> <th>EHS</th> <th>EHS Name</th> <th>Max Daily Amount (lbs)</th> <th>Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>Lead</td> <td>60</td> <td>7439-92-1</td> <td><input type="checkbox"/></td> <td></td> <td>10123.2</td> <td>06</td> </tr> <tr> <td>Sulfuric Acid</td> <td>25</td> <td>7664-93-9</td> <td><input checked="" type="checkbox"/></td> <td>Sulfuric acid</td> <td>4218</td> <td>04</td> </tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Lead	60	7439-92-1	<input type="checkbox"/>		10123.2	06	Sulfuric Acid	25	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	4218	04						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Lead	60	7439-92-1	<input type="checkbox"/>		10123.2	06																					
Sulfuric Acid	25	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	4218	04																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228647 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 1345-05-7 Trade Secret: <input type="checkbox"/> Chemical Name: Lithopone EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 34992 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 22162 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 50 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building 2 2nd floor</td> <td>Building 2 2nd flr</td> <td>34992</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building 2 2nd floor	Building 2 2nd flr	34992				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building 2 2nd floor	Building 2 2nd flr	34992												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Kings Express
Shipment Frequency Count:	6	Maximum Shipment Quantity at	45000	Carrier Address:	12910 Mulberry Ave, Whittier,
Shipment Frequency Period:	Year	One Time:			CA 90602-
Physical State In Transit:	Solid	Average Annual Shipment	245000	Carrier Phone:	909-989-9900
		Quantity:		Carrier 24 Hr	800-424-9300
		Routes of Travel:	I-95 North/South - Exit 3 (Attleboro) - Rte 123 - Olive Street	Phone:	

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Zinc Sulfate	29.7	1314-98-3	<input type="checkbox"/>		10392.624	06
Barium Sulfate	69	7727-43-7	<input type="checkbox"/>		24144.48	06

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																									
Chemical ID: 228648 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 8052-41-3 Trade Secret: <input type="checkbox"/> Chemical Name: Mineral Spirits EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																									
Inventory	Storage Codes & Location																										
Max Daily Amt (lbs): 65824 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 41183 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 45000 No of days onsite: 365	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Robert St UST Bunker</td> <td>2 USTs, each 7000 gallons</td> <td>65824</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	2 USTs, each 7000 gallons	65824														
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																						
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Robert St UST Bunker	2 USTs, each 7000 gallons	65824																						
SHIPMENT DETAILS																											
Mode of Shipment: Tank Trucks Shipment Frequency Count: 6 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 35000 Maximum Shipment Quantity at One Time: 45000 Average Annual Shipment: 260000 Quantity: Routes of Travel: I-95 North/South - Exit 3A - Rte 123E - Attleboro - Olive Street	Carrier: Transport Services LLC Carrier Address: 8544 West National Ave, West Allis, WI 53227- Carrier Phone: 414-321-9500 Carrier 24 Hr Phone: 800-424-9300																									
MIXTURE COMPONENTS																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Chemical Name</th> <th>%</th> <th>CAS #</th> <th>EHS</th> <th>EHS Name</th> <th>Max Daily Amount (lbs)</th> <th>Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>Trimethylbenzene</td> <td>5</td> <td>95-63-6</td> <td><input type="checkbox"/></td> <td></td> <td>3291.2</td> <td>04</td> </tr> <tr> <td>Solvent Naphtha</td> <td>95</td> <td>64742-88-7</td> <td><input type="checkbox"/></td> <td></td> <td>62532.8</td> <td>08</td> </tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	Trimethylbenzene	5	95-63-6	<input type="checkbox"/>		3291.2	04	Solvent Naphtha	95	64742-88-7	<input type="checkbox"/>		62532.8	08						
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code																					
Trimethylbenzene	5	95-63-6	<input type="checkbox"/>		3291.2	04																					
Solvent Naphtha	95	64742-88-7	<input type="checkbox"/>		62532.8	08																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228644 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 37244-96-5 Trade Secret: <input type="checkbox"/> Chemical Name: Minex (1, 2) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 2325500 Max Daily Amt Code: 12 Avg Daily Amt (lbs): 156474 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 50 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, second floor</td> <td></td> <td>2325500</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, second floor		2325500				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, second floor		2325500												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 3 Shipment Frequency Period: Month Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 42000 Average Annual Shipment Quantity: 25000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Cooper Run Motor Freight, Inc. Carrier Address: 190 Atwell Drive, Suite 120, Toronto, ON, Canada M9W6H8 Carrier Phone: 141-624-4300 x0 Carrier 24 Hr Phone: 416-244-3300															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 228643 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Nutrisoy (soybean powder) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input checked="" type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 13890 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 9218 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): 50 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7, Second Floor		13890
SHIPMENT DETAILS						
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 2000 Average Annual Shipment Quantity: 1000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: Carrier 24 Hr Phone:				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 228635 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 98-56-6 Trade Secret: <input type="checkbox"/> Chemical Name: PCBTF / Oxsol (parachlorobenzotrifluoride) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 7167 Max Daily Amt Code: 05 Avg Daily Amt (lbs): 7000 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): 615 No of days onsite: 365	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Container Type</th> <th style="width: 15%;">Pressure</th> <th style="width: 15%;">Temperature</th> <th style="width: 15%;">Storage Location</th> <th style="width: 15%;">Description</th> <th style="width: 20%;">Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Bldg #7 1st Floor Flammables Room</td> <td>1st Floor Flammable Room</td> <td>7167</td> </tr> </tbody> </table>						Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #7 1st Floor Flammables Room	1st Floor Flammable Room	7167
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Bldg #7 1st Floor Flammables Room	1st Floor Flammable Room	7167													
SHIPMENT DETAILS																		
Mode of Shipment: Trucks Shipment Frequency Count: 2 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 2000 Average Annual Shipment Quantity: 8000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Per logistics coordinator "XPO" Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 228649 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 1330-20-7 Trade Secret: <input type="checkbox"/> Chemical Name: Rezimac (mixed xylenes in alkyd resin) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 53449 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 26807 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 53449 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[2]Greater than ambient pressure</td> <td>[5]Greater than ambient temperature</td> <td>Robert St UST Bunker</td> <td>Robert St UST Bunker</td> <td>53270</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Robert St UST Bunker	Robert St UST Bunker	53270					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[B]Below ground tank	[2]Greater than ambient pressure	[5]Greater than ambient temperature	Robert St UST Bunker	Robert St UST Bunker	53270													

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	42000	Carrier:	Kenan Advantage Group
Shipment Frequency Count:	4	Maximum Shipment Quantity at	42000	Carrier Address:	4366 Mount pleasant Street
Shipment Frequency Period:	Year	One Time:			NW, North Canton, OH
Physical State In Transit:	Liquid	Average Annual Shipment	110000	Carrier Phone:	800-969-5419
		Quantity:		Carrier 24 Hr	800-424-9300
		Routes of Travel:	I-95 North/South - Rte 123 towards Attleboro - Olive Street	Phone:	

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
ethylbenzene	0.05	100-41-4	<input type="checkbox"/>		26.7245	01
Light Aliphatic Solvent Naphtha	9.3	8032-32-4	<input type="checkbox"/>		4970.757	04
Mineral Spirits	13.3	8052-41-3	<input type="checkbox"/>		7108.717	05
M Xylene	11.8	108-38-3	<input type="checkbox"/>		6306.982	05
P Xylene	5.2	106-42-3	<input type="checkbox"/>		2779.348	04
O Xylene	5.2	95-47-6	<input type="checkbox"/>		2779.348	04
Ethylbenzene	5.2	100-41-4	<input type="checkbox"/>		2779.348	04
Cumene	1	98-82-8	<input type="checkbox"/>		534.49	03

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 228634 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 9000-59-3 Trade Secret: <input type="checkbox"/> Chemical Name: Seedlac EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input checked="" type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 1955000 Max Daily Amt Code: 12 Avg Daily Amt (lbs): 1189000 Avg Daily Amt Code: 12 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>5000</td> </tr> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Bldg #18</td> <td></td> <td>2514776</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		5000	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Bldg #18		2514776				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		5000																		
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Bldg #18		2514776																		
SHIPMENT DETAILS																							
Mode of Shipment: Trucks Shipment Frequency Count: 48 Shipment Frequency Period: Year Physical State In Transit: Solid	Maximum Capacity Per Vessel: 41000 Maximum Shipment Quantity at One Time: 41000 Average Annual Shipment Quantity: 41000 Routes of Travel: I-95 South to Exit # Attleboro	Carrier: Logistics coordinator "Rhime" Carrier Address: Chicago, IL Carrier Phone: Carrier 24 Hr Phone:																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 228631 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 497-19-8 Trade Secret: <input type="checkbox"/> Chemical Name: Soda Ash EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas <u>MSDS</u> <u>/SDS</u> Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 36100 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 15380 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 50 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>36100</td> </tr> <tr> <td>[I]Fiber drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>36100</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100	[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100																		
[I]Fiber drum	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		36100																		
SHIPMENT DETAILS																							
Mode of Shipment: Trucks Shipment Frequency Count: 6 Shipment Frequency Period: Year Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 45000 Average Annual Shipment Quantity: 256307 Routes of Travel: Clyde St-Oakhill Ave-Locust St-S Main St -Olive St (4 miles)	Carrier: Roberts Chemical Carrier Address: 330-B Victor Road, Attleboro, MA 02703 Carrier Phone: 508-409-0220 Carrier 24 Hr Phone: 508-409-0220 x110																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 228650 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7681-52-9 Trade Secret: <input type="checkbox"/> Chemical Name: Sodium Hypochlorite (15% in water solution) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 237460 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 105188 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 160000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #6</td> <td>2 ASTs in dedicated room with safety features</td> <td>237460</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #6	2 ASTs in dedicated room with safety features	237460					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #6	2 ASTs in dedicated room with safety features	237460													

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Tank Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Borden & Remington Corp
Shipment Frequency Count:	70	Maximum Shipment Quantity at	45000	Carrier Address:	63 Water Street, Fall River, MA
Shipment Frequency Period:	Year	One Time:			02721-
Physical State In Transit:	Liquid	Average Annual Shipment	45000	Carrier Phone:	800-543-5393
		Quantity:		Carrier 24 Hr	800-424-9300
		Routes of Travel:	I - 95 NORTH/SOUTH - EXIT 3A (MA123 EAST) TOWARDS ATTLEBORO - OLIVE STREET		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Water	82	7732-18-5	<input type="checkbox"/>		194717.2	10
Sodium Hydroxide	2	1310-73-2	<input type="checkbox"/>		4749.2	04
Sodium Hypochlorite	16	7681-52-9	<input type="checkbox"/>		37993.6	07

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228630 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Sulfuric Acid EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 75569 Max Daily Amt Code: 09 Avg Daily Amt (lbs): 44332 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 75000 No of days onsite: 366	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Buiding #9 Annex</td> <td>Building #9 Annex</td> <td>73256</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Buiding #9 Annex	Building #9 Annex	73256				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Buiding #9 Annex	Building #9 Annex	73256												
SHIPMENT DETAILS																	
Mode of Shipment: Tank Trucks Shipment Frequency Count: 5 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 5000 Maximum Shipment Quantity at One Time: 50000 Average Annual Shipment Quantity: 310000 Routes of Travel: I-95 North/South - Exit 3AE towards Attleboro Rte 123E - Rte 123E - to Olive Street	Carrier: Univar Carrier Address: 175 Terminal Road, Providence, RI 02905- Carrier Phone: 800-556-2426 Carrier 24 Hr Phone: 800-556-2426															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228638 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Tamol 681 EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 20110 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 9650 Avg Daily Amt Code: 05 Max Amt in Largest Container (lbs): 4000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[O]Tote bin</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2, first floor</td> <td></td> <td>20110</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		20110				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[O]Tote bin	[1]Ambient pressure	[4]Ambient temperature	Building #2, first floor		20110												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	45000	Carrier:	Common Carriers
Shipment Frequency Count:	1	Maximum Shipment Quantity at	4000	Carrier Address:	Various, Various, MA
Shipment Frequency Period:	Month	One Time:		Carrier Phone:	
Physical State In Transit:	Liquid	Average Annual Shipment	2000	Carrier 24 Hr	800-262-8200
		Quantity:		Phone:	
		Routes of Travel:	I-95 North/South - Rte 123 towards Attleboro - Olive Street		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Water	34	7732-18-5	<input type="checkbox"/>		6837.4	05
Acrylic polymer(s)	38	N/A	<input type="checkbox"/>		7641.8	05
Propanediol	28	57-55-6	<input type="checkbox"/>		5630.8	05

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228637 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 13463-67-7 Trade Secret: <input type="checkbox"/> Chemical Name: Titanium Dioxide Powder EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input checked="" type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 25348 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 13075 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 100 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #2,7 Second Floor</td> <td>stacked bag storage area</td> <td>25348</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7 Second Floor	stacked bag storage area	25348				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[J]Bag	[1]Ambient pressure	[4]Ambient temperature	Building #2,7 Second Floor	stacked bag storage area	25348												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Solid	Maximum Capacity Per Vessel: 45000 Maximum Shipment Quantity at One Time: 4000 Average Annual Shipment Quantity: 2000 Routes of Travel: I-95 North/South - Rte 123 towards Attleboro - Olive Street	Carrier: Common Carriers Carrier Address: Various, Various, MA Carrier Phone: 800-262-8200 Carrier 24 Hr Phone:															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 228633 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 13463-67-7 Trade Secret: <input type="checkbox"/> Chemical Name: Titanium Dioxide Slurry EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 115726 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 65496 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 50000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Building #9</td> <td>6th Street</td> <td>116000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #9	6th Street	116000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Building #9	6th Street	116000												

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Rust-Oleum Facility ID: 2716

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	42000	Carrier:	Common Carriers
Shipment Frequency Count:	2	Maximum Shipment Quantity at	42000	Carrier Address:	MA
Shipment Frequency Period:	Week	One Time:		Carrier Phone:	
Physical State In Transit:	Liquid	Average Annual Shipment	2100000	Carrier 24 Hr	800-262-8200
		Quantity:		Phone:	
		Routes of Travel:	I-95 North/South - Rte 123 towards Attleboro - Olive StreetStreet		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Water	50	7732-18-5	<input type="checkbox"/>		57863	08
Titanium Dioxide	50	13463-67-7	<input type="checkbox"/>		57863	08

Chemical Amount Range Code & Description

#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million