

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Balise Honda of North Attleboro **Facility ID:** 11867

Reporting Period From January 1, 2022 to December 31, 2022

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details		
Facility ID: 11867		Lat/Long: 41.9541/-71.3446		Name: Timothy Ingerson		
Facility Name: Balise Honda of North Attleboro				Address: 122 Doty Circle		
Maximum Occupants: 309				West Springfield, MA 01089, United States		
Physical Location: 849 S Washington St, Attleborough, MA 02760		Nature of Business: New Car Dealers		Phone: 413-735-1061 Email: tingerson@baliseauto.com		
County: Bristol County		NAICS Code: 441110		Parent Company Details		
Fire Department:		SIC Code:		Name: Balise Auto		
Phone: 413-735-1049		Dun and Brad No: N/A		Dun and Brad No:		
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):		Address: 122 Doty Circle		
Email:		FTE:		West Springfield, MA 01089, United States		
				Phone: Email:		
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Tier II Information Contact		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Name: Heather Torrone		
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Title: Corporate Operations Manager		
RMP Facility ID:				Phone: 413-735-1049 24 Hr.Phone: 413-330-2620		
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Email: htorrone@baliseauto.com		
TRI Facility ID:						
Mailing Address				Facility Emergency Planning Coordinator		
Company Name: Balise Honda of North Attleboro				Name:		
Attention: Heather Torrone				Title:		
Street Address 1: 122 Doty Circle				Phone: 24 Hr.Phone:		
Street Address 2:				Email:		
City: West Springfield		State: MA				
Zip: 01089		Phone: 413-735-1049				
Country: United States						
Emergency Contacts						
Name	Title	Phone	24 Hr.Phone	Email		
Jim Houle	Parts Manager	508-576-8700	508-576-8700	jhoule@baliseauto.com		
Rich Anger	General Manager	508-576-8700	401-741-7424	ranger@baliseauto.com		
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments <input checked="" type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan		
Timothy Ingerson, Chief Financial Officer		2/24/2023 11:52:23 AM	413-735-1061			Timothy Ingerson
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number			Signature

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Balise Honda of North Attleboro Facility ID: 11867
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 225922 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 8006-61-9 Trade Secret: <input type="checkbox"/> Chemical Name: Gasoline EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input checked="" type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 30000 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 15000 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 30000 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Parking lot</td> <td></td> <td>30000</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot		30000				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot		30000												
SHIPMENT DETAILS																	
Mode of Shipment: Tank Trucks, Tank Car Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: Maximum Shipment Quantity at 30000 One Time: Average Annual Shipment Quantity: Routes of Travel:	Deliveries use Route 1	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:														

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Balise Honda of North Attleboro Facility ID: 11867
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																											
Chemical ID: 225923 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Motor Oils EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input checked="" type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																											
Inventory	Storage Codes & Location																												
Max Daily Amt (lbs): 29600 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 14800 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 14800 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Parking Lot</td> <td>Split UST, Waste Oil</td> <td>7400</td> </tr> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Parking Lot</td> <td>Split UST, Virgin Oil</td> <td>7400</td> </tr> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Parking lot</td> <td>Split UST, Virgin Oils</td> <td>14800</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking Lot	Split UST, Waste Oil	7400	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking Lot	Split UST, Virgin Oil	7400	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot	Split UST, Virgin Oils	14800				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																								
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking Lot	Split UST, Waste Oil	7400																								
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking Lot	Split UST, Virgin Oil	7400																								
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot	Split UST, Virgin Oils	14800																								
SHIPMENT DETAILS																													
Mode of Shipment: Tank Trucks, Tank Car Shipment Frequency Count: 1 Shipment Frequency Period: Month Physical State In Transit: Liquid	Maximum Capacity Per Vessel: Maximum Shipment Quantity at 22200 One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:																											
Deliveries use Route 1																													

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Balise Honda of North Attleboro Facility ID: 11867

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million

Balise Honda of North Attleboro

849 South Washington Street
North Attleborough, MA 02760

LEGEND

- FACILITY BUILDINGS
- UNDERGROUND STORAGE TANKS

NOTES

1. DURING ROUTINE OPERATIONS, BALISE MAY TEMPORARILY UTILIZE CONTAINERS OF UP TO 55-GALLONS TO STORE WASTE OILS, VIRGIN OILS, AND ANTIFREEZE. FIRST RESPONDERS SHOULD EXPECT TO ENCOUNTER CONTAINERS OF THESE SIZES AND CONTENTS THROUGHOUT THE FACILITY.
2. PLEASE BE AWARE THAT ALTHOUGH NOT REQUIRED FOR TIER II REPORTING, FIRST RESPONDERS MAY FIND A VARIETY OF CAR BATTERIES (LEAD ACID, LITHIUM ION, NICKEL METAL HYDRIDE, ETC.) THROUGHOUT THE FACILITY.

ONSITE OIL - UNDERGROUND STORAGE TANKS

5,000 GALLONS OF GASOLINE

2,000/1,000/1,000 GALLON SPLIT TANK OF VIRGIN AND WASTE MOTOR OILS

FEBRUARY 2023