

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Integra LifeSciences **Facility ID:** 10972

Reporting Period From January 1, 2022 to December 31, 2022

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details	
Facility ID: 10972		Lat/Long: 42.0297/-71.2447		Name: Trystan Behm	
Facility Name: Integra LifeSciences				Address: 11 Cabot Boulevard	
Maximum Occupants: 350				Mansfield, MA 02048, United States	
Physical Location: 11 Cabot Boulevard, Mansfield, MA 02048		Nature of Business: Surgical Appliance and Supplies Manufacturing 339113		Phone: 781-971-5747 Email: trystan.behm@integralife.com	
County: Bristol County		NAICS Code: 339113		Parent Company Details	
Fire Department:		SIC Code:		Name: Integra LifeSciences Production Corporation	
Phone: 781-971-5736		Dun and Brad No: 081277700		Dun and Brad No: 083171244	
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):		Address: 1100 Campus Road	
Email: ryan.buchanio@integralife.com		FTE: 350		Princeton, NJ 08540, United States	
				Phone: Email:	
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Tier II Information Contact	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Name: Ryan Buchanio	
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Title: EHS Manager	
RMP Facility ID:				Phone: 781-971-5600 x 5736 24 Hr.Phone: 508-302-3614	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Email: ryan.buchanio@integralife.com	
TRI Facility ID:					
Mailing Address				Facility Emergency Planning Coordinator	
Company Name: Integra LifeSciences				Name:	
Attention:				Title:	
Street Address 1: 11 Cabot Boulevard				Phone: 24 Hr.Phone:	
Street Address 2:				Email:	
City: Mansfield		State: MA			
Zip: 02048		Phone: 781-971-5600			
Country: United States					
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
Ryan Buchanio	EHS Manager	781-971-5600 x 5736	508-302-3614	ryan.buchanio@integralife.com	
Trystan Behm	Plant Manager	781-971-5600 x 5694	774-719-4997	trystan.behm@integralife.com	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Ryan Buchanio, EHS Manager 2/22/2023 10:22:49 AM 781-971-5600 x 5736 Ryan Buchanio				Optional Attachments <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan	
Name and official title of owner/operator or authorized representative		Date Signed		Telephone Number Signature	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Integra LifeSciences Facility ID: 10972
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 226166 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 12075 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 12075 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Backup Diesel Generator</td> <td></td> <td></td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Backup Diesel Generator							
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Backup Diesel Generator															
SHIPMENT DETAILS																		
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:			Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:														

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Integra LifeSciences Facility ID: 10972

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																						
Chemical ID: 226167 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 64741-88-4 Trade Secret: <input type="checkbox"/> Chemical Name: Process Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																						
Inventory	Storage Codes & Location																							
Max Daily Amt (lbs): 45843 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 45843 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Manufacturing</td><td></td><td></td></tr> <tr> <td>[D]Steel drum</td><td>[1]Ambient pressure</td><td>[4]Ambient temperature</td><td>Manufacturing</td><td></td><td></td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Manufacturing			[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Manufacturing							
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																			
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Manufacturing																					
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Manufacturing																					
SHIPMENT DETAILS																								
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:																						

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Integra LifeSciences Facility ID: 10972

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																																	
Chemical ID: 226168 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Sulfuric Acid EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: Sulfuric acid <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																																	
Inventory	Storage Codes & Location																																		
Max Daily Amt (lbs): 731 Max Daily Amt Code: 03 Avg Daily Amt (lbs): 731 Avg Daily Amt Code: 03 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Forklift Batteries</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Manufacturing</td> <td></td> <td></td> </tr> <tr> <td>[R]Other Desc: Diesel Generator Batteries</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Diesel Generator</td> <td></td> <td></td> </tr> <tr> <td>[R]Other Desc: Steel Encasement</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Various Electrical Rooms</td> <td></td> <td></td> </tr> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Wastewater System</td> <td></td> <td></td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Forklift Batteries	[1]Ambient pressure	[4]Ambient temperature	Manufacturing			[R]Other Desc: Diesel Generator Batteries	[1]Ambient pressure	[4]Ambient temperature	Diesel Generator			[R]Other Desc: Steel Encasement	[1]Ambient pressure	[4]Ambient temperature	Various Electrical Rooms			[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Wastewater System						
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																														
[R]Other Desc: Forklift Batteries	[1]Ambient pressure	[4]Ambient temperature	Manufacturing																																
[R]Other Desc: Diesel Generator Batteries	[1]Ambient pressure	[4]Ambient temperature	Diesel Generator																																
[R]Other Desc: Steel Encasement	[1]Ambient pressure	[4]Ambient temperature	Various Electrical Rooms																																
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Wastewater System																																
SHIPMENT DETAILS																																			
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 1 Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: 1 Routes of Travel: I95 South to MA-140 South	Carrier: Barclay Water Management Carrier Address: 55 Chapel Street, Newton, MA 02458 Carrier Phone: 617-926-3400 Carrier 24 Hr Phone: 800-424-9300																																	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Integra LifeSciences Facility ID: 10972

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million