

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital **Facility ID:** 9519

Reporting Period From January 1, 2022 to December 31, 2022

☒ **Annual** ☐ **Update** ☐ **Revised** ☐ **Facility Information has changed from the last submission**

Facility Identification				Owner/Operator Details	
Facility ID:	9519	Lat/Long:	41.9421/-71.2753	Name:	Sturdy Memorial Hospital
Facility Name:	Sturdy Memorial Hospital			Address:	211 Park St., P. O. Box 2963
Maximum Occupants:	1500				Attleboro, MA 02703-0963, United States
Physical Location:	211 Park Street, Attleboro, MA	Nature of Business:	General Medical and Surgical Hospitals	Phone:	508-236-8575 Email: dboyer@sturdymemorial.org
	02703-0963				
County:	Bristol County	NAICS Code:	622110	Parent Company Details	
Fire Department:		SIC Code:	8062	Name:	
Phone:	508-236-8575	Dun and Brad No:	N/A	Dun and Brad No:	N/A
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):	04-2768252	Address:	MA , United States
Email:	dboyer@sturdymemorial.org	FTE:		Phone:	Email:
Subject to EPCRA Section 312 (Annual Inventory)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Subject to Section 112r of Clean Air Act (CAA)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
RMP Facility ID:					
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
TRI Facility ID:					
Mailing Address				Tier II Information Contact	
Company Name:	Sturdy Memorial Hospital			Name:	Dann Boyer
Attention:	Dann Boyer			Title:	Director Facility Operations
Street Address 1:	211 Park Street			Phone:	508-236-8575 24 Hr.Phone: 774-644-9505
Street Address 2:				Email:	dboyer@sturdymemorial.org
City:	Attleboro	State:	MA		
Zip:	02703-0963	Phone:	501-236-8575		
Country:	United States				
Emergency Contacts				Facility Emergency Planning Coordinator	
				Name:	
				Title:	
				Phone:	24 Hr.Phone:
				Email:	
Name	Title	Phone	24 Hr.Phone	Email	
Dann Boyer	Director Facility Operations	508-236-8575	774-644-9505	dboyer@sturdymemorial.org	
Dann Boyer	Director Facility Operations	508-236-8575	774-644-9505	dboyer@sturdymemorial.org	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.					Optional Attachments
Dann Boyer, Director Facility Operations 3/1/2023 6:36:35 AM 508-236-8575 Dann Boyer					<input type="checkbox"/> Site Plan
Name and official title of owner/operator or authorized representative Date Signed Telephone Number Signature					<input type="checkbox"/> Site Coordinate Abbreviations
					<input type="checkbox"/> Other Safeguard measures
					<input type="checkbox"/> Facility Emergency Response Plan

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 230600 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68334-30-5 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 50081 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 49576 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 46118 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Across street, leased</td> <td></td> <td>3963</td> </tr> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Parking lot next to boiler room</td> <td></td> <td>46118</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Across street, leased		3963	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot next to boiler room		46118				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Across street, leased		3963																		
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Parking lot next to boiler room		46118																		
SHIPMENT DETAILS																							
Mode of Shipment: Tank Trucks Shipment Frequency Count: 19 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 36043 Maximum Shipment Quantity at One Time: 1477 Average Annual Shipment Quantity: 934 Routes of Travel: Local routes - Park St./Rt. 118.	Carrier: Al's Quality Oil Carrier Address: 329 Tremont Street, Rehoboth, MA 02769- Carrier Phone: 508-222-3187 Carrier 24 Hr Phone: 508-822-2212																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 230601 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 68334-30-5 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 43236 Max Daily Amt Code: 07 Avg Daily Amt (lbs): 36030 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 43236 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[B]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Next to physician's parking lot</td> <td></td> <td>43236</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to physician's parking lot		43236					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[B]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Next to physician's parking lot		43236													
SHIPMENT DETAILS																		
Mode of Shipment: Tank Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 36030 Maximum Shipment Quantity at One Time: 7206 Average Annual Shipment Quantity: 7206 Routes of Travel: Park Street/Rt. 118	Carrier: Al's Quality Oil Carrier Address: 329 Tremont Street, Rehoboth, MA 02769- Carrier Phone: 508-222-3187 Carrier 24 Hr Phone: 508-822-2212																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards				
Chemical ID: 230602 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7782-44-7 Trade Secret: <input type="checkbox"/> Chemical Name: Liquid Oxygen EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input checked="" type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
Inventory	Storage Codes & Location					
Max Daily Amt (lbs): 57144 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 43768 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): 57144 No of days onsite: 365	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	6000-gallon tank	57144
	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Parking lot next to boiler room	500-gallon tank	4762
SHIPMENT DETAILS						
Mode of Shipment: Tank Trucks Shipment Frequency Count: 24 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 56192 Maximum Shipment Quantity at One Time: 44274 Average Annual Shipment Quantity: 25587 Routes of Travel: Rt 95 to Rt 123 East to Attleboro, straight to Park Street.	Carrier: Praxair Carrier Address: 39 Old Ridgebury Rd., Danbury, CT 06810-800-772-9247 Carrier Phone: 800-772-9247 Carrier 24 Hr Phone:				

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Sturdy Memorial Hospital Facility ID: 9519

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million