

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Toyota Motor Sales, U.S.A., Inc. **Facility ID:** 9241

Reporting Period From January 1, 2022 to December 31, 2022

☒ Annual ☐ Update ☐ Revised ☒ Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details		
Facility ID: 9241		Lat/Long: 42.0159/-71.2352		Name: Toyota Motor Sales NA Inc		
Facility Name: Toyota Motor Sales, U.S.A., Inc.				Address: 6565 Headquarters Drive, MS E3-3D		
Maximum Occupants: 175				Plano, TX 75024, United States		
Physical Location: 440 Forbes Boulevard, Mansfield, MA 02048		Nature of Business: Motor Vehicle Supplies and New Parts Merchant Wholesalers		Phone: 469-292-1279 Email: Chris.Holbrook@toyota.com		
Parent Company Details						
County: Bristol County		NAICS Code: 423120		Name: Toyota Motor Sales NA Inc		
Fire Department:		SIC Code: 5013		Dun and Brad No: 086047354		
Phone: 508-261-2571		Dun and Brad No: 086047354		Address: 6565 Headquarters Drive		
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):		Plano, TX 75024, United States		
Email: thomas.pietruszka@toyota.com		FTE: 125		Phone: 469-292-1117 Email: sean.hanna@toyota.com		
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Tier II Information Contact Name: Joe Malkinski Title: PDC Facility Manager Phone: 508-261-2562 24 Hr.Phone: 469-292-3588 Email: Joe.Malkinski@toyota.com		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
RMP Facility ID:						
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
TRI Facility ID:						
Mailing Address				Facility Emergency Planning Coordinator		
Company Name: Toyota Motor Sales NA Inc				Name: Thomas Pietruszka		
Attention: Mark Hitchcock				Title: EHS Coordinator		
Street Address 1: 6565 Headquarters Drive				Phone: 508-261-2571 24 Hr.Phone: 774-266-7117		
Street Address 2: MS E3-3D				Email: thomas.pietruszka@toyota.com		
City: Plano		State: TX				
Zip: 75024		Phone: 469-292-1279				
Country: United States						
Emergency Contacts						
Name	Title	Phone	24 Hr.Phone	Email		
James Hanrahan	Logistics Leader	508-261-2544	781-686-3749	James.Hanrahan@toyota.com		
Thomas Pietruszka	EHS Field Analyst	508-261-2571	774-266-7117	thomas.pietruszka@toyota.com		
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 6, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.				Optional Attachments <input checked="" type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input checked="" type="checkbox"/> Facility Emergency Response Plan		
Joe Malkinski, PDC Facility Manager		2/27/2023 3:03:06 PM	508-261-2562			Joe Malkinski
Name and official title of owner/operator or authorized representative		Date Signed	Telephone Number			Signature

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Toyota Motor Sales, U.S.A., Inc. Facility ID: 9241

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 229705 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Enviro Care Hand Sanitizer I.S. EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input checked="" type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 300 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 300 Avg Daily Amt Code: 02 Max Amt in Largest Container (lbs): 300 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[E]Plastic or nonmetallic drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>flammable cabinet</td> <td>flammable cabinet by emergency exit door 21</td> <td>300</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	flammable cabinet	flammable cabinet by emergency exit door 21	300					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	flammable cabinet	flammable cabinet by emergency exit door 21	300													

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Toyota Motor Sales, U.S.A., Inc. Facility ID: 9241

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:		Carrier:	
Shipment Frequency Count:	1	Maximum Shipment Quantity at	300	Carrier Address:	440 Forbes Blvd, Mansfield, MA 02048
Shipment Frequency Period:	Year	One Time:		Carrier Phone:	508-261-2544
Physical State In Transit:	Liquid	Average Annual Shipment	300	Carrier 24 Hr	800-535-5053
		Quantity:		Phone:	
		Routes of Travel:			

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
	0		<input type="checkbox"/>		0	01

Chemical Description	Physical Hazards	Health Hazards																	
Chemical ID: 229703 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Lead acid battery EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																	
Inventory	Storage Codes & Location																		
Max Daily Amt (lbs): 53226 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 50370 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): 2177 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: batteries</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Automotive batteries stored in V zone racks</td> <td>automotive batteries distributed to Dealers</td> <td>5190</td> </tr> <tr> <td>[R]Other Desc: battery</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Powered industrial truck charging area</td> <td>Industrial Powered truck charging area</td> <td>53229</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: batteries	[1]Ambient pressure	[4]Ambient temperature	Automotive batteries stored in V zone racks	automotive batteries distributed to Dealers	5190	[R]Other Desc: battery	[1]Ambient pressure	[4]Ambient temperature	Powered industrial truck charging area	Industrial Powered truck charging area	53229
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)														
[R]Other Desc: batteries	[1]Ambient pressure	[4]Ambient temperature	Automotive batteries stored in V zone racks	automotive batteries distributed to Dealers	5190														
[R]Other Desc: battery	[1]Ambient pressure	[4]Ambient temperature	Powered industrial truck charging area	Industrial Powered truck charging area	53229														

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Toyota Motor Sales, U.S.A., Inc. Facility ID: 9241

Reporting Period From January 1, 2022 to December 31, 2022

SHIPMENT DETAILS

Mode of Shipment:	Other batteries	Maximum Capacity Per Vessel:	60000	Carrier:	Brodie Toyota lift
Shipment Frequency Count:	1	Maximum Shipment Quantity at One Time:	253	Carrier Address:	1180 General Edwards Highway,, Sharon, MA 02067-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	253	Carrier Phone:	800-828-2804 x
Physical State In Transit:	Solid	Routes of Travel:	Due to the proximity of the facilities involved, the preplanned and usual routes are generally the same, unless otherwise noted. Incoming: shipped from Brodie Toyota-Lift at 1180 General Edwards Highway, Sharon, MA 02067 to Toyota Motor Sales, USA at 440 Forbes Blvd, Mansfield, MA 02048; (1) head NW on Post Office Square to S. Main Street; (2} take the first left onto S. Main Street; (3} take a slight right to merge onto 1-95 south toward Providence, RI;(4) take exit 7A to merge onto MA-140,S.Commercial Street toward Mansfield,MA; (5) tum right at Norfolk Street; (6) tum right into TMS parking lot immediately after the railroad tracks. Outgoing shipments returned to Brodie Toyota-Lift: (1) tum left onto Norfolk Street from TMS parking lot; (2) tum left on MA-140, N. Commercial Street; (3) merge onto 1-95 North via the ramp to Boston; (4) take exit 8 for S. Main Street toward Sharon; (5) tum right at Post Office Square		

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Sulfuric acid	11.6	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	6174.216	05
Lead	60	7439-92-1	<input type="checkbox"/>		31935.6	07

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Toyota Motor Sales, U.S.A., Inc. Facility ID: 9241

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 229704 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 74-98-6 Trade Secret: <input type="checkbox"/> Chemical Name: Propane EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 25 Max Daily Amt Code: 01 Avg Daily Amt (lbs): 15 Avg Daily Amt Code: 01 Max Amt in Largest Container (lbs): 25 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[L]Cylinder</td> <td>[2]Greater than ambient pressure</td> <td>[4]Ambient temperature</td> <td>Break shed</td> <td>Grill at break shed East side of PDC</td> <td>20</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[L]Cylinder	[2]Greater than ambient pressure	[4]Ambient temperature	Break shed	Grill at break shed East side of PDC	20				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[L]Cylinder	[2]Greater than ambient pressure	[4]Ambient temperature	Break shed	Grill at break shed East side of PDC	20												
SHIPMENT DETAILS																	
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Gas	Maximum Capacity Per Vessel: 20 Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: 20 Routes of Travel: Route 140	Carrier: self transportation Carrier Address: 440 Forbes Blvd, Mansfield , MA 02048 Carrier Phone: 508-261-2571 Carrier 24 Hr Phone: 774-266-7117															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Toyota Motor Sales, U.S.A., Inc. Facility ID: 9241

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million