

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Norton Switch **Facility ID:** 9539

Reporting Period From January 1, 2022 to December 31, 2022

☒ **Annual** ☐ **Update** ☐ **Revised** ☒ **Facility Information has changed from the last submission**

Facility Identification				Owner/Operator Details	
Facility ID: 9539		Lat/Long: 41.96/-71.134		Name: T-Mobile USA Inc	
Facility Name: Norton Switch				Address: PO Box 7994	
Maximum Occupants: 13				Shawnee Mission, KS 66207, United States	
Physical Location: 10 Commerce Way, Norton, MA 02766		Nature of Business: Telecommunications Switch		Phone: 877-604-7233 Email: ehscompliance@t-mobile.com	
County: Bristol County		NAICS Code: 517312		Parent Company Details	
Fire Department:		SIC Code: 4812		Name: T-MOBILE USA, INC	
Phone: 877-611-5868		Dun and Brad No: 068528376		Dun and Brad No: 068528376	
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):		Address: PO Box 7994	
Email: ehscompliance@T-Mobile.com		FTE:		Shawnee Mission, KS 66207-0994, United States	
				Phone: 877-604-7233 Email: ehscompliance@t-mobile.com	
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Tier II Information Contact	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				Name: Jason Leone	
Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Title: Senior EHS Program Manager	
RMP Facility ID:				Phone: 315-855-6004 24 Hr.Phone: 877-604-7233	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				Email: jason.leone2@t-mobile.com	
TRI Facility ID:				Facility Emergency Planning Coordinator	
Mailing Address				Name: Christian Rigamonti	
Company Name: T-Mobile USA Inc				Title: Sr Manager Engineering Operations	
Attention:				Phone: 401-241-6222 24 Hr.Phone: 877-611-5868	
Street Address 1: PO Box 7994				Email: Christian.Rigamonti@T-Mobile.com	
Street Address 2:					
City: Shawnee Mission		State: KS			
Zip: 66207		Phone: 877-347-4457			
Country: United States					
Emergency Contacts					
Name	Title	Phone	24 Hr.Phone	Email	
Judith Quijioic	Switch Manager	401-499-6536	877-611-5868	Judith.Quijioc@t-mobile.com	
Timothy Johnson	Sr Switch Technician	401-345-6655	877-611-5868	Timothy.Johnson143@T-Mobile.com	
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 5, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Jason Leone, Senior EHS Program Manager 1/30/2023 3:07:33 PM 315-855-6004 Jason Leone Name and official title of owner/operator or authorized representative Date Signed Telephone Number Signature				Optional Attachments <input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Norton Switch Facility ID: 9539
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 217972 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 308580 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 308580 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 91020 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Outside SE Corner of building</td> <td></td> <td>308580</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Outside SE Corner of building		308580				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Outside SE Corner of building		308580												
SHIPMENT DETAILS																	
Mode of Shipment: Tank Trucks Shipment Frequency Count: 3 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 14800 Maximum Shipment Quantity at One Time: 13320 Average Annual Shipment Quantity: 26640 Routes of Travel: Infrequent shipments use I-495.	Carrier: Carrier Address: MA Carrier Phone: Carrier 24 Hr Phone:															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Norton Switch Facility ID: 9539
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 217973 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7439-92-1 Trade Secret: <input type="checkbox"/> Chemical Name: Lead EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 106777.6 Max Daily Amt Code: 10 Avg Daily Amt (lbs): 106777.6 Avg Daily Amt Code: 10 Max Amt in Largest Container (lbs): 201 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: batteries</td> <td>[1]Ambient pressure</td> <td>[6]Less than ambient temperature but not cryogenic</td> <td>within battery casings</td> <td>switch room/DC power room</td> <td>106777.6</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: batteries	[1]Ambient pressure	[6]Less than ambient temperature but not cryogenic	within battery casings	switch room/DC power room	106777.6					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[R]Other Desc: batteries	[1]Ambient pressure	[6]Less than ambient temperature but not cryogenic	within battery casings	switch room/DC power room	106777.6													
SHIPMENT DETAILS																		
Mode of Shipment: Trucks, Other Not shipped on regular basis. Shipment Frequency Count: 0 Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel: I 95 and I-495.	Carrier: NA Carrier Address: NA, NA, MA 00000 Carrier Phone: 888-888-8888 Carrier 24 Hr: 888-888-8888 Phone:																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Norton Switch Facility ID: 9539
Reporting Period From January 1, 2022 to December 31, 2022

Chemical Description	Physical Hazards	Health Hazards																
Chemical ID: 217974 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Sulfuric acid EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																
Inventory	Storage Codes & Location																	
Max Daily Amt (lbs): 16723.5 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 16723.5 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): 51.04 No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th><th>Pressure</th><th>Temperature</th><th>Storage Location</th><th>Description</th><th>Max Amt At Location(lbs)</th></tr> </thead> <tbody> <tr> <td>[R]Other Desc: batteries</td><td>[1]Ambient pressure</td><td>[6]Less than ambient temperature but not cryogenic</td><td>within battery casings</td><td>Switch and DC power Rooms</td><td>16723.5</td></tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: batteries	[1]Ambient pressure	[6]Less than ambient temperature but not cryogenic	within battery casings	Switch and DC power Rooms	16723.5					
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)													
[R]Other Desc: batteries	[1]Ambient pressure	[6]Less than ambient temperature but not cryogenic	within battery casings	Switch and DC power Rooms	16723.5													
SHIPMENT DETAILS																		
Mode of Shipment: Trucks, Other Not shipped on regular basis. Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 1500 Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: 1500 Routes of Travel: 495 and I 95.	Carrier: Not shipped regularly. Carrier Address: Not shipped regularly., N/A, MA 88888- Carrier Phone: 888-888-8888 Carrier 24 Hr Phone: 888-888-8888																

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Norton Switch Facility ID: 9539

Reporting Period From January 1, 2022 to December 31, 2022

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million