

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 1

Printed: February 20, 2024

Facility: Rust-Oleum

FACILITY NAME AND LOCATION:

Rust-Oleum
Dept:
113 Olive Street
Attleboro, Massachusetts 02703 USA
County: Bristol
Fire District:
Latitude: 41.93
Longitude: -71.28
MAILING ADDRESS: 113 Olive Street
Attleboro, Massachusetts 02703 USA

☐ All facility information (not including chemical information) is identical to last year's submission

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 005094420 (DUN & BradStreet)
NAICS: 325510 (Paint and Coating Manufacturing)
RMP: 004155651 (RMP)
T2M Facility ID: 2716 (T2M Facility ID)
TRI: 02703mntsrober (TRI)

Is the facility manned? ☒ Manned ☐ Unmanned
Maximum No. of Occupants: 58

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? ☒ Yes ☐ No
Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? ☒ Yes ☐ No

CONTACT INFORMATION:

& Remington Corp, Borden

Title:
Contact Type(s): Chemical Carrier
Address: 63 Water Street, Fall River, MASSACHUSETTS 02721 USA
Phones: 24-hour: 800-424-9300 Other: 800-543-5393
Email:

Advantage Group, Kenan

Title:
Contact Type(s): Chemical Carrier
Address: 4366 Mount pleasant Street NW, North Canton, OHIO 44709 USA
Phones: 24-hour: 800-424-9300 Other: 800-969-5419
Email:

Carriers, Common

Title:
Contact Type(s): Chemical Carrier
Address: Various, Various, MASSACHUSETTS 02703 USA
Phones: 24-hour: 800-262-8200 Other: 800-262-8200
Email:

Chemical, Roberts

Facility: Rust-Oleum (continued)

Title:

Contact Type(s): Chemical Carrier

Address: 330-B Victor Road, Attleboro, MASSACHUSETTS 02703 USA

Phones: Other: 508-409-0220 24-hour: 508-409-0220 x110

Email:

Chemical, Roberts

Title:

Contact Type(s): Chemical Carrier

Address: 330-B Victor Road, Lebanon, MASSACHUSETTS 01750 USA

Phones: Other: 717-274-2521 24-hour: 800-424-9300

Email:

Chemicals North America, Sasol

Title:

Contact Type(s): Chemical Carrier

Address: PO Box 201344, Dallas, TEXAS 77079 USA

Phones: Other: 281-588-3000 24-hour: 800-424-9300

Email:

Express, Kings

Title:

Contact Type(s): Chemical Carrier

Address: 12910 Mulberry Ave, Whittier, CALIFORNIA 90602 USA

Phones: 24-hour: 800-424-9300 Other: 909-989-9900

Email:

Morabito, Andrew

Title: EHS Manager

Contact Type(s): Fac. Emergency Coordinator

Address: 113 Olive st, Attleboro, MASSACHUSETTS USA

Phones: Phone: 15085388641 24-hour: 5085388641

Email: andrew.morabito@rustoleum.com

Morabito, Andrew

Title: EHS Manager

Contact Type(s): Emergency Contact

Address: 113 Olive st, Attleboro, MASSACHUSETTS USA

Phones: Phone: 15085388641 24-hour: 5085388641

Email: andrew.morabito@rustoleum.com

Priestley, Eric

Title: Plant Manager

Contact Type(s): Tier II Information Contact

Address:

Phones: Phone: 5082223710 24-hour: 5084313079

Email: eric.priestley@rustoleum.com

Priestley, Eric

Title: Plant Manager

Contact Type(s): Emergency Contact

Address:

Facility: Rust-Oleum (continued)

Phones: Phone: 5082223710 24-hour: 5084313079 Mobile - Cell: 5084313079
Email: eric.priestley@rustoleum.com

Priestley - Owner/Operator, Eric

Title:
Contact Type(s): Owner / Operator
Address: 113 Olive Street, Attleboro, MASSACHUSETTS 02703 USA
Phones: 24-hour: 5084313079 Phone: 5084313079
Email: eric.priestley@rustoleum.com

Run Motor Freight, Inc., Cooper

Title:
Contact Type(s): Chemical Carrier
Address: 190 Atwell Drive, Suite 120, Toronto, ON, Canada, ? M9W6H-8 Canada
Phones: Other: 141-624-4300 x0 24-hour: 416-244-3300
Email:

Services LLC, Transport

Title:
Contact Type(s): Chemical Carrier
Address: 8544 West National Ave, West Allis, WISCONSIN 53227 USA
Phones: Other: 414-321-9500 24-hour: 800-424-9300
Email:

Trucking Co, Severance

Title:
Contact Type(s): Chemical Carrier
Address: 49 McGrath Road, Dracut, MASSACHUSETTS 01826 USA
Phones: Other: 800-225-1111 24-hour: 800-424-9300
Email:

Univar,

Title:
Contact Type(s): Chemical Carrier
Address: 175 Terminal Road, Providence, RHODE ISLAND 02905 USA
Phones: 24-hour: 800-556-2426 Other: 800-556-2426
Email:

Univar,

Title:
Contact Type(s): Chemical Carrier
Address: 175 Terminal Road Providence, RI 02905, Providence, RHODE ISLAND 02905 USA
Phones: 24-hour: 401-781-5600 Other: 401-781-5600
Email:

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Alkyl 7667-OX-50

CAS #:

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 4

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- ☐ Identical to previous year
☐ Trade secret

PHYSICAL HAZARDS:

- ☒ Explosive
☒ Flammable (gases, aerosols, liquids, or solids)
☐ Oxidizer (liquid, solid, or gas)
☐ Self-reactive
☐ Pyrophoric (liquid or solid)
☐ Pyrophoric gas
☐ Self-heating
☐ Organic peroxide
☐ Corrosive to metal
☐ Gas under pressure (compressed gas)
☐ In contact with water emits flammable gas
☐ Combustible dust

HEALTH HAZARDS:

- ☒ Acute toxicity (any route of exposure)
☐ Skin corrosion or irritation
☒ Serious eye damage or eye irritation
☒ Respiratory or skin sensitization
☐ Germ cell mutagenicity
☒ Carcinogenicity
☐ Reproductive toxicity
☒ Specific target organ toxicity (single or repeated exposure)
☐ Aspiration hazard
☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 12,571 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 3,131 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 500 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential

Location Description: Building #7 Flammables Room
Container Type: Steel drum Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 11,000 pounds

MIXTURE COMPONENTS:

Name: Benzene, 1-chloro-4(trifluoromethyl) CAS #: 98-56-6 ☐ EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 47.9 (by weight)

Name: Ethyl benzene CAS #: 100-41-4 ☐ EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 0.4 (by weight)

Name: Xylene CAS #: 1330-20-7 ☐ EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.7 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
☐ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 5

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

Frequency of Shipment: 2
Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 20,000
Maximum Shipment Qty (lbs): 2,000
Average Shipment Qty (lbs): 1,000
Physical State in Transit: Liquid
Carrier: Common Carriers
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Chemical Name: Ammonium Bifluoride

CAS #: 1341-49-7

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☒ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☒ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☒ Acute toxicity (any route of exposure)
- ☒ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☒ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☐ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☒ Below Reporting Thresholds

Maximum Amount: 2,737 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 1,500 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 90 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building#9

Container Type: Plastic or non-metallic drum

Pressure: Ambient pressure

Temperature: Ambient temperature

Amount: pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 6

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- ☐ Ships via Rail Car
- ☐ Ships via Tank Car
- ☐ Ships via Pipeline
- ☐ Ships via Barge
- ☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 4

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 2,000

Maximum Shipment Qty (lbs): 2,000

Average Shipment Qty (lbs): 1,500

Physical State in Transit: Liquid

Carrier: Roberts Chemical

Comments (please provide both the primary and alternate routes of travel): I-95 North/South to Exit 3 (Attleboro - Rte 123 - Olive Street

Mixture or Product Name: Ammonium Hydroxide

CAS #: 1336-21-6

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☒ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☒ Corrosive to metal
- ☒ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☒ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☒ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☒ Below Reporting Thresholds

Maximum Amount: 1,400 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 922 pounds Average Daily Amount code: 03 (500-999 pounds)

Max amount in largest container: 210 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Bldg #2 1st Floor

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 7

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 1,407 pounds

MIXTURE COMPONENTS:

Name: Aqua Ammonia CAS #: 1336-21-6 ☐ EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 35 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks
☐ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:
Frequency of Shipment: 6
Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 2,000
Maximum Shipment Qty (lbs): 2,000
Average Shipment Qty (lbs): 2,000
Physical State in Transit: Liquid
Carrier: Severance Trucking Co
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Exit 3 (Attleboro) - Rte 123 - Olive Street

Mixture or Product Name: ATTAGL 40

CAS #:

Chemical Category: ☐ Pure ☒ Mixture
EHS: ☐ Yes ☒ No
Physical State: ☒ Solid ☐ Liquid ☐ Gas
☐ Identical to previous year
☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive
☐ Flammable (gases, aerosols, liquids, or solids)
☐ Oxidizer (liquid, solid, or gas)
☐ Self-reactive
☐ Pyrophoric (liquid or solid)
☐ Pyrophoric gas
☐ Self-heating
☐ Organic peroxide
☐ Corrosive to metal
☐ Gas under pressure (compressed gas)
☐ In contact with water emits flammable gas
☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☒ Skin corrosion or irritation
☒ Serious eye damage or eye irritation
☒ Respiratory or skin sensitization
☐ Germ cell mutagenicity
☒ Carcinogenicity
☐ Reproductive toxicity
☐ Specific target organ toxicity (single or repeated exposure)
☐ Aspiration hazard
☐ Simple asphyxiant

☐ Hazard not otherwise classified

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 8

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 39,850 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 19,386 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 50 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #9, Second Floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 45,750 pounds

MIXTURE COMPONENTS:

Name: Attapulgite CAS #: 12174-11-7 ☐ EHS

Max Amt Code: 07 (25,000-49,999 pounds) Component Percentage: 99 (by weight)

Name: Silica, crystalline CAS #: 14808-60-7 ☐ EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 1 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 1

Shipment Frequency Period: Month

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 5,000

Average Shipment Qty (lbs): 50,000

Physical State in Transit: Solid

Carrier: Common Carriers

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Chemical Name: Casein

CAS #: 9000-71-9

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

HEALTH HAZARDS:

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 9

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- | | |
|---|---|
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Acute toxicity (any route of exposure) |
| <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) | <input type="checkbox"/> Skin corrosion or irritation |
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input checked="" type="checkbox"/> Combustible dust | |
| | <input type="checkbox"/> Hazard not otherwise classified |

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 14,470 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 11,283 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 80 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential

Location Description: Building #2,7, Second Floor
Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 29,575 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
☐ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:
Frequency of Shipment: 1
Shipment Frequency Period: Month
Maximum capacity per single vessel (lbs): 45,000
Maximum Shipment Qty (lbs): 5,000
Average Shipment Qty (lbs): 30,000
Physical State in Transit: Solid
Carrier: Common Carriers
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Mixture or Product Name: Caustic Soda 50%

CAS #: 1310-73-2

Chemical Category: ☐ Pure ☒ Mixture

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 10

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☒ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☒ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☒ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☒ Aspiration hazard
- ☒ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☒ Below Reporting Thresholds

Maximum Amount: 8,823 pounds Maximum Amount code: 05 (5,000-9,999 pounds)

Average Daily Amount: 4,878 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 3,000 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #2

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 8,823 pounds

MIXTURE COMPONENTS:

Name: Sodium Hydroxide CAS #: 1310-73-2 ☐ EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 50 (by weight)

Name: Water CAS #: 7732-18-5 ☐ EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 50 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
 - ☐ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☐ Ships via Other Shipment Mode
- Other shipment mode:
- Frequency of Shipment: 4

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 11

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 250

Maximum Shipment Qty (lbs): 2,000

Average Shipment Qty (lbs): 3,000

Physical State in Transit: Liquid

Carrier: Univar

Comments (please provide both the primary and alternate routes of travel): I-95 North and South tot Exit #3A Attleboro - Rte123 E - Olive Street

Mixture or Product Name: Dicalite (diatomaceous earth)

CAS #:

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☒ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☒ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☐ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 103,750 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 76,250 pounds Average Daily Amount code: 09 (75,000-99,999 pounds)

Max amount in largest container: 80 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #2,7, Second Floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 79,610 pounds

MIXTURE COMPONENTS:

Name: Calcined diatomaceous earth CAS #: 61790-53-2 ☐ EHS

Max Amt Code: 10 (100,000-499,999 pounds) Component Percentage: 98 (by weight)

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 12

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

Name: Respirable quartz CAS #: 14808-60-7 ☐ EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 2 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 1

Shipment Frequency Period: Week

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 8,000

Average Shipment Qty (lbs): 4,000

Physical State in Transit: Solid

Carrier: Common Carriers

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Mixture or Product Name: Ethanol SDA 300C 200 proof

CAS #: 64-17-5

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☒ Explosive

☒ Flammable (gases, aerosols, liquids, or solids)

☐ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

☒ Corrosive to metal

☒ Gas under pressure (compressed gas)

☐ In contact with water emits flammable gas

☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☒ Skin corrosion or irritation

☒ Serious eye damage or eye irritation

☒ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☐ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

☐ Aspiration hazard

☒ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 184,715 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 107,636 pounds Average Daily Amount code: 10 (100,000-499,999 pounds)

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 13

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

Max amount in largest container: 81,792 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Robert St UST Bunker

Container Type: Below ground tank Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 129,500 pounds

MIXTURE COMPONENTS:

Name: 2-propanol CAS #: 67-63-0 ☐ EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 5 (by weight)

Name: Ethanol CAS #: 64-17-5 ☐ EHS

Max Amt Code: 10 (100,000-499,999 pounds) Component Percentage: 95 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☐ Ships via Trucks

☒ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 4

Shipment Frequency Period: Week

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 45,000

Average Shipment Qty (lbs): 45,000

Physical State in Transit: Liquid

Carrier: Sasol Chemicals North America

Comments (please provide both the primary and alternate routes of travel): I95 N to Exit 3 (RT 123) - Left on County St - Right on Olive St

Mixture or Product Name: Lead-Acid Battery

CAS #:

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☒ Yes ☐ No

Physical State: ☒ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☒ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

HEALTH HAZARDS:

☒ Acute toxicity (any route of exposure)

☒ Skin corrosion or irritation

☒ Serious eye damage or eye irritation

☒ Respiratory or skin sensitization

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 14

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- | | |
|--|---|
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input checked="" type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input checked="" type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| <input type="checkbox"/> Hazard not otherwise classified | |

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 16,872 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 16,872 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 2,710 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential

Location Description: Multiple mobile locations in the facility

Container Type: Battery Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 16,872 pounds

MIXTURE COMPONENTS:

Name: Lead CAS #: 7439-92-1 ☐ EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 73 (by weight)

Name: Sulfuric Acid CAS #: 7664-93-9 ☒ EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 8 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
☐ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 1

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 2,710

Average Shipment Qty (lbs): 1,000

Physical State in Transit: Solid

Carrier: Common Carriers

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Facility: Rust-Oleum (continued)

Mixture or Product Name: Lithopone

CAS #: 1345-05-7

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☐ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☐ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
- ☐ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☒ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☐ Aspiration hazard
- ☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 39,618 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 25,045 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)

Max amount in largest container: 50 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building 2 2nd floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 34,992 pounds

MIXTURE COMPONENTS:

Name: Barium Sulfate CAS #: 7727-43-7 ☐ EHS

Max Amt Code: 07 (25,000-49,999 pounds) Component Percentage: 69 (by weight)

Name: Zinc Sulfate CAS #: 1314-98-3 ☐ EHS

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 29.7 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
- ☐ Ships via Tank Trucks
- ☐ Ships via Rail Car
- ☐ Ships via Tank Car
- ☐ Ships via Pipeline

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 16

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:
Frequency of Shipment: 6
Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 45,000
Maximum Shipment Qty (lbs): 45,000
Average Shipment Qty (lbs): 245,000
Physical State in Transit: Solid
Carrier: Kings Express
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Exit 3 (Attleboro) - Rte 123 - Olive Street

Mixture or Product Name: Mineral Spirits

CAS #: 8052-41-3

Chemical Category: ☐ Pure ☒ Mixture
EHS: ☐ Yes ☒ No
Physical State: ☐ Solid ☒ Liquid ☐ Gas
☐ Identical to previous year
☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive
☒ Flammable (gases, aerosols, liquids, or solids)
☐ Oxidizer (liquid, solid, or gas)
☐ Self-reactive
☐ Pyrophoric (liquid or solid)
☐ Pyrophoric gas
☐ Self-heating
☐ Organic peroxide
☐ Corrosive to metal
☐ Gas under pressure (compressed gas)
☐ In contact with water emits flammable gas
☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☒ Skin corrosion or irritation
☒ Serious eye damage or eye irritation
☒ Respiratory or skin sensitization
☐ Germ cell mutagenicity
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Specific target organ toxicity (single or repeated exposure)
☐ Aspiration hazard
☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds
Maximum Amount: 48,034 pounds Maximum Amount code: 07 (25,000-49,999 pounds)
Average Daily Amount: 24,708 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 48,034 pounds
Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Robert St UST Bunker

Container Type: Below ground tank Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 65,824 pounds

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 17

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

MIXTURE COMPONENTS:

Name: Solvent Naphtha CAS #: 64742-88-7 ☐ EHS

Max Amt Code: 07 (25,000-49,999 pounds) Component Percentage: 95 (by weight)

Name: Trimethylbenzene CAS #: 95-63-6 ☐ EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 5 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☐ Ships via Trucks

☒ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 6

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 35,000

Maximum Shipment Qty (lbs): 45,000

Average Shipment Qty (lbs): 260,000

Physical State in Transit: Liquid

Carrier: Transport Services LLC

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Exit 3A - Rte 123E - Attleboro - Olive Street

Chemical Name: Minex (1, 2)

CAS #: 37244-96-5

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☐ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

☐ Corrosive to metal

☐ Gas under pressure (compressed gas)

☐ In contact with water emits flammable gas

☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☐ Skin corrosion or irritation

☒ Serious eye damage or eye irritation

☒ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☐ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

☐ Aspiration hazard

☐ Simple asphyxiant

☐ Hazard not otherwise classified

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 18

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 182,487 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 47,244 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)

Max amount in largest container: 50 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #2, second floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 2,325,500 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 3

Shipment Frequency Period: Month

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 42,000

Average Shipment Qty (lbs): 25,000

Physical State in Transit: Solid

Carrier: Cooper Run Motor Freight, Inc.

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Mixture or Product Name: Nutrisoy (soybean powder)

CAS #:

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☐ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☐ Skin corrosion or irritation

☐ Serious eye damage or eye irritation

☐ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☐ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 19

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- | | |
|--|--|
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input checked="" type="checkbox"/> Combustible dust | |
| <input type="checkbox"/> Hazard not otherwise classified | |

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 12,150 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 8,486 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)
Max amount in largest container: 50 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential
- Location Description: Building #2,7, Second Floor
Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 13,890 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
☐ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:
Frequency of Shipment: 1
Shipment Frequency Period: Month
Maximum capacity per single vessel (lbs): 45,000
Maximum Shipment Qty (lbs): 2,000
Average Shipment Qty (lbs): 1,000
Physical State in Transit: Solid
Carrier: Common Carriers
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Mixture or Product Name: Rezimac (mixed xylenes in alkyd resin)

CAS #: 1330-20-7

- Chemical Category: ☐ Pure ☒ Mixture
EHS: ☐ Yes ☒ No
Physical State: ☐ Solid ☒ Liquid ☐ Gas
☒ Identical to previous year
☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
☒ Flammable (gases, aerosols, liquids, or solids)

HEALTH HAZARDS:

- ☐ Acute toxicity (any route of exposure)
☒ Skin corrosion or irritation

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 20

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- | | |
|--|---|
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input checked="" type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| <input type="checkbox"/> Hazard not otherwise classified | |

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 53,449 pounds Maximum Amount code: 08 (50,000-74,999 pounds)
Average Daily Amount: 26,807 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)
Max amount in largest container: 53,449 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential

Location Description: Robert St UST Bunker

Container Type: Below ground tank Pressure: Greater than ambient pressure Temperature: Greater than ambient temperature

Amount: 53,270 pounds

MIXTURE COMPONENTS:

- Name: Cumene CAS #: 98-82-8 ☐ EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 1 (by weight)
- Name: ethylbenzene CAS #: 100-41-4 ☐ EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 0.05 (by weight)
- Name: Ethylbenzene CAS #: 100-41-4 ☐ EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 5.2 (by weight)
- Name: Light Aliphatic Solvent Naphtha CAS #: 8032-32-4 ☐ EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 9.3 (by weight)
- Name: M Xylene CAS #: 108-38-3 ☐ EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 11.8 (by weight)
- Name: Mineral Spirits CAS #: 8052-41-3 ☐ EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 13.3 (by weight)
- Name: O Xylene CAS #: 95-47-6 ☐ EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 5.2 (by weight)
- Name: P Xylene CAS #: 106-42-3 ☐ EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 5.2 (by weight)

Facility: Rust-Oleum (continued)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☐ Ships via Trucks

☒ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 4

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 42,000

Maximum Shipment Qty (lbs): 42,000

Average Shipment Qty (lbs): 110,000

Physical State in Transit: Liquid

Carrier: Kenan Advantage Group

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Chemical Name: Seedlac

CAS #: 9000-59-3

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☒ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☐ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

☐ Corrosive to metal

☐ Gas under pressure (compressed gas)

☐ In contact with water emits flammable gas

☒ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☐ Skin corrosion or irritation

☐ Serious eye damage or eye irritation

☐ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☐ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

☐ Aspiration hazard

☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 1,955,000 pounds Maximum Amount code: 12 (1,000,000-9,999,999 pounds)

Average Daily Amount: 1,189,000 pounds Average Daily Amount code: 12 (1,000,000-9,999,999 pounds)

Max amount in largest container:

Days on site: 365

Facility: Rust-Oleum (continued)

STORAGE LOCATIONS:

☐ Confidential

Location Description: Bldg #18

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 2,514,780 pounds

Location Description: Building #2, first floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 5,000 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 48

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 41,000

Maximum Shipment Qty (lbs): 41,000

Average Shipment Qty (lbs): 41,000

Physical State in Transit: Solid

Carrier: Logistics coordinator "Rhime"

Comments (please provide both the primary and alternate routes of travel): I-95 South to Exit # Attleboro

Chemical Name: Soda Ash

CAS #: 497-19-8

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☒ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

☒ Corrosive to metal

☐ Gas under pressure (compressed gas)

☐ In contact with water emits flammable gas

☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☒ Skin corrosion or irritation

☒ Serious eye damage or eye irritation

☒ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☐ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

☐ Aspiration hazard

☒ Simple asphyxiant

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 23

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 40,849 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 13,658 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 50 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #2, first floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 36,100 pounds

Location Description: Building #2, first floor

Container Type: Fiber drum Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 36,100 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 6

Shipment Frequency Period: Year

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 45,000

Average Shipment Qty (lbs): 256,307

Physical State in Transit: Solid

Carrier: Roberts Chemical

Comments (please provide both the primary and alternate routes of travel): Clyde St-Oakhill Ave-Locust St-S Main St -Olive St (4 miles)

Mixture or Product Name: Sodium Hypochlorite (15% in water solution)

CAS #: 7681-52-9

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☒ Skin corrosion or irritation

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 24

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- | | |
|--|---|
| <input checked="" type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input checked="" type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input checked="" type="checkbox"/> Corrosive to metal | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input checked="" type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| <input type="checkbox"/> Hazard not otherwise classified | |

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 218,840 pounds Maximum Amount code: 10 (100,000-499,999 pounds)
Average Daily Amount: 86,117 pounds Average Daily Amount code: 09 (75,000-99,999 pounds)
Max amount in largest container: 160,000 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential
- Location Description: Building #6
Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 237,460 pounds

MIXTURE COMPONENTS:

- Name: Sodium Hydroxide CAS #: 1310-73-2 ☐ EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 2 (by weight)
- Name: Sodium Hypochlorite CAS #: 7681-52-9 ☐ EHS
Max Amt Code: 07 (25,000-49,999 pounds) Component Percentage: 16 (by weight)
- Name: Water CAS #: 7732-18-5 ☐ EHS
Max Amt Code: 10 (100,000-499,999 pounds) Component Percentage: 82 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
☒ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:
Frequency of Shipment: 70
Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 45,000
Maximum Shipment Qty (lbs): 45,000
Average Shipment Qty (lbs): 45,000
Physical State in Transit: Liquid

Facility: Rust-Oleum (continued)

Carrier: Borden & Remington Corp

Comments (please provide both the primary and alternate routes of travel): I - 95 NORTH/SOUTH - EXIT 3A (MA123 EAST)
TOWARDS ATTLEBORO - OLIVE STREET

Chemical Name: Sulfuric Acid

CAS #: 7664-93-9

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☒ Yes ☐ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

- ☐ Explosive
- ☐ Flammable (gases, aerosols, liquids, or solids)
- ☒ Oxidizer (liquid, solid, or gas)
- ☐ Self-reactive
- ☐ Pyrophoric (liquid or solid)
- ☐ Pyrophoric gas
- ☐ Self-heating
- ☐ Organic peroxide
- ☒ Corrosive to metal
- ☐ Gas under pressure (compressed gas)
- ☐ In contact with water emits flammable gas
- ☐ Combustible dust

HEALTH HAZARDS:

- ☒ Acute toxicity (any route of exposure)
- ☒ Skin corrosion or irritation
- ☒ Serious eye damage or eye irritation
- ☒ Respiratory or skin sensitization
- ☐ Germ cell mutagenicity
- ☐ Carcinogenicity
- ☐ Reproductive toxicity
- ☐ Specific target organ toxicity (single or repeated exposure)
- ☐ Aspiration hazard
- ☒ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 76,018 pounds Maximum Amount code: 09 (75,000-99,999 pounds)

Average Daily Amount: 36,154 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)

Max amount in largest container: 75,000 pounds

Days on site: 366

STORAGE LOCATIONS:

☐ Confidential

Location Description: Buiding #9 Annex

Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 73,256 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☐ Ships via Trucks
 - ☒ Ships via Tank Trucks
 - ☐ Ships via Rail Car
 - ☐ Ships via Tank Car
 - ☐ Ships via Pipeline
 - ☐ Ships via Barge
 - ☐ Ships via Other Shipment Mode
- Other shipment mode:

Facility: Rust-Oleum (continued)

Frequency of Shipment: 5
Shipment Frequency Period: Year
Maximum capacity per single vessel (lbs): 5,000
Maximum Shipment Qty (lbs): 50,000
Average Shipment Qty (lbs): 310,000
Physical State in Transit: Liquid
Carrier: Univar
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Exit 3AE towards Attleboro Rte 123E -
Rte 123E - to Olive Street

Mixture or Product Name: Tamol 681

CAS #:

Chemical Category: ☐ Pure ☒ Mixture
EHS: ☐ Yes ☒ No
Physical State: ☐ Solid ☒ Liquid ☐ Gas
☐ Identical to previous year
☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive
☒ Flammable (gases, aerosols, liquids, or solids)
☐ Oxidizer (liquid, solid, or gas)
☐ Self-reactive
☐ Pyrophoric (liquid or solid)
☐ Pyrophoric gas
☐ Self-heating
☐ Organic peroxide
☐ Corrosive to metal
☐ Gas under pressure (compressed gas)
☐ In contact with water emits flammable gas
☐ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)
☒ Skin corrosion or irritation
☐ Serious eye damage or eye irritation
☒ Respiratory or skin sensitization
☐ Germ cell mutagenicity
☐ Carcinogenicity
☐ Reproductive toxicity
☐ Specific target organ toxicity (single or repeated exposure)
☒ Aspiration hazard
☐ Simple asphyxiant

☐ Hazard not otherwise classified

AMOUNTS:

☐ Below Reporting Thresholds
Maximum Amount: 17,712 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 12,013 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 4,000 pounds
Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #2, first floor
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 20,110 pounds

MIXTURE COMPONENTS:

Name: Acrylic polymer(s) CAS #: ☐ EHS

Facility: Rust-Oleum (continued)

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 38 (by weight)

Name: Propanediol CAS #: 57-55-6 ☐ EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 28 (by weight)

Name: Water CAS #: 7732-18-5 ☐ EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 34 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 1

Shipment Frequency Period: Month

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 4,000

Average Shipment Qty (lbs): 2,000

Physical State in Transit: Liquid

Carrier: Common Carriers

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Chemical Name: Titanium Dioxide Powder

CAS #: 13463-67-7

Chemical Category: ☒ Pure ☐ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☒ Solid ☐ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☐ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

☐ Corrosive to metal

☐ Gas under pressure (compressed gas)

☐ In contact with water emits flammable gas

☒ Combustible dust

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☒ Skin corrosion or irritation

☒ Serious eye damage or eye irritation

☐ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☒ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

☒ Aspiration hazard

☐ Simple asphyxiant

☐ Hazard not otherwise classified

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 28

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

AMOUNTS:

☐ Below Reporting Thresholds

Maximum Amount: 105,694 pounds Maximum Amount code: 10 (100,000-499,999 pounds)

Average Daily Amount: 41,664 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)

Max amount in largest container: 1,102 pounds

Days on site: 365

STORAGE LOCATIONS:

☐ Confidential

Location Description: Building #2,7, Second Floor

Container Type: Bag Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 25,348 pounds

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

☒ Ships via Trucks

☐ Ships via Tank Trucks

☐ Ships via Rail Car

☐ Ships via Tank Car

☐ Ships via Pipeline

☐ Ships via Barge

☐ Ships via Other Shipment Mode

Other shipment mode:

Frequency of Shipment: 1

Shipment Frequency Period: Month

Maximum capacity per single vessel (lbs): 45,000

Maximum Shipment Qty (lbs): 4,000

Average Shipment Qty (lbs): 2,000

Physical State in Transit: Solid

Carrier: Common Carriers

Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street

Mixture or Product Name: Titanium Dioxide Slurry

CAS #: 13463-67-7

Chemical Category: ☐ Pure ☒ Mixture

EHS: ☐ Yes ☒ No

Physical State: ☐ Solid ☒ Liquid ☐ Gas

☐ Identical to previous year

☐ Trade secret

PHYSICAL HAZARDS:

☐ Explosive

☐ Flammable (gases, aerosols, liquids, or solids)

☐ Oxidizer (liquid, solid, or gas)

☐ Self-reactive

☐ Pyrophoric (liquid or solid)

☐ Pyrophoric gas

☐ Self-heating

☐ Organic peroxide

HEALTH HAZARDS:

☐ Acute toxicity (any route of exposure)

☒ Skin corrosion or irritation

☒ Serious eye damage or eye irritation

☒ Respiratory or skin sensitization

☐ Germ cell mutagenicity

☒ Carcinogenicity

☐ Reproductive toxicity

☐ Specific target organ toxicity (single or repeated exposure)

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2023

Page 29

Printed: February 20, 2024

Facility: Rust-Oleum (continued)

- | | |
|--|---|
| <input type="checkbox"/> Corrosive to metal | <input checked="" type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| <input type="checkbox"/> Hazard not otherwise classified | |

AMOUNTS:

- ☐ Below Reporting Thresholds
Maximum Amount: 102,760 pounds Maximum Amount code: 10 (100,000-499,999 pounds)
Average Daily Amount: 75,483 pounds Average Daily Amount code: 09 (75,000-99,999 pounds)
Max amount in largest container: 50,000 pounds
Days on site: 365

STORAGE LOCATIONS:

- ☐ Confidential
- Location Description: Building #9
Container Type: Above ground tank Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 116,000 pounds

MIXTURE COMPONENTS:

- Name: Titanium Dioxide CAS #: 13463-67-7 ☐ EHS
Max Amt Code: 08 (50,000-74,999 pounds) Component Percentage: 50 (by weight)
- Name: Water CAS #: 7732-18-5 ☐ EHS
Max Amt Code: 08 (50,000-74,999 pounds) Component Percentage: 50 (by weight)

STATE-SPECIFIC CHEMICAL DATA FIELDS FOR MASSACHUSETTS:

- ☒ Ships via Trucks
☐ Ships via Tank Trucks
☐ Ships via Rail Car
☐ Ships via Tank Car
☐ Ships via Pipeline
☐ Ships via Barge
☐ Ships via Other Shipment Mode
Other shipment mode:
Frequency of Shipment: 2
Shipment Frequency Period: Week
Maximum capacity per single vessel (lbs): 42,000
Maximum Shipment Qty (lbs): 42,000
Average Shipment Qty (lbs): 2,100,000
Physical State in Transit: Liquid
Carrier: Common Carriers
Comments (please provide both the primary and alternate routes of travel): I-95 North/South - Rte 123 towards Attleboro - Olive Street
Street

State/local fees: None

- ☒ I have attached a site plan
☐ I have attached a list of site coordinate abbreviations

Facility: Rust-Oleum (continued)

☐ I have attached a description of dikes and other safeguard measures

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 1 through 30, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

02/19/2024

Date signed

Eric Priestley, Plant Manager

Name and official title of owner/operator OR owner/operator's authorized representative