

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon MANSFIELD CO (VZ-MA566306) Facility ID: 8603

Reporting Period From January 1, 2023 to December 31, 2023

☒ Annual
 ☐ Update
 ☐ Revised
 ☐ Facility Information has changed from the last submission

Facility Identification		Owner/Operator Details	
Facility ID: 8603 Facility Name: Verizon MANSFIELD CO (VZ-MA566306) Maximum Occupants: 1 Physical Location: 8 BRISTOL ST, Mansfield, MA 02048 County: Bristol County Fire Department: 908-559-4600 <input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned Email: Susan.Calderon@Verizon.com	Lat/Long: 42.0294/-71.2175 Nature of Business: Wireline Communications NAICS Code: 517111 SIC Code: 4813 Dun and Brad No: 107212169 EIN ID(Tax Number): 23-2259884 FTE:	Name: Verizon Communications Inc Address: One Verizon Way, MC: 33E040F Basking Ridge, NJ 07920-1097, United States Phone: 908-559-4600 Email: Susan.Calderon@Verizon.com	Name: Verizon Communications, Inc Dun and Brad No: 107212169 Address: One Verizon Way, MC: 33E040F Basking Ridge, NJ 07920-1097, United States Phone:
Subject to EPCRA Section 312 (Annual Inventory)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Subject to Section 112r of Clean Air Act (CAA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No RMP Facility ID: Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No TRI Facility ID:		Tier II Information Contact Name: Susan Calderon Title: EPCRA Program Project Manager Phone: 908-559-4600 Email: Susan.Calderon@Verizon.com 24 Hr. Phone: 800-386-9639	
Mailing Address Company Name: Verizon Communications, Inc. Attention: Susan Calderon Street Address 1: One Verizon Way, MC: 33E040F, Attn: EPCRA Program Street Address 2: City: Basking Ridge Zip: 07920-1097 State: NJ Phone: 908-559-4600 Country: United States		Facility Emergency Planning Coordinator Name: Jeffrey Coaston Title: Property Manager Phone: 617-696-4020 Email: jeffery.coaston@verizon.com 24 Hr. Phone: 800-386-9639	
Emergency Contacts			
Name Jeffrey Coaston Compliance Service Center	Title Property Manager Manager, Verizon EHS Department	24 Hr. Phone 800-386-9639 800-386-9639	Email jeffery.coaston@verizon.com Susan.Calderon@Verizon.com

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.
 Susan Calderon, EPCRA Program Project Manager
 Name and official title of owner/operator or authorized representative

Date Signed: 1/22/2024 9:42:45 PM
 Telephone Number: 908-559-4600

Signature: Susan Calderon

Optional Attachments
☐ Site Plan
☐ Site Coordinate Abbreviations
☐ Other Safeguard measures
☐ Facility Emergency Response Plan

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon MANSFIELD CO (VZ-MA566306) Facility ID: 8603
Reporting Period From January 1, 2023 to December 31, 2023

Chemical Description		Physical Hazards		Health Hazards													
Chemical ID: 236834 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 68476-34-6 Trade Secret: <input type="checkbox"/> Chemical Name: Diesel Fuel EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory		Storage Codes & Location															
Max Daily Amt (lbs): 18125 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 18125 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[8]Below ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Outside-Other</td> <td></td> <td></td> </tr> </tbody> </table>					Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[8]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Outside-Other		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[8]Below ground tank	[1]Ambient pressure	[4]Ambient temperature	Outside-Other														
SHIPMENT DETAILS																	
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:			Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:														
Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:																	

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Verizon MANSFIELD CO (VZ-MA566306)

Facility ID: 8603

Reporting Period From January 1, 2023 to December 31, 2023

Chemical Description		Physical Hazards		Health Hazards															
Chemical ID: 236833 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Lead Acid Batteries EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input checked="" type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input checked="" type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input checked="" type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																	
Inventory		Storage Codes & Location																	
Max Daily Amt (lbs): 66504 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 66504 Avg Daily Amt Code: 08 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Battery</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Inside-Main Bldg-Base ment Floor</td> <td></td> <td></td> </tr> </tbody> </table>					Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Inside-Main Bldg-Base ment Floor				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)														
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Inside-Main Bldg-Base ment Floor																
SHIPMENT DETAILS																			
Mode of Shipment: Trucks Shipment Frequency Count: 1 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 1 Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel: No shipments received this year	Carrier: Carrier Address: 00000 Carrier Phone: 111-111-1111 Carrier 24 Hr Phone: 111-111-1111	Infrequent Every 10 years Infrequent, Infrequent, MA																
MIXTURE COMPONENTS																			
<table border="1"> <thead> <tr> <th>Chemical Name</th> <th>%</th> <th>CAS #</th> <th>EHS</th> <th>EHS Name</th> <th>Max Daily Amount (lbs)</th> <th>Max Daily Amount Code</th> </tr> </thead> <tbody> <tr> <td>SULFURIC ACID</td> <td>6.3</td> <td>7664-93-9</td> <td><input checked="" type="checkbox"/></td> <td>Sulfuric acid</td> <td>4189.752</td> <td>04</td> </tr> </tbody> </table>	Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code	SULFURIC ACID	6.3	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	4189.752	04					
Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code													
SULFURIC ACID	6.3	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	4189.752	04													

Tier II Emergency and Hazardous Chemical Inventory
Facility Name: Verizon MANSFIELD CO (VZ-MA566306) Facility ID: 8603
Reporting Period From January 1, 2023 to December 31, 2023

Chemical Amount Range Code & Description			
#	Code	Amount Range	
1	01	[01] 0-99	
2	02	[02] 100-499	
3	03	[03] 500-999	
4	04	[04] 1,000-4,999	
5	05	[05] 5,000-9,999	
6	06	[06] 10,000-24,999	
7	07	[07] 25,000-49,999	
8	08	[08] 50,000-74,999	
9	09	[09] 75,000-99,999	
10	10	[10] 100,000-499,999	
11	11	[11] 500,000-999,999	
12	12	[12] 1,000,000-9,999,999	
13	13	[13] 10,000,000- Greater than 10 million	