

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company Facility ID: 1493

Reporting Period From January 1, 2023 to December 31, 2023

Annual Update Revised Facility Information has changed from the last submission

Facility Identification		Owner/Operator Details	
Facility ID:	1493	Name:	Charles Cederberg
Facility Name:	Larson Tool & Stamping Company	Address:	90 Olive St Attleboro, MA 02703, United States
Maximum Occupants:	85	Phone:	508-272-5159 Email: ccederberg@larsontool.com
Physical Location:	90 Olive St, Attleboro, MA 02703	Parent Company Details	
County:	Bristol County	Name:	Larson Tool & Stamping Company
Fire Department:	Bristol County	Dun and Brad No:	001459536
Phone:	508-222-0897 x 51	Address:	90 Olive St Attleboro, MA 02703, United States
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		Phone:	508-222-0897 Email:
Email:	abarden@larsontool.com	Tier II Information Contact	
Subject to EPCRA Section 312 (Annual Inventory)?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Subject to Section 112r of Clean Air Act (CAA)?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
RMP Facility ID:		Name: Charles Cederberg	
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?		Title: President / Owner	
TRI Facility ID:		Phone: 508-222-0897 x 27	
		Email: ccederberg@larsontool.com	
24 Hr. Phone: 508-272-5159		508-272-5159	
Mailing Address			
Company Name: Larson Tool & Stamping Company		Facility Emergency Planning Coordinator	
Attention:		Name: Charles Cederberg	
Street Address 1: 90 Olive St		Title: President / Owner	
Street Address 2:		Phone: 508-222-0897 x 27	
City: Attleboro		Email: ccederberg@larsontool.com	
Zip: 02703		24 Hr. Phone: 508-272-5159	
Country: United States		State: MA	
		Phone: 508-222-0897 x 51	
Emergency Contacts			
Name		Title	
Charles Cederberg		President / Owner	
Phone: 508-222-0897		24 Hr. Phone: 508-272-5159	
William Larson		CFO / Owner	
Phone: 508-222-0897 x 30		24 Hr. Phone: 508-243-1675	
Email: blarson@larsontool.com		Email: ccederberg@larsontool.com	

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 4, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

Name and official title of owner/operator or authorized representative: Anna Barden, HR Manager
Date Signed: 2/23/2024 10:50:00 AM
Telephone Number: 508-222-0897 x 51
Signature: Anna Barden

Optional Attachments
 Site Plan
 Site Coordinate Abbreviations
 Other Safeguard measures
 Facility Emergency Response Plan

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company Facility ID: 1493
 Reporting Period From January 1, 2023 to December 31, 2023

Chemical Description		Physical Hazards			Health Hazards		
Chemical ID: 245439	Check if Chemical Information is changed from the last submission: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust	<input type="checkbox"/> Acute toxicity (any route of exposure)				
CAS #: 7664-93-9	Trade Secret: <input type="checkbox"/>	<input checked="" type="checkbox"/> Corrosive to metal	<input type="checkbox"/> Aspiration hazard				
Chemical Name: SULFURIC ACID	EHS: <input checked="" type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPO: <input checked="" type="checkbox"/>	<input type="checkbox"/> Explosive	<input type="checkbox"/> Carcinogenicity				
EHS Name: Sulfuric acid	<input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas	<input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)	<input type="checkbox"/> Germ cell mutagenicity				
Chemical Added On: <input type="checkbox"/>	Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Gas under pressure	<input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)				
		<input type="checkbox"/> In contact with water emits flammable gas	<input type="checkbox"/> Reproductive toxicity				
		<input type="checkbox"/> Organic peroxide	<input type="checkbox"/> Respiratory or skin sensitization				
		<input type="checkbox"/> Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Serious eye damage or eye irritation				
		<input type="checkbox"/> Pyrophoric (liquid or solid)	<input type="checkbox"/> Simple asphyxiant				
		<input type="checkbox"/> Pyrophoric gas	<input checked="" type="checkbox"/> Skin corrosion or irritation				
		<input type="checkbox"/> Self-heating	<input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)				
		<input type="checkbox"/> Self-reactive					
Inventory		Storage Codes & Location					
Max Daily Amt (lbs): 183.26		Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
Max Daily Amt Code: 02		[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Metering station behind maintenance		183.26
Avg Daily Amt (lbs): 9.163		[E]Plastic or nonmetallic drum	[1]Ambient pressure	[4]Ambient temperature	Pump station outside maintenance	Storage area beside pump tank.	183.26
Avg Daily Amt Code: 01							
Max Amt in Largest Container (lbs): 137.445							
No of days onsite: 365							

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company
 Reporting Period From January 1, 2023 to December 31, 2023

Facility ID: 1493

SHIPMENT DETAILS

Mode of Shipment: Trucks
 Shipment Frequency Count: 1
 Shipment Frequency Period: Year
 Physical State In Transit: Liquid

Maximum Capacity Per Vessel: 137,445
 Maximum Shipment Quantity at One Time: 137,445
 Average Annual Shipment Quantity: 137,445
 Routes of Travel: Route 95 to exit 3 in Massachusetts to Rt123 to Olive St to 90 Olive St

Carrier: A. Dine Pyle
 Carrier Address: 650 Westtown Road, West Chester, PA 19381-
 Carrier Phone: 800-523-5020
 Carrier 24 Hr Phone: 800-523-5020

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
NalcoWater 3D Trasar 3DT230	5	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid (aerosol forms only)	9.163	01

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 245440 Check if Chemical Information is changed from the last submission: <input checked="" type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: SULFURIC ACID EHS: <input checked="" type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input checked="" type="checkbox"/> EHS Name: Sulfuric acid <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas Chemical Added On: <input type="checkbox"/> Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory

Storage Codes & Location

Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Batteries in Forktrucks Throughout Plant (includes battery weight)		15705.8

Max Daily Amt (lbs): 15705.8
 Max Daily Amt Code: 06
 Avg Daily Amt (lbs): 15705.08
 Avg Daily Amt Code: 06
 Max Amt in Largest Container (lbs): 2970
 No of days onsite: 365

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: Larson Tool & Stamping Company

Facility ID: 1493

Reporting Period From January 1, 2023 to December 31, 2023

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	4000	Carrier:	Northeast Battery
Shipment Frequency Count:	3	Maximum Shipment Quantity at One Time:	268	Carrier Address:	168 Carpenter StPO Box 743, Providence, RI 02901-
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	120	Carrier Phone:	800-441-8824
Physical State In Transit:	Liquid	Routes of Travel:	Route 95 to exit 3 in Massachusetts to Rt 123 to Olive St to 90 Olive St	Carrier 24 Hr Phone:	800-441-8824

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Lead	70	7439-92-1	<input type="checkbox"/>		10994.06	06
Sulfuric Acid In Lead Batteries	5	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	785.29	03

Chemical Amount Range Code & Description

#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million

Yellow= New or change out

2/19/2024

2023 EPRCA Data for Quantities of Listed Reportable Hazardous and Extremely Hazardous Substances

Percentages by Weight per SDS Crown Battery
 Battery % Water LEAD % in battery Sulfuric Acid % in battery
 Total Wt in battery Wt. * .25 Wt. * .70 Wt * 5%

MACHINE #	MACHINE NAME	BATTERY TYPE	Date of Arrival	Change Out Date	Battery Total Wt	% Water in battery	LEAD % in battery	Sulfuric Acid % in battery
New 2014	1537 GENERATOR	12V AUTOMOTIVE	12/18/02	8/20/14	37	9.25	25.90	1.85
	1594 TILTMASTER	12V DEEP CELL	4/25/02	4/3/21	54	13.50	37.80	2.70
	2007 1701 Upright scissor lift	24V (4-6volts) 67#ea.	1/1/07	1/24/19	268	67.00	187.60	13.40
	2009 1705 FLOOR SCRUBBER	36V (6-6V) 167#	5/30/00	8/5/16	402	100.50	281.40	20.10
New 2016	1750 FORKLIFT	12V AUTOMOTIVE	9/1/16	8/19/20	37	9.25	25.90	1.85
New 2005	1682 FORKLIFT	36V	3/17/05	4/1/2022	1638	409.50	1146.60	81.90
	15-1 PRESTO LIFT	12V DEEP CELL	4/4/05	8/19/20	54	13.50	37.80	2.70
	1987 15-2 PRESTO LIFT	12V DEEP CELL	5/7/96	2/11/21	54	13.50	37.80	2.70
	1987 15-3 PRESTO LIFT	12V DEEP CELL	11/17/04	11/17/22	54	13.50	37.80	2.70
	1987 15-4 PRESTO LIFT	12V DEEP CELL	2/24/05	3/19/19	54	13.50	37.80	2.70
	18-2 PALLET TRUCK	12V	8/28/00		521	130.25	364.70	26.05
	633 CNC/J&L Lathe comp. backup	12V			19.4	4.85	13.58	0.97
	Computer/Phone backup	12V*2 (24)			4.4	1.10	3.08	0.22
	2009 1707 YARD TRUCK	12V*3	6/9/10	7/26/19	162	40.50	113.40	8.10
	2010 1713 Forklift	12 V AUTOMOTIVE	11/1/2010	1/24/2019	37	9.25	25.90	1.85
	VAN	12V	2/13/2011		37	9.25	25.90	1.85
New 2013	1725 RECEIVING CART	24V (4-6volts) 67# ea.	12/13/2013	8/29/2019	268	67.00	187.60	13.40
New 2015	1733 Generator Automatics	12V AUTOMOTIVE	4/1/2015		37	9.25	25.90	1.85
New 2015	1736 Forklift	12 V AUTOMOTIVE	4/1/2015	3/26/2021	37	9.25	25.90	1.85
New 2015	1738 Forklift	12 V AUTOMOTIVE	4/1/2015	4/22/2022	37	9.25	25.90	1.85
New 2016	1743 Pallet Truck	24V Maint Free	3/18/2016		263	65.75	184.10	13.15
New 2016	1744 Pallet Truck	24V Maint Free	3/18/2016		263	65.75	184.10	13.15
New 2016	1754 Forklift	36V	11/1/2016	2500	2500	625.00	1750.00	125.00
New 2017	1756 FORKLIFT	36V	3/10/2017	6/15/17	2940	735.00	2058.00	147.00
New 2017	1762 Skyjack Scissorlift	24V (V-6 volt) 4@67 e	12/15/2017	5/30/2019	268	67.00	187.60	13.40
New 2020	1776 Forklift	48V	6/11/2020		2668	667.00	1867.60	133.40
New 2022	1784 Forklift	36V	9/28/2022		2590	647.50	1813.00	129.50
New 2023	1782 Floor Washer	36V (6-6V) [67#]	1/13/2023		402	100.50	281.40	20.10
				CAS numbers	15705.8	3926.45	10994.06	785.29
						7732-18-5	7439-92-1	7664-93-9
	Other EHS Chemicals				Max Gal on site	Weight/Gal	% H2SO4	
	Naico 3D TRASAR 3DT230	15 gal drum	8/23/2016		20.00	9.163	5	9.163

Weight in Lbs.

Total all SA

794.45 Total all